Base Price - £1936.00 Valid from 01.04.22 to 31.03.23 Please ensure you are using the latest order form Provide estimate only

☐ Provide estimate only	☐ Order						
Attachment for custom fabrication enclosed							
Billing address/customer number							
Delivery address							
Sales person	Name						
	Date Signature						
	Julie Signature						

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

 $Wheel chairs\ with\ CLT\ package\ cannot\ be\ returned\ or\ exchanged.$

Avantgarde 4 DV

Active wheelchair

Article number: 480F160=0_AA03_C



Standard equipment

- Aluminium tube frame with double cross brace
- · Choice of front frame offset
- Aluminium leg supports, individual leg supports, swing away, removable
- Adaptable back support upholstery
- Aluminium side panels
- Modular design
- Drive wheels with quick-release axles
- Knee lever wheel lock 4.0
- Calf strap

Folding, max. user weight 140 kg Crash-tested according to DIN ISO 7176-19 (with double cross brace)

Front frame type							
MA 000 🛛 🗓 DV							
Front frame offset							
MA 14		0 cm offset	Inclusive				
MA 15		2 cm offset	Inclusive				

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.

Please use the spare parts catalogue for spare parts orders.

Information

Anterior seat height in cm	3"	4"	5"	5.5"	6"
38.0	Х				
39.0	Х				
40.0	X				
41.0	X	X			
42.0	X	X			
43.0	X	X	X		
44.0	X	X	X		
45.0	X	X	X	X	X
46.0	X	X	X	X	X
47.0	X	X	X	X	X
48.0		X	X	X	X
49.0		X	X	X	X
50.0		X	X	X	X
51.0			X	X	Х
52.0			X	X	X
53.0				X	X
54.0					X

 $The \ values \ indicated \ are \ rounded \ values \ which \ have \ been \ theoretically \ determined. \ Max. \ deviation \ of 1 \ cm.$

The anterior seat height depends on the selected wheel size, caster fork and mounting position. Please refer to the seat height table! Specified without seat cushion at 0° seat inclination.

Horizontal position of the drive wheel attachment device: see sketch.


The posterior seat height (PSH) depends on the selected wheel size and mounting position in the drive wheel attachment device.

Please refer to the seat height table!

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.

Wheelchair measurements*

- 1 Anterior seat height (ASH)
 - = ground to top of seat upholstery
- 2 Lower leg length (LL)
 - top of seat upholstery to top of foot plate (without seat cushion)
- 3 Posterior seat height (PSH)
 - = ground to top of seat upholstery
- 4 Back support height (BH)
 - = top of seat tube (crossbrace) to top of back support upholstery
- 5 Seat depth (SD)
 - = front of seat upholstery to back support tube
- 6 Seat width (SW)
 - = outside edge of frame tube to outside edge of frame tube



Equipment MA 110		_	Stand	ard (for using	n in wheelch	air accessible	a vehicles ac	cording DIN I	SO 7176-10)			£1936.00
MA 111												£3047.00
MA 112			CLT ve	T version, Ultra (incl. MA 114, MA 100, MG 15, MG 200, MH 05, MD 18, ME 04,								
MC 18)												25.25.65
Design of drive wheel adapter												
MA 113				different set		S						Inclusive
MA 114 Permanently welded												£253.00
Cross brace MA 100 Single, CLT (max. load capacity 100 kg, up to SW 42) £107												
MA 100			Single	, CLT (max. l	oad capacit	ty 100 kg, up	to SW 42)					£107.00
MA 101			Doubl	le (for using	in wheelch	air accessible	e vehicles ac	ccording DIN	I ISO 7176-19	9)		Inclusive
Type of wheel	chair (r	educ	ed grou	und clearand	e in deliver	y condition	for hemiple	gia fittings)*				
			Stand	ard								Inclusive
MB 50			Foot-p	oropelled w	heelchair							Inclusive
* Risk due to get	tting ca	ught	on obsta	cles. Please o	bserve safety	/ information	in the instruc	tions for use!				
Seat width SW	/ in cm											
32	34		36	□38	□40	☐ 42	□ 44	□46	□48	□50	□ 52	
Seat depth SD	in cm											
-]38]40	☐ 42	□44	□46	□48	□50	☐ 52	□54		
Anterior seat h	neight i	in cm	1									
	39]40	<u></u> 41	<u>42</u>	<u></u> 43	<u>44</u>	☐ 4 5	□46			
47	48		49	□ 50	☐ 51	☐ 52	□ 53	□ 54				
Frame accesso	ories											
MA 50			Transp	oort wheels,	pair				+ 8	300 g		£137.00
MA 51			Tip-as	sist, right					+ :	243 g		£52.00
MA 52			Tip-as	sist, left					+	243 g		£52.00
MA 55				ipper, right						634 g		£106.00
MA 56				ipper, left						534 g		£106.00
MA 57				n holder witl	•					303 g		£75.00
MA 58				n holder wit	h tip-assist,	left				303 g		£75.00
MA 60				pads long						- 70 g		£65.00
MA 60		_	Frame	pads short						- 70 g		105.00
Frame accesso	ories	_		. ,								
MF 01				ter role								Inclusive
MF 30				d rubber, bl								Inclusive
MF 35				t caster, alur d rubber, bl								£139.00 Inclusive
MF 36				t caster, alun								£139.00
MF 04				oft caster, arun								Inclusive
MF 05		П		eumatic, gre								Inclusive
MF 32				d rubber, bl	-							Inclusive
MF 37				t caster, alun								£139.00
		_		,								

Posterior seat height with wheelbase extension

Axle position		Drive wheel size	
	22"	24"	25"
1	37 cm	39 cm	40 cm
2	40 cm	42 cm	42 cm
3	42 cm	44 cm	45 cm
4	46 cm	46 cm	48 cm
5	47 cm	49 cm	50 cm

Posterior seat height with shock absorber system

Axle position	Drive wheel size					
	22"	24"	25"			
1	40 cm	42 cm	43 cm			
2	42 cm	44 cm	45 cm			
3	44 cm	46 cm	47 cm			
4	46 cm	48 cm	49 cm			
5	48 cm	50 cm	51 cm			


Posterior seat height

Free mounting		Drive wheel size	
positions	22"	24"	25"
1	36 cm	38 cm	40 cm
2	37 cm	39 cm	41 cm
3	38 cm	40 cm	42 cm
4	39 cm	41 cm	43 cm
5	40 cm	42 cm	44 cm
6	41 cm	43 cm	45 cm
7	42 cm	44 cm	46 cm
8	43 cm	45 cm	47 cm
9	44 cm	46 cm	48 cm
10	45 cm	47 cm	49 cm
11	46 cm	48 cm	50 cm
12	47 cm	49 cm	51 cm

Caster axle									
MF 90		X	Caste	r forks with	threaded ax	les			Inclusive
Posterior seat height in cm									
□36 □3 □44 □4]38]46	☐ 39 ☐ 47	□ 40 □ 48	☐ 41 ☐ 49	☐ 42 ☐ 50	☐ 43 ☐ 51	
Drive wheel size									
MG 01			22"						Inclusive
MG 02			24"						Inclusive
MG 00			25"						Inclusive
SBK 13335.000			26"						POA
Drive wheel camber			□0°	□2°	□3°	□4°			
Horizontal drive	Horizontal drive wheel position (for frame version adjustable)								
□А □В]c	□D	□E	□F	□G	□н	

Drive wheel positions with CLT equipment

From position E, the drive wheel adapter must be turned around – right side to the left side and left side to the right side.



Drive wheel rim	22"	24"	25"					
MG 06		Hollow rims	•			Inclusive		
MG 10		Spinergy SPOX - 360 g		•		£709.00		
MG 11		Spinergy LX -400 g				£733.00		
MG 12		Spinergy LXL Blade, black spokes - 660 g				£829.00		
MG 12		Spinergy LXL Blade, white spokes - 660 g				£829.00		
MG 15		Infinity Ultralight (not possible in combination with MG 34) - 720 g				£100.00		
MG 150		Infinity Ultralight, coloured (not possible in comb. with MG 34) - 720 g				£172.00		
		Colour set Infinity Ultralight/caster fork	22"	24"	25"			
		Sparkle light orange						
		Marine blue						
		☐ Candy red						
		Sparkle granny-smith						
MG 80		With drum brake / attendant* + 1540 g				£365.00		
MG 83		One-arm drive with double handrim left + 3022 g				£774.00		
MG 83		One-arm drive with double handrim right + 3022 g				£774.00		
* not possible in comb	intaior	n with camber						
Tyres			22"	24"	25"			
MG 30	П	Pneumatic tyre 1 3/8"			23	Inclusive		
MG 31		Schwalbe RightRun 1" - 542 c				Inclusive		
MG 34		PU 1" (not possible in combination with MG 15/MG 150) - 198 g	+			Inclusive		
		PIL1" black						
MG 341	Ш	(not possible in combination with MG 15/MG 150)		•		Inclusive		
MG 37		Schwalbe Marathon Plus Evolution 1" - 168 g	•	•	•	£46.00		
MG 371		Schwalbe Marathon Plus Evolution 1.1" - 163 g		•		£61.00		
MG 200		Schwalbe ONE 1" -768 g		•		£95.00		
Handrims			22"	24"	25"			
MG 50		Aluminium, black coated				Inclusive		
MG 52		Aluminium, silver anodised, high - 40 g				£29.00		
MG 53		Aluminium, silver anodised, low - 120 g				£29.00		
MG 54		rubber-coated + 500 g				£139.00		
MG 56		Stainless steel, polished, high + 620 g				£53.00		
MG 57		Stainless steel, polished, low + 580 g				£53.00		
MG 63		Curve L (anodised) + 200 g				£355.00		
MG 64		Curve L Grip for users with limited gripping function + 840 g				£385.00		
MG 65		GEKKO, ergonomic handrim +580 g				£250.00		
Handrim mounting			•					
SBK 13379.001	П	Mounting position more narrow to customer requirements mm				POA		
MG 70		Mounting position narrow (15 mm)				Inclusive		
MG 71		Mounting position wide (25 mm)				Inclusive		
Wheelbase extension	n incl	uding wheel lock adapter						
MG 86		Extra long				£215.00		
MG 82		Extra long with second fitting				£230.00		
MG 46		Without Inclusive						

MG 28	Quick-release axle sy	ystem			
Drive wheel accessories	MG 27		Quick-release axle		Inclusive
MG 87 High-pressure air pump. 14 bar £104.00 MG 88 Alrman pump £161.00 Shock absorber MG 97 Damping "soft" (up to 60 kg) £384.00 MG 98 Damping "medium" (61 kg – 100 kg) £384.00 MG 99 Damping "hard" (101 kg – 140 kg) £384.00 Wheel locks MH 01 Knee lever wheel lock 4.0, long lever Inclusive MH 30 Knee lever wheel lock for user and attendant + 470 g £281.00 MH 06 Knee lever wheel lock for one-handed operation, right + 180 g £363.00 MH 08 Knee lever wheel lock for one-handed operation, left + 180 g £363.00 Wheel lock accessories Wheel lock lever extension, pluggable £81.00 Back support keight in or 225.00 481.00 \$25.00 MH 21 Wheel lock lever extension, pluggable £81.00 \$68.00 \$68.00 Back support system WID 01 Back support, height-adjustable, straight RH 25-50 cm RH 42,5-50 cm RH 45.55 cm Inclusive MD 01 Back support, height-adjustable, straight RH 25-00 cm RH 45-50 cm <t< td=""><td>MG 28</td><td></td><td>Quick-release axle with Tetra release</td><td>+ 158 g</td><td>£140.00</td></t<>	MG 28		Quick-release axle with Tetra release	+ 158 g	£140.00
MG 88	Drive wheel accesso	ries			
Shock absorber	MG 87		High-pressure air pump, 14 bar		£104.00
MG 97 □ Damping 'soft' (up to 60 kg) £384.00 MG 98 □ Damping 'medium' (61 kg - 100 kg) £384.00 MG 99 □ Damping 'medium' (61 kg - 100 kg) £384.00 Wheel locks Will on the span of the	MG 88		Airman pump		£161.00
MG 98	Shock absorber				
MG 99	MG 97		Damping "soft" (up to 60 kg)		£384.00
MH 01	MG 98		Damping "medium" (61 kg – 100 kg)		£384.00
MH 01	MG 99		Damping "hard" (101 kg – 140 kg)		£384.00
MH 30 Knee lever wheel lock 4.0, long lever Inclusive MH 05 Scissor wheel lock - 32 g £168.00 MH 06 Knee lever wheel lock for user and attendant + 470 g £281.00 MH 08 Knee lever wheel lock for one-handed operation, right + 180 g £363.00 MH 09 Knee lever wheel lock for one-handed operation, left + 180 g £363.00 Wheel lock accessories Wheel lock lever extension, fixed £35.00 MH 10 Wheel lock lever extension, plugable £81.00 Back support height in crow \$25 27.5 30 32.5 35 37.5 37.5 35 37.5 37.5 30 32.5 35 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5 37.5	Wheel locks				
MH 05	MH 01		Knee lever wheel lock 4.0		Inclusive
MH 06 Knee lever wheel lock for user and attendant + 470 g £281,00 MH 08 Knee lever wheel lock for one-handed operation, right + 180 g £363,00 MH 09 Knee lever wheel lock for one-handed operation, left + 180 g £363,00 Wheel lock accessories MH 10 Wheel lock lever extension, fixed £35,00 MH 21 Wheel lock lever extension, pluggable £81,00 Back support height in cm 25 27.5	MH 30		Knee lever wheel lock 4.0, long lever		Inclusive
MH 08 Knee lever wheel lock for one-handed operation, right + 180 g £ 363.00 MH 09 Knee lever wheel lock for one-handed operation, left + 180 g £ 363.00 Wheel lock accessories MH 10 Wheel lock lever extension, fixed £ 35.00 MH 21 Wheel lock lever extension, pluggable £ 81.00 Back support height in cm 25 27.5 30 32.5 35 37.5	MH 05		Scissor wheel lock	- 32 g	£168.00
Min 10	MH 06		Knee lever wheel lock for user and attendant	+ 470 g	£281.00
Mhell lock accessories S35,00 MH 10 Wheel lock lever extension, fixed £35,00 MH 21 Wheel lock lever extension, pluggable £81,00 Back support height in cm \$81,00 25 27.5 30 32.5 35.5 55 Back support system MD 01 Back support, height-adjustable, straight RH 25.7 = 32.5 cm RH 32.5 = 40 cm RH 42.5 = 50 cm RH 52.5 = 55 cm Inclusive RH 32.5 = 40 cm RH 44.0 = 45 cm RH 45.5 = 50 cm RH 50.5 cm Inclusive RH 35.40 cm RH 40.45 cm RH 45.50 cm RH 45.50 cm RH 50.55 cm Inclusive RH 35.40 cm RH 35.40 cm RH 40.45 c	MH 08		Knee lever wheel lock for one-handed operation, right	+ 180 g	£363.00
MH 10	MH 09		Knee lever wheel lock for one-handed operation, left	+ 180 g	£363.00
MR 21	Wheel lock accessor	ies			
Back support height in cm	MH 10		Wheel lock lever extension, fixed		£35.00
25	MH 21		Wheel lock lever extension, pluggable		£81.00
MD 01	Back support height	in cn	n		
MD 01					
MD 01	Back support system	n			
MD 09 ☐ RH 35 - 40 cm ☐ RH 40 - 45 cm ☐ RH 45 - 50 cm ☐ RH 50 - 55 cm Inclusive MD 10 ☐ Back support, angle-adjustable in 6° increments (-15 to +9°) + 426 g £220.00 MD 12 ☐ Firmly welded back support ☐ RH 35 - 45 cm ☐ RH 40 - 50 cm £95.00 Back support upholstery MD 03 ☐ Adaptable, padded £49.00 MD 05 ☐ Adaptable, breathable Inclusive MD 18 ☐ Ultra light £42.00 MD 06 ☐ Without Inclusive Back support pad widening ☐ H2 cm MD 80 ☐ + 2 cm Inclusive MD 81 ☐ +4 cm Inclusive MD 82 ☐ Without Inclusive			1	☐ RH 52,5 – 55 cm	Inclusive
MD 10 RH 30 - 40 cm RH 35 - 45 cm RH 40 - 50 cm MD 12 Firmly welded back support	MD 09			☐ RH 50 – 55 cm	Inclusive
Back support upholstery MD 03	MD 10			6 g	£220.00
MD 03	MD 12				£95.00
MD 05	Back support uphols	stery			
MD 18 Ultra light £42.00 MD 06 Without Inclusive Back support pad widening MD 80 +2 cm Inclusive MD 81 +4 cm Inclusive MD 82 Without Inclusive	MD 03		Adaptable, padded		£49.00
MD 06 Without Inclusive Back support pad widening MD 80 + 2 cm Inclusive MD 81 + 4 cm Inclusive MD 82 Without Inclusive	MD 05		Adaptable, breathable		Inclusive
Back support pad widening MD 80 □ +2 cm Inclusive MD 81 □ +4 cm Inclusive MD 82 □ Without Inclusive	MD 18		Ultra light		£42.00
MD 80 +2 cm Inclusive MD 81 +4 cm Inclusive MD 82 Without Inclusive	MD 06		Without		Inclusive
MD 81 — + 4 cm Inclusive MD 82 — Without Inclusive	Back support pad wi	idenir	ng		
MD 82 Without Inclusive	MD 80		+ 2 cm		Inclusive
	MD 81		+ 4 cm		Inclusive
Use of BAXX back support system (include order form, model-specific restrictions are possible)	MD 82		Without		Inclusive
	Use of BAXX back su	ıpport	system (include order form, model-specific restrictions are possible)		
MD 44 Baxx aluminium back support, enclosed £588.00					£588.00

Push handles								
MD 50		Short		Inclusive				
MD 51		Long	+ 128 g	Inclusive				
MD 52		Telescoping, long	£150.00					
MD 55		Height-adjustable/removable	Height-adjustable/removable + 530 g					
MD 56		Fold-down (max. load capacity 125 kg/275 lbs)	+ 108 g	£126.00				
MD 59		Without	- 258 g	Inclusive				
Back support asse	ccories							
MD 58		Stabiliser bar		£154.00				
Side panels								
ME 01		With protection against the cold		Inclusive				
ME 02		With splash guard and protection against the cold	+ 186 g	£51.00				
ME 04		Carbon, with splash guard	- 126 g	£569.00				
ME 05		Desk side panel with arm support, short	+ 352 g	£298.00				
ME 06		Desk side panel with arm support, long	+ 536 g	£298.00				
SBK 24811.010		Side panel with arm support, pluggable (not in combination with single cross brace CLT (MA 100))		POA				
Side panel accesso	ories							
ME 50		Arm support padded, swing away (not possible in combin. with d	esk side panel)	£327.00				
ME 60		Tray						
ME 66		Tray, half side □ left □ right						
ME 61		Swivel unit for channel forearm pads, right *						
ME 62		Swivel unit for channel forearm pads, left *		£145.00				
*: replaces the exis	ting arı	m support						
Channel forearm p	nad							
ME 70		Channel forearm pad, one-piece, left		£62.00				
ME 71	$\exists \Box$	Channel forearm pad, one-piece, right		£62.00				
Seat upholstery				520.00				
MC 15	$\dashv \vdash$	Seat upholstery with storage compartment		£39.00				
MC 16	-	Upholstery readjustable		Inclusive				
MC 18	$\dashv \vdash$	Ultra light		£42.00				
MC 06		Without		Inclusive				
Seat cushions		6. 1.1/ 1: 1:1 5.		505.00				
MC 01	$\dashv \vdash$	Standard (cushion thickness 5 cm)		£85.00				
MC 02	-							
MC 05	$\dashv \vdash$	Evolight (cushion thickness 6 cm)		£175.00				
MC 20	$\dashv \Box$	Terra (cushion thickness 10 cm)		£164.00				
MC 21	$\dashv \vdash$	Terra Aquos (cushion thickness 10 cm)		£197.00				
MC 22	$\dashv \vdash$	Terra Flair (cushion thickness 10 cm)		£494.00				
MC 23	$\dashv \Box$	Cloud (cushion thickness 10 cm)		£483.00				
MC 29		Livo (cushion thickness 5 cm)		£71.00				
MC 30		Evoflair (cushion thickness 8 cm)		£256.00				

Material		Aluminium (serrated, M	B 160) Inclusive	Plastic (MB 1	70) Inclusive	Accesso	ories
Leg support		Chandand (MAD 100)			IIICIUSIVC	M(:+ - - (MAD 70)	564.00
Single-panel (MB 000)	H	Standard (MB 100) For short LL (MB 150)	Inclusive £157.00	-		With lock (MB 70)	£64.00
Inclusive	Ш	FOR SHORE LL (IVIB 150)	£157.00	-			
Individual		Standard 16 cm (MB 010)	Inclusive	Standard (MB 010)	Inclusive	-	
				Pair (MB 25)	£293.00	-	
Elevating		-		Right* (MB 26)	£147.00	_	
				☐ Left* (MB 27)	£147.00	_	
Tube foot sup- port		Standard (MB 120)	£103.00	-		Plastic footplate (MB 74)	£46.00
		(without seat cushion)		16 am - 55 am)			<u> </u>
Lower leg length (I	LL) in	cm (avail	able setting rai	nge 16 cm – 55 cm)		///	
						2	•••••
Choice of foot supp	port l	oar (without seat cushion)					
MB 40		Short (30 – 43 cm)					Inclusive
MB 41		Medium (35 – 48 cm)					Inclusive
MB 42	╛	Long (40 – 53 cm)					Inclusive
MB 43		Extra long (≥ 45 cm)					Inclusive
Other accessories							
MZ 51		Lap belt with metal bud	ckle				£71.00
MZ 59		Pocket for mobile phor	ne				£29.00
Spoke protectors							
MG 90	╛	Transparent					£134.00
MG 100	_ [Graphic decor					£196.00
MG 101	╛	Miracle decor					£196.00
MG 102		Network decor					£196.00
MG 103		Robots decor					£196.00
MG 104		Spectrum decor					£196.00

Frame colours			
001		Brilliant silver	Inclusive
002		Anthracite metallic	Inclusive
003		Jet black RAL 9005	Inclusive
004		Ice blue	Inclusive
005		Sparkle light orange	Inclusive
009		Vinho sparkle	Inclusive
010		Marine blue	Inclusive
012		Sky blue	Inclusive
014		Candy red	Inclusive
021		Sparkle granny-smith	Inclusive
023		White RAL 9016	Inclusive
027		Shimano matte	Inclusive
032		Pure metal blue	£384.00
033		Pure metal green	£384.00
034		Pure metal bronze	£384.00
035		Pure metal red	£384.00
048		Jet black matte (structure)	Inclusive
SBK 24817.000		Special colour to customer requirements	POA
Special accessories			
MZ 52		Tool kit	£55.00
MZ 58		Bag for drive wheels (for 2 drive wheels up to 28")	£101.00
MZ 65		Active lighting	£29.00
MZ 89		Protection for quick-release-axle	£8.00
MZ 92		Wheelblades (Mini-skis for caster wheels)	£397.00
MZ 93		Backpack	£58.00

Information



MA 55/56 Anti-tipper



MA 51/52 Tip-assist



MA 57/58 Crutch holder



MB 120 Tube foot support



MF 35/36/37 4/5/6" soft caster



MG 100 Graphic



MG 104 Spectrum



MG 10 Spinergy SPOX



MG 06 Hollow rim



MG 15 Infinity Ultralight



MG 11 Spinergy LX



MG83 One-arm drive with double handrim



MC 15 Seat upholstery with storage compartments



MD 56 Fold-down push handles



MD 55 Push handles, height-adjustable/removable



MB 27 Elevating leg support



MH 10 Wheel lock lever extension



MG 28 Tetra release



MA 114 Drive wheel adapter, permanently welded