2022/23

ottobock.

Base Price - £1873.00	Order no.:
Valid from 01.04.22 to 31.03.23 Please ensure you are using the latest order form	_____

Dino 3

Mobility base

Article number 470G42=00000_K




☐ Provide estimate only	☐ Order
☐ Attachment for custom fabrication enclosed	
Billing address/customer number	
Delivery address	
Sales person	Name …….. Date Signature

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Standard Equipment

- Aluminium frame with folding back support and abduction
- Back angle adjustment manually using a threaded bar
- Height-adjustable push handles/push bar
- Caster wheels
- Interface adapter
- Rear wheels including drum brake for attendant 22"/24" or 12"
- For 22"/24" rear wheels, wheel camber 2.5° fixed, quick-release axles
- Seat inclination adjustment -5° to 30°
- Max. load capacity 120 kg/265 lbs

Version		
M100	☐	Dino 3 as self-propelling chair

Frame width in cm*			A	B	C	D	E	
			Seat frame width	Frame width	Width between wheels (with 2.5° camber)	Overall width	Abduction width	
MA 31	☐	Size 1	28	36	45	61.5	47	
MA 32	☐	Size 2	32	40	49	65.5	51	
MA 33	☐	Size 3	36	44	53	69.5	55	

Technical modifications and printing errors reserved.

© Ottobock Dino3_647F185-EN_MASTER-16-2109 - January 2022 - v1

Seat depth in cm* (different settings are possible)						
Seat frame, standard	☐ 34.5	☐ 37	☐ 39.5	☐ 42	☐ 44.5	
Seat frame, long		☐ 39.5	☐ 42	☐ 44.5	☐ 47	☐ 49.5
* There may be variations of +/- 1 cm.						

Frame length			
MA 35	☐	Frame, standard	£1873.00
MA 36	☐	Long frame (extended by 5 cm)	£1873.00

Wheelbase			
MA 38	☐	Standard	Inclusive
MA 37	☐	Reduced by 6 cm (not in combination with MZ 70)	£105.00
MA 39	☐	Extended by 6 cm (not in combination with MZ 70)	£105.00

Frame accessories			
MA 51	☐	Tip-assist, right	£50.00
MA 52	☐	Tip-assist, left	£50.00
MA 55	☐	Anti-tipper, right	£126.00
MA 56	☐	Anti-tipper, left	£126.00

Caster wheels			
MF 04	☐	5.5" soft	Inclusive
MF 32	☐	6" solid rubber, black	Inclusive
MF 07	☐	7" pneumatic	Inclusive

Rear wheel (for self-propelling chair only)			
MG 01	☐	22"	Inclusive
MG 02	☐	24"	Inclusive

Rear wheel tyres			
MG 30	☐	Pneumatic 1 3/8"	Inclusive
MG 31	☐	Schwalbe Right Run 1", puncture proof	£39.00
MG 35	☐	PU, 1 3/8"	Inclusive

Wheel lock options			
MH 01	☐	Knee lever wheel lock	£59.00
MH 10	☐	Lever extension for knee lever wheel lock (plug-on)	£43.00

Back cane options			
MD 30	☐	 Back guide for seating shell back, universal	£171.00

Back angle adjustment			
MD 31	☐	 Mechanical Recline via Bowden cable using release lever on push handle	£126.00

ottobock.

Push handles/push bar (height-adjustable)			
MD 51	☐	Push handles long	Inclusive
MD 61	☐	Push bar, different settings possible with ratchet joints	£171.00

Side panels			
ME 05	☐	Side panel with arm support, height-adjustable, depth-adjustable	£373.00

Accessories			
ME 60	☐	Tray (requires arm supports)	£224.00

Interface adapter			
MC 30	☐	Parallel adapter	Inclusive
MC 31	☐	Trapezoid adapter (R82 adaption possible)	Inclusive

Seating shell interface			
MC 40	☐	Parallel adaption (only with Parallel adapter MC 30, max. load for seating solution at frame width 36 = 75kg/165 lbs, at frame width 40, 45, 50 = 100kg/220 lbs)	£155.00
MC 41	☐	Trapezoid adaption, includes adapter fixture (only with MC 31)	£171.00

Seat option			
MC 49	☐	Adapter for pre-tilt of the seat (+ 5°)	£91.00


Leg supports, incl. angle adjustable footplate(s), aluminum				
MB 03	☐		Single panel	£455.00
MB 20	☐		Single panel, for short lower leg length	£455.00
MB 30	☐		Leg support complete assembly with single foot plate for seat shell chassis, steel (Possible only in combination with Seating shell interfaces Parallel adaption or Interface adapters Trapezoid adapter/R82) (max. load for seating solution = 50 kg/110 lbs)	£358.00
MB 10	☐		Individual	£512.00
MB 18	☐		Elevating with ratchet joint, individual, abducted	£583.00

Leg supports accessories			
MB 70	☐	Locking device for single-panel foot plates	£81.00
MB 72	☐	Heel strap for individual foot plates (MB 10, MB 15, MB 18)	£57.00

Spoke protectors			
MG 90	☐	Spoke protector, transparent	£113.00

Frame colours			
001	☐	Brillant silver	Inclusive
002	☐	Anthracite metallic	Inclusive
003	☐	Jet black RAL 9005	Inclusive
023	☐	White RAL 9016	Inclusive

Other accessories			
MZ 70	☐	Transport kit (max. load = 100 kg/220 lbs) (tested according to ISO 7176-19 & ANSI/RESNA WC/19 /)	£430.00

Dimensions			
		(F) Seat tube depth	
	☐	36.5 – 44 cm (different settings possible)	
	☐	41.5 – 49 cm (different settings possible)	
		(G) Seat tube height	
	☐	12" min. 43.5 cm max. 48.5 cm	
	☐	22" min. 43.5 cm max. 45.5 cm	
	☐	24" min. 46 cm max. 48 cm	