



Helio C2

ORDER FORM - UK

P.O. number:	Date:	Ship to:
Company Name:	Phone:	Name:
Purchasing contact:		Address:
Clinician/Sales rep:		City:
Email:		Country:
Marked for:	* Required	Postcode:
		Phone:
		VAT not included

MA083 English Manual (STD)

MODEL								GBP			
1	WC05	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (120 kg - 265 lb weight capacity)								£2 995	☐
2	WC09	HD Heavy Duty package (159 kg - 350 lb weight capacity)								£400	☐
3	WC10	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber								£25	☐
SEAT WIDTH ³ - cm (inches)											
4	SW	Seat width:		35,6 (14") ☐	38,1 (15") ☐	40,6 (16") ☐	43,2 (17") ☐	45,7 (18") ¹ ☐	48,3 (19") ¹ ☐	NC	☐
5	SW	Seat width:				50,8 (20") ¹ ☐	53,3 (21") ² ☐	55,9 (22") ² ☐		£415	☐
SEAT DEPTH											
6	SD	Seat depth:		35,6 (14") ☐	38,1 (15") ☐	40,6 (16") ☐	43,2 (17") ☐	45,7 (18") ☐	48,3 (19") ☐	NC	☐
7	SD	Seat depth:				50,8 (20") ☐				£395	☐

1 - Available with HD option

2 - Only available with HD option

[3. Width calculator](#)

NEWTON ULTRALIGHT PACKAGE									
8	PK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels						Save £195	£400 ☐

C2 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		7,62cm (3") caster			10,16cm (4") caster			12,7cm (5") caster			15,24cm (6") caster			17,78cm (7") caster			20,32cm (8") caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"
4" 10,2 cm	P1	33cm / 13"	35,6cm / 14"	38,1cm / 15"	34,3cm / 13,5"	36,8cm / 14,5"	39,4cm / 15,5"												
	P2	34,3cm / 13,5"	36,8cm / 14,5"	39,4cm / 15,5"	35,6cm / 14"	38,1cm / 15"	40,6cm / 16"	36,8cm / 14,5"	39,4cm / 15,5"	41,9cm / 16,5"									
5" 12,7 cm	P1																		
	P2				35,6cm / 14"	38,1cm / 15"	40,6cm / 16"	36,8cm / 14,5"	39,4cm / 15,5"	41,9cm / 16,5"									
	P3	35,6cm / 14"	38,1cm / 15"	40,6cm / 16"	36,8cm / 14,5"	39,4cm / 15,5"	41,9cm / 16,5"	38,1cm / 15"	40,6cm / 16"	43,2cm / 17"	39,4cm / 15,5"	41,9cm / 16,5"	44,5cm / 17,5"						
	P4	36,8cm / 14,5"	39,4cm / 15,5"	41,9cm / 16,5"	38,1cm / 15"	40,6cm / 16"	43,2cm / 17"	39,4cm / 15,5"	41,9cm / 16,5"	44,5cm / 17,5"	40,6cm / 16"	43,2cm / 17"	45,7cm / 18"	41,9cm / 16,5"	44,5cm / 17,5"	47cm / 18,5"			
7" 17,8 cm	P1										41,9cm / 16,5"	44,5cm / 17,5"	47cm / 18,5"	43,2cm / 17"	45,7cm / 18"	48,3cm / 19"			
	P2							41,9cm / 16,5"	44,5cm / 17,5"	47cm / 18,5"	43,2cm / 17"	45,7cm / 18"	48,3cm / 19"	44,5cm / 17,5"	47cm / 18,5"	49,5cm / 19,5"			
	P3							43,2cm / 17"	45,7cm / 18"	48,3cm / 19"	44,5cm / 17,5"	47cm / 18,5"	49,5cm / 19,5"	45,7cm / 18"	48,3cm / 19"	50,8cm / 20"	47cm / 18,5"	49,5cm / 19,5"	52,1cm / 20,5"
	P4	41,9cm / 16,5"	44,5cm / 17,5"	47cm / 18,5"	43,2cm / 17"	45,7cm / 18"	48,3cm / 19"	44,5cm / 17,5"	47cm / 18,5"	49,5cm / 19,5"	45,7cm / 18"	48,3cm / 19"	50,8cm / 20"	47cm / 18,5"	49,5cm / 19,5"	52,1cm / 20,5"	48,3cm / 19"	50,8cm / 20"	53,3cm / 21"
	P5	43,2cm / 17"	45,7cm / 18"	48,3cm / 19"	44,5cm / 17,5"	47cm / 18,5"	49,5cm / 19,5"	45,7cm / 18"	48,3cm / 19"	50,8cm / 20"	47cm / 18,5"	49,5cm / 19,5"	52,1cm / 20,5"	48,3cm / 19"	50,8cm / 20"	53,3cm / 21"	49,5cm / 19,5"	52,1cm / 20,5"	54,6cm / 21,5"

Height available + 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

CASTERS												
9	CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐	7" ☐	8" ☐			NC	☐
10	CA10	Pneumatic casters 6" x 1 ¼"									£135	☐
11	CA11	Pneumatic casters 8" x 1 ¼"									£135	☐
12	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "								£66	☐
13	CA15		5" x 1 ½ "								£66	☐
14	CA16		6" x 1 ½ "								£66	☐
15	CA17	Newton UltraCaster <i>Soft-Roll</i> Aluminum	4" x 1 ½ "								£140	☐
16	CA18		5" x 1 ½ "								£155	☐
17	CA19		6" x 1 ½ "								£160	☐
CASTER OPTIONS												
18	CA12	Caster Pin Locks (<i>Available with +1" or +2" Stem bolt ONLY</i>) ¹								£245	☐	
19	CA13	Carbon fiber Frog Legs suspension forks (<i>Not available with caster pin locks</i>)									£395	☐

1 - Not available with WC-19

C2 - REAR Seat-to-floor Height

WHEEL SIZES	Height available		Specify desired height: _____
20" (451) wheel ☐	31,8cm / 12,5"	to 43,8cm / 17,25"	
22" (501) wheel ☐	34,3cm / 13,5"	to 46,4cm / 18,25"	
24" (540) wheel ☐	36,8cm / 14,5"	to 48,9cm / 19,25"	
25" (559) wheel ☐	38,1cm / 15"	to 50,2cm / 19,75"	
26" (590) wheel ☐	39,4cm / 15,5"	to 51,4cm / 20,25"	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1cm" of selected seat to floor height"

Footrest												
SWING-IN/SWING-OUT FOOTREST												
20	FR03	60° Swing-in/swing-out	34,3 - 43,2cm/13,5-17"	☐	36,8 - 49,5cm/14,5-19,5"	☐	39,4 - 52cm/15,5-20,5"	☐	Set at:*		NC	☐
21	FR04	70° Swing-in/swing-out	34,3 - 43,2cm/13,5-17"	☐	36,8 - 49,5cm/14,5-19,5"	☐	39,4 - 52cm/15,5-20,5"	☐	Set at:*		NC	☐
22	FR15	80° Swing-in/swing-out	34,3 - 40,6cm/13,5-16"	☐	36,8 - 49,5cm/14,5-19,5"	☐	39,4 - 52cm/15,5-20,5"	☐	Set at:*		NC	☐
23	FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹	19 - 28cm (7.5 - 11")				Set at:*			NC	☐	
24	FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	24 - 33cm (9.5 - 13")				Set at:*			NC	☐	
25	FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	24 - 36,8cm (9.5 - 14.5")				Set at:*			NC	☐	
FOOTREST OPTIONS ³												
26	FR09	High mount (footplate attached to the hanger with clamps)	12,7 - 34,3cm/5-13,5"				☐	Set at: *		£60	☐	
27	FR10	Elevating legrest with calf pad, 35.5 to 55.88 cm (14"-22") length adjustable ⁴	Left ☐	Right ☐		Set at:			£200	☐		
28	FR99	Omit Footrest								NC	☐	

1 - Available only with two pieces adjustable footplates

2 - May interfere with front casters

3- Not available with front mount

* +/- 1.27 cm (1/2")

4- The elevating legrest replace the footrest side selected

FOOTPLATES						
29	FP01	Standard - Composite			NC	☐
30	FP02	Newton adjustable angle - Composite			£175	☐
31	FP03	Newton adjustable angle - Aluminum			£195	☐
32	FP04	Newton adjustable angle - Carbon fiber <i>(with rubber inserts)</i>			£345	☐
33	FP06	One piece adjustable angle flip-up - Aluminum			£160	☐
34	FP07	One piece adjustable angle flip-up - Carbon fiber <i>(with rubber inserts)</i>			£365	☐
FOOTPLATE ACCESSORIES						
35	FP08	Length adjustable heel loop <i>(not available with one piece footplate)</i>			£35	☐
36	FP09	Calf strap			£30	☐
37	FP30	Bodypoint Aeromesh Padded calf strap			£96	☐

SWING AWAY RESIDUAL LIMB SUPPORT											
38	FR27	Residual limb support - flat 15,24x20,32cm (6"x8")	Left ☐		Right ☐					£338	☐
39	FR28	Residual limb support - flat 20,32x24,4cm (8"x10")	Left ☐		Right ☐					£338	☐
40	FR29	Residual limb support - flat 25,4x25,4cm (10"x10")	Left ☐		Right ☐					£338	☐
41	FR30	Residual limb support - flat 25,4x35,56cm (10"x14")	Left ☐		Right ☐					£338	☐
42	FR32	Residual limb support - contour 15,24x20,32cm (6"x8")	Left ☐		Right ☐					£338	☐
43	FR33	Residual limb support - contour 20,32x24,4cm (8"x10")	Left ☐		Right ☐					£338	☐

Backrest									
FIXED ANGLE AND HEIGHT ADJUSTABLE BACK WITH PUSH HANDLE OPTION									
44	BC06	Straight Carbon fiber back cane	22,9 - 30,5 (9-12") □	30,5 - 38,1 (12-15") □	38,1 - 45,7 (15-18") □	45,7 - 53,3 (18-21") STD □		NC	□
45	BC08	8° Bend Carbon fiber back cane		34,3 - 38 (13 ½-15") □	38,1 - 45,7 (15-18") □	45,7 - 53,3 (18-21") STD □		£40	□
ANGLE AND HEIGHT ADJUSTABLE BACK WITH PUSH HANDLE OPTION									
46	BC09	Straight Carbon fiber back cane		30,5 - 38,1 (12-15") □	38,1 - 45,7 (15-18") □	45,7 - 53,3 (18-21") STD □		£160	□
47	BC10	8° bend Carbon fiber back cane		34,3 - 38 (13 ½-15") □	38,1 - 45,7 (15-18") □	45,7 - 53,3 (18-21") STD □		£210	□
48		Select back cane angle:	85° ¹ □	90° □	95° STD □	100° □	105° □	110° □	
Set height to: ²		(measured from seat sling to top of back upholstery)							
PUSH HANDLE OPTIONS									
49	PH01	Push handles						STD	□
50	PH05	Fold down push handles ^{3,5}						£100	□
51	PH06	clamp on height adjustable push handle ^{3,4,5}	22,9 -50,8 cm/9-20" STD □	22,9 - 58,4 cm/ 9-23" □				£250	□
52	PH02	Omit push handles						NC	□

1- Not available with a 8 degree bend cane 2- If not indicated, default height setting is at the lowest position 3- 120 kg (265 pounds) weight limit

4 - Not compatible with swing away armrests, 8° bend back canes and ampute axle plates

5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

STROLLER HANDLE AND STABILIZER BAR ¹ (only available with push handle)									
53	PH04	Stroller handle (not available with the HD option)						£135	□
54	PH03	Newton folding stabilizer bar						£210	□

1 - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY									
55	BH07	Slip-on Active-Mesh back upholstery						NC	□
56	BH08	Adjustable tension Active-Mesh back upholstery						£140	□
57	BH99	Omit Back upholstery						STD	□

SEAT CUSHION									
58	SC01	5,1 cm (2") Cushion						£140	□
59	SC02	7,6 cm (3") Cushion						£155	□
60	SC99	Omit seat cushion						STD	□

Rear wheels									
ONE ARM DRIVE ¹ Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims									
61	HR22	One arm drive ^{2,3}	24"	left □	right □			£1 165	□
62	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)						NC	□
REAR WHEELS									
63	RW01	Mag ⁴	20" □	22" □	24" □			£40	□
64	RW02	Newton One - spoke wheel ⁵	20" □	22" □	24" □			NC	□
65	RW03	Newton Gravity - ultralight	20" □	22" □	24" □	25" □	26" □	£250	□
66	RW04	Spinerger Spox		22" □	24" □	25" □	26" □	£600	□
67		Spinerger Spox spokes colors ⁶	Blk STD □	Wht □	Blue □	Red □	Yel □	NC	□
68	RW05	Spinerger LX		22" □	24" □	25" □	26" □	£830	□
69		Spinerger LX spokes colors ⁶	Blk STD □	Pur □	Wht □	Blue □	Red □	Yel □	Pink □
70	RW07	Spinerger CLX Carbon Blade			24" □	25" □		£1 235	□
71		Spinerger CLX spokes colors ⁶	Blk STD □	Pur □	Wht □	Blue □	Red □	Yel □	Pink □
								Grn □	Org □
								NC	□
TIRES							Available		
72	TI01	Soft Urethane 3,17cm (1 1/4")			20", 22" 24"			STD	□
73	TI02	Soft Urethane knobby 3,49cm (1 3/8")			22", 24", 25", 26"			£80	□
74	TI04	Soft Urethane - Shox 2,54cm (1")			22", 24", 25", 26"			£96	□
75	TI05	Pneumatic 3,49cm (1 3/8")			20", 22", 24", 25", 26"			NC	□
76	TI08	Pneumatic with Airless insert 3,49cm (1 3/8") ⁷			22", 24", 26"			£66	□
77	TI06	Pneumatic HP - 2,54cm (1")			20", 22", 24", 25", 26"			£80	□
78	TI07	Pneumatic HP - Schwalbe Marathon Plus 2,54cm (1")			24", 25", 26"			£90	□

1- Offered with handrims on each side of the wheelchair

2- Only standard handrim position available

3- Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position

5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time

7- Only available with Newton One and Newton Gravity rear wheels

Handrims						
HANDRIM						
79	HR01	Aluminum anodized			STD	☐
80	HR61	Aluminum black hard anodized ^{1,3}	New		£50	☐
81	HR02	Plastic coated ²			£80	☐
82	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}			£295	☐
83	HR07	Newton Air Grip ³ Black ☐			£80	☐
84	HR	Newton Air Grip ³ (08) Sunkissed Orange ☐ (09) Burgundy ☐ (10) Sapphire Blue ☐ (11) Monster Green ☐ (12) Charcoal ☐ (13) Fuchsia ☐ (14) Steel Blue ☐ (15) Ferrari Red ☐ (16) Acid Green ☐ (17) White ☐ (18) Sky Blue ☐			£200	☐
85	HR28	Surge ^{2,3,4} (1-1/2" Oval handrim w/ Gripton high friction strip)			£315	☐
86	HR05	Surge LT ^{2,3,4} (1-1/8" Oval handrim w/ Gripton high friction strip)			£338	☐
87	HR04	Natural Fit ^{2,3,4}			£260	☐
88	HR99	Omit handrim			NC	☐

1 - Not available in 26" 2 - Only standard handrim position available 3 - Not available with Mag wheels or OAD 4 - Not available in 20"


Handrims option						
Assembly position for aluminum and Newton Air Grip handrims						
89	HR29	Standard Handrim position Full tab			STD	☐
90	HR30	Narrow Handrim position Short tab 2 positions			£20	☐
91	HR31	Super Narrow Handrim Short tab 2 positions STD ☐ Short tab 1 position ☐			£20	☐
Thumb piece ⁴ selection for Natural Fit handrims						
92	HR23	Standard grip			£70	☐
93	HR27	Super grip			£118	☐
94	HR099	Omit thumb piece			NC	☐

4- Compatible with Surge, Surge LT handrims

AXLE ¹						
95	AX01	Quick release axle			STD	☐
96	AX02	Permanent axle			NC	☐
97	AX03	Quad release axle			£105	☐
AXLE PLATE						
98	AX04	Amputee adjustable axle plate ²			£165	☐

1- Not required with one arm drive 2 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER						
99	CM00	0° camber			NC	☐
100	CM03	3° camber			NC	☐
101	CM06	6° camber (not available with amputee axle plate)			£125	☐



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable										Most responsive			
2,5 1"	3,2 1/4"	3,8 1/2"	4,4 3/4"	5,1 2"	5,7 1/4"	6,3 1/2"	7 3/4"	7,6 3"	8,3 1/4"	8,9 1/2"	9,5 3/4"	10,1 4"	
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

If not indicated, default settina is at 3.8 cm/1.5"

Possible conflict between a seat depth under 40.6 cm (16") and a center of arativity over 6.3 cm (2.5").

Possible conflict between a 66 cm (26") rear wheel and a center of gravity over 6,3 cm (2,5").

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

WHEEL LOCK						
102	WL08	Newton Wheel lock - push to lock			STD	☐
103	WL02	Pull to lock			NC	☐
104	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)			£125	☐
105	WL13 WL14	6" removable extension handle			£65	☐
106	WL05	Scissor Lock			£120	☐
107	WL06	Attendant Lock (additional set of wheel lock mounted to the back)			£165	☐
108	WL99	Omit wheel locks			NC	☐

Armrests									
FLIP BACK ARMREST <i>(Convertible to "T" armrest) ^{1,4}</i>				Height Adjustment		Removable function			
109	AR01	10" Desk length arm pad	20 - 30cm (8 - 12") STD ☐	25 - 36cm (10 - 14") ☐		Locked ☐	Unlocked ☐ <i>STD</i>	£290	☐
110	AR02	14" Full length arm pad	20 - 30cm (8 - 12") STD ☐	25 - 36cm (10 - 14") ☐		Locked ☐	Unlocked ☐ <i>STD</i>	£290	☐
"T" ARMREST ¹				Height Adjustment					
111	AR03	10" Desk length arm pad	20 - 30cm (8 - 12") STD ☐	25 - 36cm (10 - 14") ☐				£270	☐
112	AR04	14" Full length arm pad	20 - 30cm (8 - 12") STD ☐	25 - 36cm (10 - 14") ☐				£270	☐
SWING AWAY ARMREST ^{2,4}				Height Adjustment					
113	AR05	Tubular arm pad	20,3 - 27,9cm (8 - 11")					£190	☐
114	AR06	10 "Desk length arm pad	20,3 - 27,9cm (8 - 11")					£190	☐
GEL ARM PAD ³									
115	AR12	36cm (14") Full Length Arm Pad - <i>Gel Ovation</i>						£125	☐
116	AR99	Omit armrest						NC	☐
1 - May have a 1,25 cm adjustment restriction on both limits of the range 2 - Could interfere with some rigid back rests 3 - Not available with swing away armrest; 4 - Not available with attendant lock									
SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>									
117	SG01	Plastic side guards <i>(removable)</i>						£165	☐
118	SG02	Carbon fiber side guards <i>(fixed) ¹</i>						£210	☐
119	SG03	Carbon fiber side guards <i>(removable)</i>						£245	☐
120	SG04	Carbon fiber fender side guards <i>(removable)</i>						£415	☐
121	SG06	Plastic fender side guards <i>(removable) ²</i>						£225	☐
122	SG99	Omit side guard						NC	☐
				SIDE GUARDS OPTION					
123	SG07	Side guards clip <i>(pair) ³</i>						NC	☐
1 - Not available with back upholstery 2 - Not compatible with 20" and 22" rear wheels 3 - Not available with fixed carbon fiber side guard									
POSITIONING BELT									
124	SB01	Velcro adjustable	Standard (88,9 cm/35") ☐	Longue (152,40 cm/60") ☐				£40	☐
125	SB02	Auto buckle	Standard (88,9 cm/35") ☐	Longue (152,40 cm/60") ☐				£70	☐
126	SB07	Hardware attachment for 2 point seatbelt <i>(1 pair)</i>						NC	☐
127	SB03	Additional hardware for 2 extra attachment points <i>(needed for the 4 point seat belt) (1 pair)</i>						£15	☐
128	SB04	BodyPoint Hip Belt - 2 point not padded	M (142,24 cm/56") ☐	L (154,94 cm/61") ☐				£60	☐
129	SB05	BodyPoint Hip Belt - 2 point padded	S (129,54 cm/51") ☐	M (142,24 cm/56") ☐	L (154,94 cm/61") ☐			£145	☐
130	SB06	BodyPoint Hip Belt - 4 point padded	S (129,54 cm/51") ☐	M (142,24 cm/56") ☐	L (154,94 cm/61") ☐			£165	☐
131	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	M (73,66 cm/18") ☐	L (93,98 cm/24") ☐				£240	☐
132	SB99	Omit positioning belt						STD	☐
HEADREST ¹									
133	AC01	Profiled Headrest S (8,8x15,2 cm/3,5"x6") ☐	M (11,4x17,8 cm/4,5"x7") ☐	L (14x2,3 cm/5,5"x8") ☐				£155	☐
134	AC28	Headrest mounting hardware with removable non folding stabilizer bar						£245	☐
1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar									
ACCESSORIES									
135	AC03	Anti tippers						£120	☐
136	AC29	Swing-away anti-tippers ¹	Left ☐	Right ☐		New		£115	☐
137	AC27	Tip assist ²						£50	☐
138	AC04	Transit Tie Down <i>(Unoccupied)</i>						NC	☐
139	AC05	WC-19 Transit Tie Down w/Q'straint belt ³	Short 50-104 cm/20-41" ☐	Long 50-116 cm/20-46" ☐				£270	☐
140	AC06	Cane carrier	Left ☐	Right ☐				£100	☐
141	AC07	Oxygen tank holder - E Type <i>Not compatible with swing away armrest or amputee axle plate</i>	Left					£270	☐
142	AC08	Spoke guards ⁴	Available: 20", 22", 24", 26"					£100	☐
143	AC09	Footrest neoprene impact guard (pair) - Black						£75	☐
144	AC10	Seat pouch						£60	☐
145	AC26	BodyPoint Mobility Bag						£105	☐
146	AC23	Newton Backpack						£100	☐
147	AC12	Velcro Closing Strap						£40	☐
148	AC13	Tool kit						£40	☐
149	AC16	Motion Composites Polo Shirt	W/S ☐	W/M ☐	W/L ☐			£32	☐
			M/S ☐	M/M ☐	M/L ☐	M/XL ☐	M/XXL ☐	M/XXXL ☐	M/XXXXL ☐

1 - Must select the pair (left and right) with HD option

2 - Cannot be combined with Anti Tipppers

3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

4 - Not available with Mag wheels and Spinergy

