

Manual Retail **Prescription Form**

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JANUARY 2022 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Rea Azalea Base

Standard Features

- Max User Weight 135KG/21 Stone
- Crash Tested ISO 7176-Part 19
- Transit Propulsion, Attendant hub brakes and Solid black tyres
- 4 Seat Widths 340mm to 490mm (+50mm, +100mm with Transit)
- 2 Seat Heights 400mm or 450mm
- 2 seat depths 380-450mm (with 340mm width) or 430-500mm
- Seat plate or Trapeze Interface (without Interface option)
- Manually settable backrest recline
- Assistant operated gas piston -1° to +23° seat tilt Tilt lock Pre-settable angle
- Fixed castor attachment
- Pearl Silver frame
- User manoeuvred tyre brakes
- Anti Tippers, Front tiedown brackets

Standard Base price: £1,237

Please make your selection with a cross in the box	O Free of charge ♦ standard feature POA special request	
--	---	--

Customer weight = KG

Code	Description		
BASE PRODUC	T*		
BQA0010	Rea Azalea Base		£1,237
BQA8000	SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE		POA
PROPULSION*			
BQA0020	Transit 16" wheels with hub brakes	(NC 0705, 0715, 0724, 0810, 0850, 0863, 0867)	♦
BQA0030	Self Propel 24"/22" wheels with user brakes	(NC 0100, 0430, 0480, 0702, 0726)	£29
BQA0040	Self Propel 24"/22" wheels with assistant hub brakes	(NC 0100, 0430, 0480, 0724)	£133

SEAT WIDTH*			
BQA0050	340 mm/13" (Extra small chassis)	(NC 0120, 0164, 0168, 0169, 0180, 0186, 0210, 0260, 0600, 0665, 0675, 0863, 0867, 0900, 0902, 1000)	O
BQA0060	390 mm/15" (Small chassis)	(NC 0110)	0
BQA0070	440 mm/17" (Medium chassis)	(NC 0110)	O
BQA0080	490 mm/19" (Large chassis)	(NC 0110)	O
SEAT WIDTH E	XTENSION*		
BQA0090	+ 50 mm seat width pre-adjustment on armrests and legrests		0
BQA0100	+ 100 mm seat width pre-adjustment on armrests and legrests	(NC 0863, 0867)	0
BQA0105	Without seat width extension, set at 0mm adjustment but can be adjusted wider if required		O
SEAT DEPTH*			
BQA0110	380-450 mm (15" - 18") only possible with seat width 340mm		O
BQA0120	430-500 mm (17" - 20")		0
SEAT HEIGHT*			
BQA0130	400 mm / 16"	(NC 0180, 0665, 0675, 0715)	O
BQA0140	450 mm / 18"	(NC 0705)	♦
SEAT ANGLE*	•		
BQA0000	Standard Seat Angle +1° to +25°		*
BQA0145	Optional Seat Angle -1 to +23°)		0
SEAT INTERFA	CE*		
BQA0150	Seat Plate standard		•
BQA0155	Seat Plate with wedges (Seat Angle +/- 5°)		£201
BQA0157	H-Bracket		£73
BQA0170	Without interface (allows mounting of trapeze interface)		O
BACKREST RE			_
BQA0160	Assistant operated gas piston Backrest Recline		£81
BQA0161	Backrest regulation with rigging screw		
<u> </u>	Backlest regulation with rigging screw		
TILT LOCK*	Till Lock (bodies of our est or els)		
BQA0932	Tilt Lock (locking of pre-set angle)		*
BACKREST*			
BQA0164	Matrx PB Elite Deep (includes hardware mounted to frame, backrest supplied in box)		£500
BQA0168	Matrx Elite (includes hardware mounted to frame, backrest supplied in box)		£451
BQA0169	Matrx Posture Back (includes hardware mounted to frame, backrest supplied in box)		£451
BQA1000	Matrx Elite TR (includes hardware mounted to frame, backrest supplied in box)		£372
BQA0167	Without Backrest	(NC 0172, 0173, 0567)	0
MATRX BACKR	EST HEIGHT		
BQA0172	Matrx Backrest Height 410 mm / 16"		O
BQA0173	Matrx Backrest Height 510 mm / 20"		O
PUSH HANDLE	*		
BQA0174	Push Handles connected		•
CENTRAL LEGI	REST		
BQA0180	Central Legrest, includes calfpad and footrest. Also select options BQA0230, BQA0280, BQA1111 and BQA2222	(NC 0186, 0188, 0189, 0190, 0200, 0210, 0220, 0240, 0250, 0260, 0270, 0290, 0295, 0300, 0310, 0330, 0340, 0360, 0370, 0390, 0400, 0580, 0590, 0960)	£288

£99
693
£9:
£92
C.F.
£54
£54
95) £130
95)
£92
£54
£54
95) £130
95)
80, £190
90, £510
£3:
£3:
£3;
£3;
C
£3;
£3:
£33
£3:
C

ARMREST LH*			
BQA0420	Armrest Ducktail Pad LH, height adjustable with autolock		£79
BQA0430	Armrest Wide Pad LH, height adjustable with autolock Compatible with 16" wheels only		£79
BQA0435	Armrests Reinforced Wide Pad, LH, height adjustable with autolock	(NC 0900, 0902, 0930)	£85
BQA0440	Armrest Padded LH, height adjustable with autolock	(NC 0520, 0530, 0900, 0902, 0920, 0930)	£61
BQA0450	Armrest Hemiplegic LH, height adjustable with autolock	(NC 0900, 0902, 0910, 0915, 0920, 0930)	£190
BQA0460	Without Armrest LH	(NC 0520, 0530, 0900, 0902, 0910, 0915, 0920, 0930)	0
ARMREST RH*			
BQA0470	Armrest Ducktail Pad RH, height adjustable with autolock		£79
BQA0480	Armrest Wide Pad RH, height adjustable with autolock compatible with 16" wheels only		£79
BQA0485	Armrest Reinforced Wide Pad, RH, height adjustable with autolock	(NC 0900, 0902, 0930)	£85
BQA0490	Armrest Padded, RH, height adjustable with autolock.	(NC 0520, 0530, 0900, 0902, 0920, 0930)	£61
BQA0500	Armrest Hemiplegic, RH, height adjustable with autolock	(NC 0900, 0902, 0910, 0915, 0920, 0930)	£190
BQA0510	Without armrest RH	(NC 0520, 0530, 0900, 0902, 0910, 0915, 0920, 0930)	O
ARMREST OPT	IONS. Side support cover 0520, must be selected if 0530 Fe	oam for side support is required	
BQA0520	Side Support Cover, removable with tools (wipeable cover for the sideguard)		£48
BQA0530	Foam for side support cover (internal cushioned pad, which is only possible in combination with BNA0680)		0
BACKREST OP	TIONS		
BQA0540	Headrest, Sideway Adjustable	(NC 0560, 0565, 0567)	£103
BQA0550	Headrest with cheek support, sideway adjustable	(NC 0545, 0560, 0565, 0567)	£130
BQA0545	Cover for headrest		£29
BQA0560	Neckrest	(NC 0567)	£103
BQA0565	Cover for Neckrest		£21
BQA0567	Headrest Matrx, 250 mm Soft Pad	(NC 0570)	£176
BQA0570	Handles Clinic Kit for Head-/Neckrest (Levers which replace screws for easy adjustment)		£40
ELEVATING LE	GREST OPTIONS*		
BQA0576	Soft foam padded PU fabric cover, for LH elevating legrest calf pad		♦
BQA0577	Large PU fabric coated knee pad for LH elevating legrest		♦
BQA0586	Soft foam padded PU fabric cover, for RH elevating legrest calf pad		♦
BQA0587	Large PU fabric coated knee pad for RH elevating legrest		*
BQA3333	Without Elevating Legrest Options (Select with Fixed legrests, Amputee legrests and Without legrests only)		0
LEGREST OPTI	ONS		
BQA0580	Footplate Extender LH		£53
BQA0590	Footplate Extender RH		£53
BQA0595	Calf Strap (for One piece footrest)		O

BQA0591	CHASSIS COLO) R*	
SAUTH SAU	BQA0591		•
Sand			O
Biolance			O
### BADA0596 Happy Red O CHASSIS SAFETY ### BADA0600 Chassis extender, castors extend 50mm forward for added stability O added stability ### CASTOR ATTACHMENT* ### BADA0610 Fixed castor attachment ● ### FRONT CASTOR* ### BADA0638 140x45 mm (6* 1/2* x 1.34*) Medium Hard Black byre £21 ### BADA0638 140x45 mm (6* x 1.14*) Black Medium Hard byre £21 ### BADA0645 150x30 mm (6* x 1.14*) Black Solid Tyre O ### BADA0650 200x32 mm (6* x 1.14*) Black Solid Tyre O ### BADA0650 200x32 mm (6* x 1.14*) Black Solid Tyre O ### BADA0750 200x45 mm (6* x 1.34*) Black Solid Tyre O ### BADA0702 16* 1.405 mm Transit rear wheel with fixed attachment 0×0.0724, 0745, 0735, 0730, 0810, 0830,			
Chassis safety Chassis extender, castors extend 50mm forward for added stability CastOR ATTACHMENT*			
Castror Attrachment	L		3
added stability			O
### BOA0610 Fixed castor attachment			
### ROAD CASTORS* ### BQA0638		CHMENT*	
### BQA0638	BQA0610	Fixed castor attachment	•
### BQA0645	FRONT CASTO	RS*	
### BQA0665 200x32 mm (8" x 1 1/4") Black Solid Tyre	BQA0638	140x45 mm (5 1/2" x 1 3/4") Medium Hard Black tyre	£21
### REAR WHEEL SIZE* ### BQA0702	BQA0645	150x30 mm (6" x 1 1/4") Black Medium Hard tyre	£21
REAR WHEEL SIZE* BOA0702 16* / 405 mm Transit rear wheel with fixed attachment (NC 0724, 0745, 0755, 0780, 0810, 0850, 0883, 0887) ◆ BQA0705 22* / 560 mm Self Propel rear wheel with QR attachment O BQA0715 24* / 600 mm Self Propel rear wheel with QR attachment O REAR WHEEL TYPE* Wheel Type Propel with colourless hub, clear anodized rim and Stainless Steel spokes O BQA0726 Hub Brake Self Propel or Transit 16* Transit 16* Transit with Black Plastic Hub and Rim 22* and 24* / 560 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes ◆ REAR WHEEL TYRE* BQA0745 Pneumatic Profile Black 1* 3/8 tyres O BQA0755 Pneumatic Puncture proof / flatfree 1* 3/8 Black tyres £67 BQA0775 Solid Black tyres £67 BQA0790 Aluminium handrim O BQA0810 Plastic coated handrim £46 SPOKEGUARD £158 BQA0860 Frost spokeguard £158 BRAKE* BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS O O	BQA0665	200x32 mm (8" x 1 1/4") Black Solid Tyre	O
### BQA0702	BQA0675	200x45 mm (8" X 1 3/4") Black Solid tyre	♦
BQA0705	REAR WHEEL	SIZE*	
BOA0715 24" / 800 mm Self Propel rear wheel with QR attachment REAR WHEEL TYPE* BOA0724 Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes BOA0726 Hub Brake Self Propel or Transit 16" Transit with Black Plastic Hub and Rim 22" and 24" / 580 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes REAR WHEEL TYRE* BOA0745 Pneumatic Profile Black 1" 3/8 tyres BOA0755 Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres BOA0775 Solid Black tyres HANDRIM BOA0790 Aluminium handrim BOA0810 Plastic coated handrim CHANDRIN BOA0850 Frost spokeguard ETOS spokeguard ETO	BQA0702	16" / 405 mm Transit rear wheel with fixed attachment (NC 0724, 0745, 0755, 0790, 0810, 0850, 0863, 0867)	•
REAR WHEEL TYPE* BQA0724 Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes BQA0726 Hub Brake Self Propel or Transit 16" Transit with Black Plastic Hub and Rim 22" and 24" /580 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes REAR WHEEL TYRE* BQA0745 Pneumatic Profile Black 1" 3/8 tyres BQA0755 Pneumatic Profile Black 1" 3/8 Black tyres BQA0755 Solid Black tyres PNeumatic Puncture proof / flatfree 1" 3/8 Black tyres BQA0775 Solid Black tyres ◆ HANDRIM BQA0790 Aluminium handrim BQA0810 Plastic coated handrim £46 SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 SAFETY OPTIONS BQA0870 Pelvic belt O D	BQA0705		O
BOA0724 Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes BOA0726 Hub Brake Self Propel or Transit 16" Transit with Black Plastic Hub and Rim 22" and 24" / 550 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes REAR WHEEL TYRE* BOA0745 Pneumatic Profile Black 1" 3/8 tyres BOA0755 Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres BOA0775 Solid Black tyres HANDRIM BOA0790 Aluminium handrim BOA0810 Plastic coated handrim £46 SPOKEGUARD BOA0880 Frost spokeguard £158 BRAKE* BOA0880 User manoeuvred tyre brakes BOA0880 One Arm Brake LH £120 SAFETY OPTIONS BOA0870 Pelvic belt Delice in and Stainless Steel spokes Plastic coated from the side of	BQA0715		O
anodized rim and Stainless Steel spokes BQA0726 Hub Brake Self Propel or Transit 16" Transit with Black Plastic Hub and Rim 22" and 24" / 560 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes REAR WHEEL TYRE* BQA0745 Pneumatic Profile Black 1" 3/8 tyres	REAR WHEEL	TYPE*	
16" Transit with Black Plastic Hub and Rim 22" and 24" / 560 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes REAR WHEEL TYRE* BQA0745 Pneumatic Profile Black 1" 3/8 tyres BQA0755 Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres BQA0775 Solid Black tyres ♣ HANDRIM BQA0790 Aluminium handrim BQA0790 Plastic coated handrim ♣ SPOKEGUARD BQA0850 Frost spokeguard £ 158 BRAKE* BQA0860 User manoeuvred tyre brakes ♣ BQA0863 One Arm Brake LH £ 120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0724		0
BQA0745 Pneumatic Profile Black 1" 3/8 tyres ○ BQA0755 Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres £67 BQA0775 Solid Black tyres ◆ HANDRIM BQA0790 Aluminium handrim ○ BQA0810 Plastic coated handrim £46 SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0726	16" Transit with Black Plastic Hub and Rim 22" and 24" / 560 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel	•
BQA0755 Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres £67 BQA0775 Solid Black tyres ◆ HANDRIM BQA0790 Aluminium handrim ○ BQA0810 Plastic coated handrim £46 SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	REAR WHEEL	TYRE*	
BQA0775 Solid Black tyres ◆ HANDRIM BQA0790 Aluminium handrim ○ BQA0810 Plastic coated handrim £46 SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0745	Pneumatic Profile Black 1" 3/8 tyres	0
HANDRIM BQA0790 Aluminium handrim	BQA0755	Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres	£67
BQA0790 Aluminium handrim ○ BQA0810 Plastic coated handrim £46 SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0775	Solid Black tyres	*
BQA0810 Plastic coated handrim £46 SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	HANDRIM		
SPOKEGUARD BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0790	Aluminium handrim	0
BQA0850 Frost spokeguard £158 BRAKE* BQA0860 User manoeuvred tyre brakes ◆ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0810	Plastic coated handrim	£46
BRAKE* BQA0860 User manoeuvred tyre brakes ♦ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	SPOKEGUARD		
BQA0860 User manoeuvred tyre brakes ♠ BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt ○	BQA0850	Frost spokeguard	£158
BQA0863 One Arm Brake LH £120 BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt O	BRAKE*		
BQA0867 One Arm Brake RH £120 SAFETY OPTIONS BQA0870 Pelvic belt O	BQA0860	User manoeuvred tyre brakes	*
SAFETY OPTIONS BQA0870 Pelvic belt O	BQA0863	One Arm Brake LH	£120
BQA0870 Pelvic belt	BQA0867	One Arm Brake RH	£120
	SAFETY OPTIO	NS .	
BQA0890 Reflector Kit (wheels and chassis) £21	BQA0870	Pelvic belt	0
	BQA0890	Reflector Kit (wheels and chassis)	£21

TRANSPORTA	TION BRACKETS		
BQA0875	Tie down labels (Important Note selection of this option will require that a auitable risk assessment is carried out on The final Set up of the chair. Please refer to the Instructions for Use for further information regarding using the Rea Azalea Base as a seat in transit)	(NC 0895)	•
BQA0895	Transportation Brackets, mounted to the front of the wheelchair. (Important note selection of this option will require that a suitable risk assessment is carried out on the final seat up of the chair. Please refer to the Instructions for Use for further information regarding using the Rea Azalea Base as a seat in transit)		£14
OTHER OPTION	NS		
BQA0900	Table Tray without elbow pads includes mounting kit	(NC 0930)	£131
BQA0902	Table Tray with elbow Pads includes mounting kit	(NC 0930)	£131
BQA0910	Swing away table without elbow pads	(NC 0920, 0930)	£185
BQA0915	Swing away table with elbow pads	(NC 0920, 0930)	£185
BQA0905	Table tray padded cushion (To be ordered in combination with the fixed & swingaway table tray)		£48
BQA0920	Locking device for table tray	(NC 0930)	£14
BQA0930	Mounting kit for table (if ordered separately)		£8
BQA0940	Pump		£14
BQA0950	Cane holder		£47
BQA0960	Clinic kit		£52
BQA0970	Harness attachment , must be selected in combination with Head/Neckrest		£27

TOTAL PRICE

Non Conforming	Options:
BQA0100	+ 100 mm seat width pre-adjustment on armrests and legrests
BQA0110	380-450 mm (15" - 18") only possible with seat width 340mm
BQA0120	430-500 mm (17" - 20")
BQA0164	Matrx PB Elite Deep (includes hardware mounted to frame, backrest supplied in box)
BQA0168	Matrx Elite (includes hardware mounted to frame, backrest supplied in box)
BQA0169	Matrx Posture Back (includes hardware mounted to frame, backrest supplied in box)
BQA1000	Matrx Elite TR (includes hardware mounted to frame, backrest supplied in box)
BQA0172	Matrx Backrest Height 410 mm / 16"
BQA0173	Matrx Backrest Height 510 mm / 20"
BQA0180	Central Legrest, includes calfpad and footrest. Also select options BQA0230, BQA0280, BQA1111 and BQA2222
SWO0189	Standard position with 0-30° Legrest Abduction function
BQA0186	High position 50mm higher for leg length compensation
BQA0188	90° Hanger attachment to achieve a 90° legrest position on the Elevating Legrest
BQA0190	Elevating Legrest, angle adjustable 0 to 75° swing in/swing out with knee pad, calf support with locking clip LH
BQA0200	Legrest Hanger fixed 80 deg, swing in/swing out LH
BQA0210	Legrest Hanger fixed 90 deg, swing in/swing out LH
BQA0220	Legrest Amputee LH
BQA0240	Elevating Legrest, angle adjustable 0 to 75°swing In/swing out with knee pad and calf support with locking clip RH
BQA0250	Legrest Hanger fixed 80 deg, swing in/swing out RH
BQA0260	Legrest Hanger fixed 90 deg, swing in/swing out RH
BQA0270	Legrest Amputee RH
BQA0290	Footrest one piece, depth and angle adjustable
BQA0295	Footbox, angle adjustable, padded with short tube
BQA0300	Footrest lower part, fixed with short tube and heel strap, LH
BQA0310	Footrest lower part, depth and angle adjustable with short tube and heel strap, LH
BQA0330	Footrest lower part, fixed with long tube and heel strap, LH.
BQA0340	Footrest lower part, depth and angle adjustable with long tube and heel strap, LH
BQA0360	Footrest lower part, fixed with short tube and heel strap, RH
BQA0370	Footrest lower part, depth and angle adjustable with short tube and heel strap, RH
BQA0390	Footrest lower part, fixed with long tube and heel strap, RH
BQA0400	Footrest lower part, depth and angle adjustable with long tube and heel strap, RH
BQA0430	Armrest Wide Pad LH, height adjustable with autolock Compatible with 16" wheels only
BQA0480	Armrest Wide Pad RH, height adjustable with autolock compatible with 16" wheels only
BQA0520	Side Support Cover, removable with tools (wipeable cover for the sideguard)
BQA0530	Foam for side support cover (internal cushioned pad, which is only possible in combination with BNA0680)
BQA0545	Cover for headrest
BQA0560	Neckrest
BQA0565	Cover for Neckrest
BQA0567	Headrest Matrx, 250 mm Soft Pad
BQA0570	Handles Clinic Kit for Head-/Neckrest (Levers which replace screws for easy adjustment)
BQA0576	Soft foam padded PU fabric cover, for LH elevating legrest calf pad
BQA0577	Large PU fabric coated knee pad for LH elevating legrest
BQA0586	Soft foam padded PU fabric cover, for RH elevating legrest calf pad

BQA0587	Large PU fabric coated knee pad for RH elevating legrest
BQA3333	Without Elevating Legrest Options (Select with Fixed legrests, Amputee legrests and Without legrests only)
BQA0580	Footplate Extender LH
BQA0590	Footplate Extender RH
BQA0595	Calf Strap (for One piece footrest)
BQA0600	Chassis extender, castors extend 50mm forward for added stability
BQA0665	200x32 mm (8" x 1 1/4") Black Solid Tyre
BQA0675	200x45 mm (8" X 1 3/4") Black Solid tyre
BQA0702	16" / 405 mm Transit rear wheel with fixed attachment
BQA0705	22" / 560 mm Self Propel rear wheel with QR attachment
BQA0715	24" / 600 mm Self Propel rear wheel with QR attachment
BQA0724	Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes
BQA0726	Hub Brake Self Propel or Transit 16" Transit with Black Plastic Hub and Rim 22" and 24" / 560 mm and 600 mm Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes
BQA0745	Pneumatic Profile Black 1" 3/8 tyres
BQA0755	Pneumatic Puncture proof / flatfree 1" 3/8 Black tyres
BQA0790	Aluminium handrim
BQA0810	Plastic coated handrim
BQA0850	Frost spokeguard
BQA0863	One Arm Brake LH
BQA0867	One Arm Brake RH
BQA0895	Transportation Brackets, mounted to the front of the wheelchair. (Important note selection of this option will require that a suitable risk assessment is carried out on the final seat up of the chair.
	Please refer to the Instructions for Use for further information regarding using the Rea Azalea Base as a seat in transit)
BQA0900	Table Tray without elbow pads includes mounting kit
BQA0902	Table Tray with elbow Pads includes mounting kit
BQA0910	Swing away table without elbow pads
BQA0915	Swing away table with elbow pads
BQA0920	Locking device for table tray
BQA0930	Mounting kit for table (if ordered separately)
BQA0960	Clinic kit



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part r	number):