2020/21

Base Price - £3075.00

Please ensure you are using the latest order form

Attachment for custom fabrication enclosed

Order

Name

Date

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products, and you confirm to have read, understood and accepted our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Signature

Valid 01.04.20 to 31.03.21

Provide estimate only

Delivery address

Sales person

Standard equipment

.....

Billing address/customer number

v3

Max. load: 160 kg (standard equipment)








Additional options installed on the power wheelchair can reduce the maximum load. Please observe the maximum gross weight on the nameplate.

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

Otto Bock Mobility Plc - 32 Parsonage Road, Englefield Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Email bockuk@ottobock.com - Web www.ottoobck.co.uk

Technical modifications and pri

Basic data (voluntary information)



* This information will help to support user-oriented settings. Ottobock guarantees the confidential and purely internal use of these data.

| Product class | sificatio | n (mandatoy information) | |
|----------------|-----------|---|-----------|
| EA001 | | Category A (indoor) | £3075.00 |
| EA002 | | Category B (in/outdoor) (electric lighting mandatory in Europe) | £3075.00 |
| Max. user we | eight (ma | andatoy information; user + personal luggage, information required for chassis suspension) | |
| | | 75 kg | |
| | | 100 kg (for category A up to 12.5"/8") | |
| | | 113 kg (not possible in combination with category A (indoor) exclusions see 2.1) | |
| | | 125 kg (not possible in combination with category A (indoor) exclusions see 2.1) | |
| | | 140 kg (not possible in combination with category A (indoor) exclusions see 2.1) | |
| | | 150 kg (not possible in combination with category A (indoor) exclusions see 2.1) | |
| | | 160 kg (not possible in combination with category A (indoor) exclusions see 2.1) | |
| Seating syste | ems (ma | indatoy information) | |
| EC001 | | Standard seat Junior (max. load: 75 kg) | £117.00 |
| EC002 | | Standard seat Small | Inclusive |
| EC003 | | Standard seat, Large | Inclusive |
| EC004 | | Standard seat, XL | £117.00 |
| EC005 | | VAS (Vario Adjust Seat) (possible only in combination with max. load <= 125 kg) exclusions see 3.3) | £348.00 |
| Settings for S | Standar | d seat Junior exclusions see 3.2) 4.0) 5.0) | |
| Seat depth S | D in cm | 34 36 38 40 | |
| Seat width S | W in cm | 34 36 38 40 | |
| Back support | t height | BH 47 cm (adjustable to 42 cm or 37 cm) | |
| Settings for S | Standar | d seat Small exclusions see 3.2) 4.0) 4.1) 5.0) | |
| Seat depth S | D in cm | 38 40 42 44 46 | |
| Seat width S | W in cm | | |
| | | * Possible only in combination with EL022 | |
| Back support | t height | BH 55 cm (adjustable to 50 cm or 45 cm) | |

| Seat depth SD in cm 42 44 46 48 50 Seat width SW in cm 44 46 48 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) Settings for Standard seat XL exclusions see 4.0) 5.0) Seat depth SD in cm 42 44 46 48 50 Seat width SW in cm 50 52 54 56 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) 56 56 Settings for VAS exclusions see 4.0) 5.0) 50 52 54 56 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) 56 58 56 52 54 Settings for VAS exclusions see 4.0) 5.0) 52 54 56 58 56 58 Seat depth SD in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) 54 54 54 54 |
|---|
| Back support height BH 55 cm (adjustable to 50 cm or 45 cm) Settings for Standard seat XL exclusions see 4.0) 5.0) Seat depth SD in cm 42 44 46 48 50 52 54 56 58 Seat depth SD in cm 50 52 54 56 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 55 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 |
| Settings for Standard seat XL exclusions see 4.0) 5.0) Seat depth SD in cm 42 44 46 48 50 Seat width SW in cm 50 52 54 56 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) Settings for VAS exclusions see 4.0) 5.0) Seat depth SD in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) 56 58 56 58 |
| Seat depth SD in cm 42 44 46 48 50 50 52 54 56 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) Settings for VAS exclusions see 4.0) 5.0) Seat depth SD in cm 38 40 42 44 48 50 52 54 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| Seat width SW in cm 50 52 54 56 Back support height BH 55 cm (adjustable to 50 cm or 45 cm) Settings for VAS exclusions see 4.0) 5.0) Seat depth SD in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| Back support height BH 55 cm (adjustable to 50 cm or 45 cm) Settings for VAS exclusions see 4.0) 5.0) Seat depth SD in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| Settings for VAS exclusions see 4.0) 5.0) Seat depth SD in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| Seat depth SD in cm 38 40 42 44 48 50 52 54 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) 53 51 51 54 |
| 56 58 Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| Seat width SW in cm 38 40 42 44 48 50 52 54 Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm) |
| |
| |
| Lower leg length LL |
| Seat cushions (mandatory information) |
| EC011 Vithout cushion Inclusive |
| EC012 Seat cushion, black cover (seat cushion thickness 5 cm) Inclusive |
| EC013 Seat cushion with incontinence cover (seat cushion thickness 5 cm) £78.00 |
| EC014 Terra seat cushion (max. user weight up to 150 kg; seat cushion thickness 6 cm) exclusions see 7.1) 7.2) £159.00 |
| EC015 Terra Aquos seat cushion (max. user weight up to 150 kg; seat cushion thickness 6 cm) exclusions see 7.1) 7.2) £180.00 |
| EC016 Terra Flair seat cushion (max. user weight up to 150 kg; seat cushion thickness 6 cm) exclusions see 7.1) 7.3) £330.00 |
| EC018 Cloud seat cushion (max. user weight up to 250 kg; seat cushion thickness 11 cm) exclusions see 7.5) £442.00 |
| EC020 Flat contoured (seat cushion thickness 7 cm) exclusions see 7.8) to 7.12) £195.00 |
| EC021 Deep contoured (seat cushion thickness 9 cm) exclusions see 7.8) to 7.12) £195.00 |
| Please refer to our seat cushion brochure for information on additional seat cushions. |
| Cover for seat cushion, contoured (possible only in combination with EC020 or EC021) exclusions see 8.0) 8.1) |
| EC022 🔲 Fabric cover Inclusive |
| EC023 D Synthetic leather cover £37.00 |
| EC024Image: Fabric cover with incontinence barrier£24.00 |
| Back support version/with contour (mandatory information) |
| ED032 Without back support upholstery Inclusive |
| ED033 🔲 Back support upholstery, adaptable Inclusive |
| ED034 Back support pad flat contoured (SD reduction by approx. 2 cm) exclusions see 7.8) 7.9) £278.00 |
| ED035Back support pad deep contoured (SD reduction by approx. 2 cm) exclusions see 7.8) 7.9)£278.00 |
| ED050 Back support pad flat contoured (adaptable, SD reduction by approx. 2 cm) exclusions see 7.9) 9.1) £325.00 |
| ED051 Back support pad deep contoured (adaptable, SD reduction by approx. 2 cm) exclusions see 7.9) 9.1) £325.00 |
| ED036Baxx aluminium flat top back support (max. user weight 113 kg, installation accessories 4-point-PRO, SD reduction by approx. 2 cm, back support width = chosen seat width) exclusions see 9.1) to 9.3)£539.00 |
| Cover for back support pad, contoured (possible only in combin. with ED034, ED035, ED050 or ED051) exclusions see 10.0) 10.1) |
| ED037 🔲 Fabric cover Inclusive |
| ED038 🔲 Synthetic leather cover £37.00 |

| | r back | support pad, contoured | |
|-----------------|---------|--|-----------|
| ED039 | | Side panels (only for back support pad deep contoured) exclusions see 10.0) | £72.00 |
| ED040 | | Lumbar support exclusions see 11.1) | £54.00 |
| Accessories for | r arm : | support exclusions see 12) | |
| EL021 | | Padded covers for arm supports exclusions see 12.1) | £71.00 |
| EL022 | | Padded covers for clothing guard | £54.00 |
| Back support h | neight | for Baxx exclusions see 14.0) 14.1) | |
| ED041 | | High (18"/46 cm) | Inclusive |
| ED042 | | Extra high (20"/51 cm) | Inclusive |
| Back support of | contoi | ur for Baxx exclusions see 14.0) 14.1) | |
| ED043 | | Active (2.5"/6 cm) | Inclusive |
| ED044 | | Deep (4"/10 cm) | £21.00 |
| ED045 | | Extra deep (6"/15 cm) | £42.00 |
| Colour for Bax | x evclu | ' Isions see 14.0) 14.1) | |
| ED005 | | Sparkle light orange | Inclusive |
| ED009 | | Vinho sparkle | Inclusive |
| ED013 | | Jet black RAL 9005 matte | Inclusive |
| ED014 | | Candy red | Inclusive |
| ED021 | | Sparkle granny-smith | Inclusive |
| ED023 | | White RAL 9016 | Inclusive |
| | | | |
| Seat inclinatio | | ndatoy information) | |
| | | -3° (not in combination with EC005) exclusions see 17.1) | |
| | | | |
| | | 3° (not in combination with EC005) exclusions see 17.1) 6° | |
| | | | |
| | | 9° | |
| Power seat adj | ustme | ent (seat inclinition 0°) | |
| EC025 | | Power seat tilt 45° with centre of gravity shifting (max. load: VAS 100 kg, standard/contour seat 140 kg) exclusions see 3.1) 18.1) 24.9) | £668.00 |
| 56006 | | Power seat height adjustment 35 cm (max. load: VAS 100 kg, standard/contour seat 140 kg; | |
| EC026 | | not possible in combination with EU060 or EU051) exclusions see 3.1) 18.1) 24.9) | £1846.00 |
| FC027 | | Power seat height adjustment 35 cm with 45° seat tilt, with centre of gravity shifting | |
| EC027 | | (max. load: VAS 100 kg, standard/contour seat 140 kg; not possible in combination with EU060 or EU051) exclusions see 3.1) 18.1) 24.9) | £2158.00 |
| EC028 | | Power seat tilt 20° | |
| LCU20 | | (max. load: standard/contour seat 140 kg, not in combination with EC005) exclusions see 3.1) 18.1) 24.9) | £466.00 |
| Caster fork (ma | indato | y information) | |
| EF001 | | Suspension (not possible in combination with EF007 and EF008) exclusions see 2.1) | £199.00 |
| EF002 | | No suspension | Inclusive |
| Caster wheels | (mand | atoy information) | |
| EF005 | | 9" pneumatic, puncture-resistant exclusions see 2.1) | Inclusive |
| EF006 | | 9" puncture-proof exclusions see 2.1) | Inclusive |
| EF007 | | 10" pneumatic, puncture-proof (not possible in combination with EF001) exclusions see 2.1) 20.1) | Inclusive |

| EF008 | | 10" puncture-proof (not possible in combination with EF001) exclusions see 2.1) 20.1) | Inclusive |
|----------------|----------|--|-----------|
| EF004 | | 8" pneumatic, puncture-proof (possible only in combination with EG003) exclusions see 20.2) | £56.00 |
| Drive wheels | (manda | toy information) | |
| EG001 | | 14" pneumatic, puncture-resistant exclusions see 2.1) | Inclusive |
| EG002 | | 14" puncture-proof exclusions see 2.1) | Inclusive |
| EG003 | | 12" puncture-proof (possible only in combination with EF004) exclusions see 20.2) | £127.00 |
| Tyre colour (n | andato | y information) | |
| EG011 | | Grey | Inclusive |
| EG012 | | Black (not possible with EG003 and EF004) exclusions see 22.1) | Inclusive |
| Tread (manda | toy info | prmation) | |
| EG013 | | Ribs (only with tyre colour grey) exclusions see 23.1) | Inclusive |
| EG014 | | Lugs (not possible with 12" and 8" wheels) exclusions see 22.1) | Inclusive |
| EG015 | | Caster wheels with ribs, drive wheels with lugs (not possible with EG003 and EF004) exclusions see 22.1) 23.1) | Inclusive |
| | | | |

Seat heights (at 0° seat inclination, without seat cushion, suspension fully extended/without user; mandatoy information)

| Wheels | | 1.1) | 1.1) | 1.2) | 1.3) | 1.1) | 1.2) | 1.3) | 1.1) | 1.1) | 1.2) | 1.3) | 1.2) | 1.1) | 1.2) | 2) 1.3) 1.3) 1.1) 1. | | 1.2) | 1.3) | | |
|--------------------------------|--------------------------|--------|------|----------------------------|-------|---|---|------|------------------|----------------------|-----------------|------|----------------|----------------------|------|----------------------|--------|--------------------------|----------------------|--|--|
| Seat | cm | 38 | 40 | | | | 42,5 | | 44 | 45 | | | 46 | 47,5 | | | 48,5 | | 50 | | |
| height | | | | | | | | | | | | | | | | | | | | | |
| | inch | 14,6 | | | | 16,6 17,2 24.37) 24.31) 24.29 24.37) 24 | | | | 17,6 18 | | | 18,6 | | | 19 | | 19,5 | | | |
| Notices and | exclusions | 24.37) | | 24.33) 24.1 | | | | | | 24.37) 24.31) 24.27) | | | 24.37) | 24.37) 24.36) 24.24) | | | 24.37) | | 24.37) 24.35) 24.23) | | |
| | | 24.32) | | 24.17) 24.13) 24.28) 24.2) | | | 24.17) 24.27) 24.15) 24.0) 24.34) | | | 24.26) 24.0) 24.2) | | | 24.0) | 24.21) 24.20) 24.19) | | | 24.0) | 24.22) 24.12) 24.0) 2.1) | | | |
| | | 24.4) | | 24.14) 24.3) | | 24.11 | 24.11) 24.9) 24.2) 24.3) 24.4) 24.0) | | | | | | 24.7) 24.6) | 24.18) 24.0) 24.2) | | | 24.8) | 24.3) 24.2) | | | |
| | | 24.10) | | | 24.0) | | | | | | | | 24.0) | | | | | | | | |
| | | 24.0) | | | 24.1) | | | | | | | | | | | | | | | | |
| | | 24.1) | | | | | | | 24.6 | | | | | | | | | | | | |
| | | 24.2) | | | | | | | | | | | | | | | | | | | |
| | | 24.21) | | | | | | | | | | | | | | | | | | | |
| Standard se | at | | | | | | | | | | | | | | | | | | | | |
| | | 2.2) | | | | | | | | | | | | | | | | | | | |
| VAS | | | 2.2) | | | 2.2) | | 2.2) | | | | | | | | | | | | | |
| Standard se | at | | , | | | , | | , | | | | | | | | | | | | | |
| 20° seat tilt | | | | | | | | | | | | | | | | | | | | | |
| Standard se | at | | | | | | | | | | | | _ | | | | | | | | |
| 45° seat tilt | | | | | | | | | 2.2) | | | | | | | | | | | | |
| VAS | | | | | | | | | | | | | | | | | | | | | |
| 45° seat tilt | | | | | | | | | 2.1) | | | | | | | | | | | | |
| Standard se | at, Lift seat | | | | | | | | | | | | | | | | | | | | |
| 35 cm + 45° | seat tilt | | | | | | | | 2.1) | | | | | | | | | | | | |
| VAS, Lift sea 45° seat tilt | t 35 cm + | | | | | | | | | | | | | | | | | | | | |
| Wheels | | | | | | | | | | | Weig | ght | | | | | | | | | |
| 1.1) 8"/12.5" | | | | | | | | | | | 2.1) Max. 75 kg | | | | | | | | | | |
| 1.2)9" caster wheels | | | | | | | | | 2.2) Max. 100 kg | | | | | | | | | | | | |
| 1.3) | - | | | | | | | | | | | | | | | | | | | | |
| | Combination possible | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | Combination not possible | | | | | | | | | | | | | | | | | | | | |

| | rt angle | adjustment (mandatory information) | |
|---------------|------------|---|-----------|
| ED046 | | Mechanical in increments (Standard seat 0/10/20/30°, -9/1/11/21°; VAS -5/0/10/20/30°) | Inclusive |
| ED047 | | Power (30°) | £569.00 |
| Mounting ki | it for hea | ad/neck supports | |
| EL001 | | Gooseneck | £103.00 |
| EL002 | | Multi-axis, offset | £97.00 |
| EL003 | | Multi-axis, straight | £93.00 |
| EL005 | | Rock-n-Lock, flip down | £296.00 |
| Head/neck s | supports | s exclusions see 27.0) 27.1) | |
| EL006 | | Head support, small | £72.00 |
| EL007 | | Head support, large | £72.00 |
| EL009 | | Head support, concave, size M | £141.00 |
| EL011 | | Head support with ABS exterior shell, small | £114.00 |
| EL012 | | Head support with ABS exterior shell, large | £144.00 |
| EL013 | | Head/neck support, small | £68.00 |
| EL014 | | Head/neck support, large | £68.00 |
| EL015 | | Head/neck support, X-shape, small | £83.00 |
| EL016 | | Head/neck support, X-shape, large | £83.00 |
| EL017 | | Head support, concave, adjustable, one size only | £244.00 |
| EL020 | | Head support, 3-piece, angle-adjustable, size L | £266.00 |
| Belts exclusi | ions see 2 | 28.0) | |
| EP001 | | Standard lap belt | Inclusive |
| EP002 | | 2-point lap belt, padded, metal buckle | £122.00 |
| EP003 | | 2-point lap belt, padded, plastic buckle | £110.00 |
| Chest/shoul | lder harr | | |
| EP005 | | Dynamic harness, size S | £159.00 |
| EP006 | | Dynamic harness, size M | £159.00 |
| EP007 | | Dynamic harness, size L | £159.00 |
| EP008 | | Sternum harness, size S | £152.00 |
| EP009 | | Sternum harness, size M | £152.00 |
| EP010 | | Sternum harness, size L | £152.00 |
| EP011 | | Slimline sternum harness, size S | £148.00 |
| EP012 | | Slimline sternum harness, size M | £148.00 |
| EP013 | | Slimline sternum harness, size L | £148.00 |
| EP014 | | Shoulder harness, size S | £165.00 |
| EP015 | | Shoulder harness, size M | £165.00 |
| EP016 | | Shoulder harness, size L | £165.00 |
| VAS accesso | ories evcl | usions see 9.1) | |
| ED048 | | Push handles | £54.00 |
| | | | 20.00 |
| | | datoy information) | |
| EE023 | | Standard | Inclusive |
| EE024 | | Flip-up (effective seat width +/- 1 cm per side; on Standard seat Small, SW 42 cm; Standard seat Large, SW 48 cm; Standard seat XL, SW 54 cm; VAS plus 2 cm; max. user weight: 125 kg; | |
| | | not in combination with EC001) exclusions see 3.3) 7.8) 67.1) to 67.3) | £79.00 |

| Leg support ve | ersion | (mandatoy information) | | | | |
|-----------------|---------|---|------------------------|--|--|--|
| EB011 | | Standard (basic design) exclusions see 7.8) 31.1) | Inclusive | | | |
| EB001 | | Standard (new design) exclusions see 31.1) | £86.00 | | | |
| EB002 | | Mechanically elevating with length adjustment (max. user weight 140 kg; not available for LL < 21 cm; | | | | |
| | | not in combination with EB012 / EB009) exclusions see 3.1) 31.1) to 31.4) | £495.00 | | | |
| EB003 | | Power elevating with length adjustment and separate control (max. load 140 kg; not available for LL < 21 cm; n ot in combination with EB012 / EB009) exclusions see 3.1) 31.1) to 31.4) | | | | |
| 50004 | | Power elevating with length adjustment and simultaneous control | | | | |
| EB004 | | (not available for LL < 21 cm; not in combination with EB012) exclusions see 31.1) to 31.4) | | | | |
| EB005 | | Without leg supports exclusions see 31.5) | Inclusive | | | |
| Foot support v | rersio | n exclusions see 32.0) 32.1) | | | | |
| EB012 | | Individual, plastic foot plates (max. load 140 kg; not available on elevating leg supports; not in combination with EB002 / EB003 / EB004) exclusions see 3.1) 32.2) to 32.4) | Inclusive | | | |
| EB007 | | Individual aluminium foot plates, new design (max. user weight 160 kg; not in combination | | | | |
| EDUU7 | | with EB011 / EB001) exclusions see 32.6) to 32.8) 32.10) | £112.00 | | | |
| EB009 | | Single-panel, aluminium foot plate (max. user weight 160 kg; not in combination with EB002 / EB003) exclusions see 32.6) to 32.9) | £124.00 | | | |
| Leg support ac | cesso | ries | | | | |
| EB010 | | Lateral leg pad (for mechanical and power elevating leg support adjustment; pair) exclusions see 33.1) | £114.00 | | | |
| Batteries (mano | latov i | nformation) | | | | |
| EU036 | | AGM 56 Ah (C5) / 60,4 Ah (C20) | Inclusive | | | |
| EU032 | | Gel 63 Ah (C5) / 74 Ah (C20) | £505.00 | | | |
| EU033 | | AGM 63 Ah (C5) / 75 Ah (C20) | £82.00 | | | |
| | | | | | | |
| | | ndatoy information) | | | | |
| EU040 | | Without battery charger | Inclusive | | | |
| EU045 | | Battery charger 5 A with fan (only for batteries with 53 Ah (C5)) exclusions see 35.3) | Inclusive Inclusive | | | |
| EU041 | | Battery charger 8 A, fanless (only for batteries with 53 Ah (C5)) exclusions see 35.1) | | | | |
| EU042 | | Battery charger 12 A incl. external magnetic charging receptacle (installation side right) | £392.00 | | | |
| Additional cha | rging | receptacle | | | | |
| EU043 | | External magnetic charging receptacle (installation side right; possible only with EU042) exclusions see 36.1) | £158.00 | | | |
| Wheelchair col | our (c | olour for caster fork and metal strip; frame colour: KTL black; mandatoy information) | | | | |
| 000 | | Without coloured caster wheel swing arm cover and without coloured metal strut | Inclusive | | | |
| 005 | | Sparkle light orange | Inclusive | | | |
| 009 | | Vinho sparkle | Inclusive | | | |
| 013 | | Jet black RAL 9005 matte | Inclusive | | | |
| 014 | | Candy red | Inclusive | | | |
| 021 | | Sparkle granny-smith | Inclusive | | | |
| 023 | | White RAL 9016 | Inclusive | | | |
| Chassis accesso | ories | | | | | |
| EA010 | | Splash guard for drive wheels exclusions see 2.1) 39.5) 39.6) | £56.00 | | | |
| EA011 | | Splash guard for caster wheels exclusions see 2.1) | £30.00 | | | |
| ES001 | | Rear marker plate | £93.00 | | | |
| | | | | | | |

| Caster wheel s | wivel | lock | |
|----------------------------|---------|---|-----------|
| EF020 | | Mechanical | £366.00 |
| Chassis safety | acces | sories | |
| EF021 | | Curb climbing assist exclusions see 2.1) | £295.00 |
| ES002 | | Kit for vehicle transport | |
| L3002 | | (not in combination with ED036; max. load 140 kg = exclusions see 3.1) 24.5) 41.1) | Inclusive |
| ES013 | | Ottobock installation kit for Dahl docking system (not possible in combination with EA001 and EF021; max. load 140 kg) exclusions see 2.1) 3.1) 24.5) 41.1) 41.2) | £91.00 |
| General access | sories | | |
| ES003 | | Pocket for mobile phone | £22.00 |
| ES004 | | Luggage carrier exclusions see 2.1) 3.1) | £203.00 |
| ES005 | | Crutch holder | £66.00 |
| ES006 | | Rearview mirror (installation side across from control panel side; not possible in combination with ES012) exclusions see 42.1) | £99.00 |
| ES007 | | Tool kit | £31.00 |
| ES010 | | Beverage holder | £22.00 |
| ES011 | | Airman pump | £122.00 |
| ET001 | | External horn | £174.00 |
| ES012 | | Tray (swivel mechanism across from control panel side; not possible in combination with ES006) exclusions see 42.2) | £361.00 |
| Receptacle for | exter | nal power supply, right | |
| ET002 | | 12 V exclusions see 43.1) 43.4) | £274.00 |
| ET003 | | 24 V exclusions see 43.2) | £109.00 |
| ET004 | | USB exclusions see 43.3) | £123.00 |
| Lighting exclu | sions s | ee 44.0) | |
| ES021 | | Electric lighting | £421.00 |
| Control device | e (mar | idatoy information) | |
| EU059 | | VR2 (70 A), without power functions and lighting | |
| | | (recommended for load up to 140 kg) exclusions see 46.1) 46.2) 46.4) 46.7) | Inclusive |
| EU060 | | VR2 (70 A), max. 2 power functions and lighting possible (recommended for load up to 140 kg; not possible in combination with EC026 or EC027) exclusions see 46.2) 46.3) 46.7) | Inclusive |
| EU050 | | VR2 (90 A), without power functions and lighting | |
| | | (recommended for load up to 160 kg) exclusions see 2.1) 46.1) 46.4) 46.7) | Inclusive |
| EU051 | | VR2 (90 A), max. 2 power functions and lighting possible (recommended for load up to 160 kg; not possible in combination with EC026 or EC027) exclusions see 2.1) 46.3) 46.7) | £53.00 |
| EU052 | | TEN° (90 A), 1 power function, choose option EU056 for more power functions, lighting possible (recommended for load up to 160 kg) | £727.00 |
| EU058 | | R-net LED-L (90 A), 1 power function, choose option EU056 for more power functions, lighting possible (recommended for load up to 160 kg) | £503.00 |
| EU064 | | R-net Colour (90 A), 1 power function, choose option EU056 for more power functions, lighting not possible (recommended for load up to 160 kg) exclusions see 46.4) | £755.00 |
| TEN [®] control a | anal (| | |
| EU065 | | possible only in combination with EU052) exclusions see 47.0) 47.1) Standard colour shimano matte | Inclusive |
| EU065 EU066 | | Colour selectable | Inclusive |
| 20000 | | | inclusive |

| Colour for TEN | ° cont | rol panel (possible only in combination with EU066) exclusions see 48.0) 48.1) | |
|----------------|---------|---|-----------|
| EU005 | | Sparkle light orange | Inclusive |
| EU009 | | Vinho sparkle | Inclusive |
| EU013 | | Jet black RAL 9005 matte | Inclusive |
| EU014 | | Candy red | Inclusive |
| EU021 | | Sparkle granny-smith | Inclusive |
| EU023 | | White RAL 9016 | Inclusive |
| Control panel | butto | ח (possible only in combination with EU052) exclusions see 47.0) | |
| EU067 | | Piko button, diameter 50 mm (red/black) | £145.00 |
| EU068 | | Piko button, diameter 30 mm (red/black) | £145.00 |
| Control panel | holde | r (mandatoy information) | |
| EU070 | | Control panel holder, standard (not possible in combination with TEN° (EU052)) exclusions see 50.1) | Inclusive |
| EU071 | | Control panel holder, swing-away in parallel, 2 cm height-adjustable | £102.00 |
| EU072 | | Control panel holder, swing-away in parallel, 9.5 cm height-adjustable | £124.00 |
| Control panel | holde | r mounting side (mandatoy information) | |
| | | Right | |
| | | Left | |
| Joystick top | | | |
| EU080 | | Fork for tetraplegics, horizontal (adjustable for hand width 70 - 90 mm) | £102.00 |
| EU081 | | Stick S80 (special joystick handle 80 mm) | £46.00 |
| EU082 | | Soft ball, black cover | £83.00 |
| EU083 | | Ball top, small (diameter 43 mm) | £78.00 |
| EU084 | | Ball top, large (diameter 48 mm) | £96.00 |
| EU085 | | Soft ball, coloured (diameter 30 mm, 4 pieces) | £188.00 |
| Modules for TE | N°/R- | net LED-L/R-net colour control device exclusions see 53.0) | |
| EU054 | | TEN° LCD module (when using 1-switch scan drive, programming by service required; please order button | 61400.00 |
| ELIOFE | | separately; adapter switch box not required) | £1488.00 |
| EU055 | | Input/output module | £423.00 |
| Holder for TEN | ° LCD | module exclusions see 54.0) 54.1) | |
| EU073 | | Standard (installation across from control panel side; not possible in combination with ES012) exclusions see 42.1) | £75.00 |
| EU074 | | With gooseneck (installation across from control panel side; not possible in combination with ES012) exclusions see 42.1) | £234.00 |
| EU075 | | With gooseneck for tray (included) | £175.00 |
| Actuator modu | ule for | TEN°/R-net LED-L/R-net colour control device exclusions see 53.0) 55.0) 55.1) | |
| EU056 | | Actuator module (required for power seat functions on R-net LED-L, R-net colour and TEN°, | |
| | | when more than one power seat function is needed) | £385.00 |
| Control device | acces | sories | |
| EU057 | | Attendant control | £647.00 |

| Attendant con | trol in | stallation side exclusions see 57.0) 57.1) | |
|------------------|----------|---|-----------|
| | | Right exclusions see 57.2) | |
| | | Left | |
| Track stabiliser | exclu | sions see 47.0) 59.0) | |
| EF023 | | Power (gyro-module) (not in combination with EU059, EU060, EU050 or EU051; depending on terrain, the specified driving distance range can be reduced when using the gyro) | £396.00 |
| Option for elec | ctric se | eat adjustment exclusions see 68.1) 68.2) | |
| EU127 | | Speed limiter (sum angle >35°; only in combination with TEN°/R-net LED-L/R-net Colour; by VR2 possible only in combination with EC025) | £155.00 |
| Drive unit (mar | ndatoy | information) | |
| ET016 | | Performance (usable up to a gross weight of 320 kg) | Inclusive |
| ET011 | | High performance (only in combination with EU052, EU058 or EU064) exclusions see 2.1) 53.0) | £512.00 |
| Speed (mandate | oy info | rmation) | |
| ET012 | | 6 km/h | Inclusive |
| ET013 | | 7.2 km/h exclusions see 2.1) 61.1) | Inclusive |
| ET014 | | 10 km/h exclusions see 2.1) 61.1) 61.2) | Inclusive |
| Drive unit opti | on exc | clusions see 62.0) 62.1) | |
| ET008 | | Individual type approval for speed > 6 km/h | £287.00 |
| Drive unit war | ranty | extension | |
| EW002 | | From 24 to 48 months | £72.00 |
| Additional inst | ructio | ons for use (additional IFU for non-national languages) | |
| ES028 | | Qualified personnel | Inclusive |
| ES029 | | User | Inclusive |

Seating systems



EC001 - EC004 Standard seat



EC005 VAS

Seat cushions/back support version with contour



EC020/ED034 Flat contoured

Back support version



EC021/ED035 Deep contoured

Cover for seat cushion/back support pad contoured



EC022 Fabric cover



EC023 Synthetic leather cover



ED050/ED051 Back support pad flat/deep contoured

Power seat adjustment



ED036 Baxx aluminium flat top back support



Accessories for back support pad, contoured

ED039 Side panels



ED040 Lumbar support

Tread



EC025 45° seat tilt



EC026 Seat height adjustment 35 cm



ED047 Power back support angle adjustment



EG013 Ribs





EG015 Caster wheel with ribs

Mounting kit



EL005 Rock-n-Lock Flip Down

Head/neck supports



EL006/EL007 Head support small/large



EL011/EL012 Soft head support small/large



EL013/EL014 Combination head/neck support small/large



EL015/EL016 Head/neck support, X-shape, small/ large



EL017 Head support, concave, adjustable



EL020 Head support, angle-adjustable




EP001 Standard lap belt



EP002 2-point lap belt, padded, metal buckle



EP003 Lap belt, padded, plastic buckle





EP005 - EP007 Dynamic harness S/M/L



EP008 - EP010 Sternum harness S/M/L



EP011 - EP013 Slimline sternum harness S/M/L



EP014 - EP016 Shoulder harness S/M/L

Arm supports



EE024 Flip-up arm supports

Leg support version



EB011 Standard (basic design)



EB001 Standard (new design)

Foot plate version



EB002 Mechanically elevating with length adjustment



EB003 Power elevating, separate control




EB004 Power elevating, simultaneous control



EB012 Individual, plastic foot plates



EB007 Individual aluminium foot plates



EU045 Battery charger 5 A with fan

Add. charging receptacle



EU043 External magnetic charging receptacle



EU041 Battery charger 8 A, fanless


Chassis accessories



EA010 Splash guard for drive wheels



10 A, fanless





EF021 Curb climbing assist



EU042 Battery charger 12 A incl. external magnetic charging receptacle



ES013 Dahl mounting kit



General accessories



ES003 Pocket for mobile phone



ES004 Luggage carrier



ES005 Crutch holder

Lighting



ES006 Rearview mirror



ES010 Beverage holder

Control device



EU050/EU059 VR2



ET002 Receptacle f. 12 V ET003 Receptacle f. 24 V ET004 USB



ES021 Electric lighting



EU051/EU060 VR2

Joystick top



EU052 TEN°



EU058 R-net LED-L



EU064 R-net Colour



EU080 Fork for tetraplegics, horizontal



EU081 Stick S80



EU082 Soft ball, black cover



EU083 Ball top, small



EU084 Ball top, large



EU085 Soft ball, coloured





EU054 TEN° LCD module

Control device accessories



EU057 Attendant control



EU095 Hand warmer (single hood for handmodule)

Tables for notes and exclusions

Seat depth

| Seat | Seat depth SD | | | | | | | | | | | | |
|----------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Seat | 34 cm | 36 cm | 38 cm | 40 cm | 42 cm | 44 cm | 46 cm | 48 cm | 50 cm | 52 cm | 54 cm | 56 cm | 58 cm |
| Standard seat Junior | х | х | Х | х | | | | | | | | | |
| Standard seat, small | | | | Х | Х | Х | х | | | | | | |
| Standard seat, large | | | | | х | х | х | х | х | | | | |
| Standard seat, XL | | | | | х | х | х | х | х | | | | |
| VAS | | | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |

X = combination possible

Seat width

| Cret | Seat width (SW) | | | | | | | | | | | |
|----------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Seat | 34 cm | 36 cm | 38 cm | 40 cm | 42 cm | 44 cm | 46 cm | 48 cm | 50 cm | 52 cm | 54 cm | 56 cm |
| Standard seat Junior | x x | | Х | Х | | | | | | | | |
| Standard seat, small | | | Х | Х | Х | | | | | | | |
| Standard seat, large | | | | | | Х | Х | Х | | | | |
| Standard seat, XL | | | | | | | | | Х | Х | Х | Х |
| VAS | | | х | х | х | х | Х | Х | х | Х | Х | |

X = combination possible

| | Terra, Terra Aquos seat cushion | | | | | | | | | | | | |
|------|---------------------------------|-----------------|----|----|----|----|----|----|----|----|----|----|--|
| SD | | Seat width [cm] | | | | | | | | | | | |
| [cm] | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | |
| 34 | | х | | | | | | | | | | | |
| 36 | | Х | | | | | | | | | | | |
| 38 | | Х | Х | Х | Х | Х | Х | Х | Х | Х | | | |
| 40 | | | | Х | Х | Х | Х | | | | _ | | |
| 42 | | | | Х | Х | Х | Х | | | | | | |
| 44 | | | | Х | Х | Х | Х | Х | Х | Х | | | |
| 46 | | | | Х | Х | Х | Х | Х | Х | Х |] | | |
| 48 | | | | Х | Х | Х | Х | Х | Х | Х |] | | |
| 50 | | | | | | | | | | | - | | |
| 52 | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | |
| 56 | | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | | |

| | Terra Flair seat cushion | | | | | | | | | | | | | |
|------|--------------------------|----|----|----|----|----|----|----|----|----|----|----|--|--|
| SD | Seat width [cm] | | | | | | | | | | | | | |
| [cm] | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | | |
| 34 | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | |
| 38 | | | X | Х | Х | Х | Х | Х | Х | Х | | | | |
| 40 | | | | Х | Х | Х | Х | | | • | - | | | |
| 42 | | | | Х | Х | Х | Х | | | | | | | |
| 44 | | | | Х | Х | Х | Х | Х | Х | Х | | | | |
| 46 | | | | Х | Х | Х | Х | Х | Х | Х | | | | |
| 48 | | | | Х | Х | Х | Х | Х | Х | Х | | | | |
| 50 | | | | | | | | | | | | | | |
| 52 | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | |
| 56 | | | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | | | |







EC014 Terra

EC015 Terra Aquos

EC016 Terra Flair

| | Cloud seat cushion | | | | | | | | | | | |
|------|--------------------|----|----|-----------------|----|----|----|----|----|----|----|----|
| SD | | | | Seat width [cm] | | | | | | | | |
| [cm] | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 |
| 34 | Х | Х | | | | | | | | | | |
| 36 | Х | Х | Х | | | | | | | | | |
| 38 | Х | Х | Х | Х | Х | | Х | Х | Х | Х | Х | Х |
| 40 | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |
| 42 | | | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |
| 44 | | | | Х | Х | Х | Х | Х | Х | Х | Х | Х |
| 46 | | | | Х | Х | | Х | Х | Х | Х | Х | Х |
| 48 | | | | Х | Х | | Х | Х | Х | Х | Х | Х |
| 50 | | | | | | - | Х | | | Х | Х | Х |
| 52 | | | | | | | Х | | | Х | Х | Х |
| 54 | | | | | | | | | | · | | |
| 56 | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | |



EC018 Cloud

| Notes an | nd exclusions |
|------------------|---|
| 2.1) | not possible in conjunction with product classification category A (indoor) |
| 3.1) | possible only in combination with maximum user weight <= 140 kg |
| 3.2) | possible only in combination with maximum user weight <= 75 kg |
| 3.3) | possible only in combination with maximum user weight <= 125 kg |
| 4.0) | see table "seat depth" |
| 4.1) | not possible in conjunction with the combination of maximum user weight > 75 kg and Standard seat Junior or VAS |
| 4.3) | not possible in conjunction with the combination of maximum user weight > 100 kg and Standard seat Small or Standard seat Large or Standard |
| , | seat XL or VAS |
| 5.0) | see table "seat width" |
| 7.1) | possible only in combination with maximum load capacity <= 150 kg |
| 7.2) | see table "seat cushion Terra, Terra Aquos" |
| 7.3) | see table "seat cushion Terra-Flair" |
| 7.5) | see table "seat cushion Cloud" |
| 7.6) | possible only in combination with maximum user weight <= 125 kg $$ |
| 7.8) | cannot be combined with Standard seat, Junior |
| 7.9) | not possible in conjunction with the combination of VAS and seat width 38 cm, 42 cm, 46 cm, 48 cm or 52 cm |
| 7.10) | not possible in conjunction with the combination of VAS, seat width 40 cm and seat depth 48 cm, 50 cm, 52 cm, 54 cm or 56 cm |
| 7.11) | not possible in conjunction with the combination of VAS, seat width 44 cm or 50 cm or 54 cm and seat depth 38 cm or 40 cm |
| 7.12) | cannot be combined with seat depth 58 cm |
| 8.0) | possible only in combination with seat cushion with flat or deep contours |
| 8.1) | mandatory information in combination with seat cushion with flat or deep contours |
| 9.1) | possible only in combination with VAS |
| 9.2) | possible only in combination with maximum user weight <= 113 kg |
| 9.3) | cannot be combined with seath width 54 cm |
| 10.0) | possible only in combination with back cushion with flat or deep contours or back cushion with flat or deep contours, for adaptable back uphols- |
| 10.1) | tery mandatory information in combination with back cushion with flat or deep contours or back cushion with flat or deep contours, for adaptable |
| | back upholstery |
| 11.1) | possible only in combination with back cushion with deep contours |
| 12) | pandatory information in combination with Standard seat Small and SW 38 cm |
| 12.1) | not possible in conjunction with Standard seat Small and SW 38 cm and unselected upholstery covers for arm supports |
| 14.0) | possible only in combination with Baxx aluminium flat top back support |
| 14.1) | mandatory information in combination with Baxx aluminium flat top back support |
| 17.1) | cannot be combined with VAS |
| 18.1) | possible only with seat inclination 0° |
| 18.2) | cannot be combined with seat inclination $-3^\circ/6^\circ/9^\circ$ |
| 20.1) | not possible in conjunction with caster wheel swing arm spring mounted |
| 20.2) 22.1) | not possible in conjunction with product classification category B (indoor/outdoor) not possible in conjunction with caster wheels 8" or drive wheels 12" |
| 23.1) | possible in conjunction with tyre colour grey |
| 24.0) | seat height >= lower leg length +3 cm |
| 24.1) | possible only in contents in the product classification category A (indoor) |
| 24.2) | cannot be combined with seat tilt 45° or seat height adjustment 35cm or seat height adjustment 35 cm with seat tilt 45° |
| 24.3) | not possible in conjunction with VAS and caster wheel swing arm unsprung and caster wheels 9" |
| 24.4) | not possible in combination with VAS and maximum user weight > 75 kg |
| 24.5) | cannot be combined with seat tilt 20° |
| 24.6) | possible only in combination with seat tilt 45° or seat height adjustment 35 cm or seat height adjustment 35 cm with seat tilt 45° |
| 24.7) | possible only in combination with caster wheel swing arm unsprung and caster wheels 9" |
| 24.8) | possible only in combination with caster wheel swing arm spring mounted or caster wheels 10" |
| 24.9) | not possible in conjunction with the combination of maximum user weight $>$ 100 kg and VAS |
| 24.10) | not possible in conjunction with the combination of seat height adjustment up to 35 cm with seat tilt 45° and VAS |
| 24.11) | not possible in conjunction with the combination of VAS and SW > 42 cm and seat inclination 6°, 9° and caster wheel swing arm spring mounted |
| | or caster wheels 10" |
| 24.12) | not possible in conjunction with the combination of VAS and caster wheel swing arm spring mounted or caster wheels 10" |
| 24.13) | cannot be combined with caster wheels 10" or caster wheel swing arm spring mounted |
| 24.14) | cannot be combined seat inclination -3° |
| 24.15) | not possible in conjunction with the combination of seat inclination -3° and caster wheels 10° or caster wheel swing arm spring mounted |
| 24.16) | not possible in conjunction with Standard seat Large/XL and seat tilt 20° and caster wheels 8" |
| 24.17) | not possible in conjunction with Standard seat Large/XL and seat tilt 20° and caster wheel swing arm unsprung and caster wheels 9" |
| 24.18) | not possible in conjunction with the combination of VAS and seat inclination 9° and caster wheel swing arm unsprung and caster wheels 9" |
| 24.19) | not possible in conjunction with the combination of VAS and seat inclination 9° and caster wheel swing arm spring mounted or caster wheels 10" |
| 24.20) | not possible in conjunction with VAS and seat inclination 9° and caster wheel swing arm unsprung and caster wheels 10" or caster wheel swing |
| 220) | arm sprung and caster wheels 9" |
| 24.21) | not possible in conjunction with VAS and caster wheels 8" |
| 24.22) | not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 6°, 9° and caster wheel swing arm unsprung and cas- |
| | ter wheels 10" or caster wheel swing arm sprung and caster wheels 9" |
| 24.23) | not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 3°, 6°, 9° and caster wheel swing arm unsprung and caster wheels 9" |
| 24.24) | not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 9° and caster wheel swing arm unsprung and caster |
| | wheels 9" |
| 24.26) | not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 9° and caster wheels 8" |
| 24.27) | not possible in conjunction with Standard seat Large/XL and seat tilt 20° and caster wheel swing arm unsprung and caster wheels 10" or caster |
| 24.20 | wheel swing arm sprung and caster wheels 9" |
| 24.28) | not possible in conjunction with caster wheel swing arm spring mounted or caster wheels 10" |
| 24.29) | not possible in conjunction with the combination of VAS and SW > 42 cm and caster wheels 8" |
| 24.31) 24.32) | not possible in conjunction with the combination of VAS and seat inclination 9° and caster wheels 8" not possible in conjunction with Standard seat Large/XL |
| 24.32) | not possible in conjunction with Standard seat Large/XL and caster wheel swing arm unsprung and caster wheels 9" |
| 24.34) | not possible in combination with seat height adjustment up to 35 cm with seat tilt 45° and maximum user weight > 75 kg |
| 24.35) | not possible in combination with seat tilt 20° and seat inclination 3° and caster wheel swing arm unsprung and caster wheels 9" |

24.36) not possible in combination with seat tilt 20° and seat inclination 3° and caster wheel swing arm unsprung and caster wheels 8 24.37) nee table "seat hight" 27.0) possible only in combination with head/neck support mounting kit 27.1) mandatory information in combination with head/neck support mounting kit 28.0) mandatory information in combination with category B 31.1) possible only in combination with selected lower leg length 31.2) not possible in conjunction with the combination of Standard seat or VAS and lower leg length < 21 cm 31.3) not possible in conjunction with the combination of maximum user weight > 75 kg and Standard seat and lower leg length < 28 cm not possible in conjunction with the combination of maximum user weight > 75 kg and VAS and lower leg length < 27 cm 31.4) not possible in conjunction with selected lower leg length 31.5) 32.0) cannot be combined with leg support adjustment, without mandatory information in combination with leg support adjustment, standard, mechanically elevating or electrically elevating 32.1) not possible in conjunction with the combination of Standard seat and lower leg length < 25 cm 32.2) 32.3) not possible in conjunction with the combination of VAS and lower leg length < 24 cm cannot be combined with leg support adjustment, mechanically elevating or electrically elevating 32.4) cannot be combined with leg support adjustment standard (basic design) 32.6) 32.7) not possible in conjunction with the combination of Standard seat or VAS and lower leg length < 17 cm and leg support adjustment, standard 32.8) not possible in conjunction with the combination of maximum user weight > 75 kg and Standard seat or VAS and lower leg length < 24 cm and leg support adjustment, standard cannot be combined with leg support adjustment, mechanically elevating or electrically elevating, separate controllable not possible in conjunction with the combination of maximum user weight > 140 kg and leg support adjustment, electrically elevating, simultane-32 9) 32.10) ously controllable possible only in combination with leg support adjustment, mechanically or electrically elevating 33.1) 35.1) possible only in conjunction with AGM 53 Ah batteries 35.3) cannot be combined with Gel 63 Ah (C5) batteries possible only in conjunction with battery charger, without 36.1) not possible in conjunction with the combination of SH 40 cm and caster wheel swing arm unsprung and caster wheeles 9" and VAS or Stan-39.5) dard seat Large/XL 39.6) not possible in conjunction with the combination of SH 42,5 cm and caster wheel swing arm spring mounted or caster wheels 10" and VAS or eat systems Standard seat Large/XL cannot be combined with Baxx aluminium flat top back support 41.1) cannot be combined with chassis safety accessories curb climbing assist 41 2) cannot be combined with therapy tray 42.1) cannot be combined with rearview mirror 42.2) 43.1) cannot be combined with socket for external power supply, right 24 V and socket for external power supply, right USB 43.2) cannot be combined with socket for external power supply, right 12 V and socket for external power supply, right USB cannot be combined with socket for external power supply, right 12 V and socket for external power supply, right 24 V 43.3) 43.4) cannot be combined with batteries/battery capacity AGM 63 Ah (C5) / 75 Ah (C20) 44.0) mandatory information in conjunction with the combination of product classification category B and all countries of destination except Other countries, Argentina, Australia, Brazil, France, Hong Kong, Japan, Canada, Columbia, Korea, Mexico, Russia, Switzerland, Thailand, United States of America or United Kingdom 44.1) Not possible in conjunction with the combination of Germany as the country of destination and product classification category B cannot be combined with electric functions 46.1) possible only in combination with total weight <= 260 kg 46.2) possible only in combination with max. 3 electric functions 46.3) 46.4) cannot be combined with lighting acc. to German StVZO 46.7) cannot be combined with seat height adjustment 35 cm or seat height adjustment 35 cm with seat tilt 45° 47.0) possible only in combination with control unit, TEN° 47.1) mandatory information in combination with control unit, TEN° 48.0) possible only in combination with control panel, TEN°, colour selectable 48.1) mandatory information in combination with control panel, TEN°, colour selectable 50.1) cannot be combined with control unit TEN° possible only in combination with control unit, TEN° or R-net LED-L (90 A) or R-net Colour (90 A) 53.0) possible only in combination with TEN° LCD module 54.0) mandatory information in combination with TEN° LCD module 54.1) 55.0) mandatory information in conjunction with the combination of control unit, TEN° (90 A) or R-net LED-L (90 A) or R-net Colour (90 A) and > 1 electric function 55.1) mandatory information in conjunction with the combination of lighting acc. to German StVZO and control unit, TEN° or R-net LED-L (90 A) 57.0) possible only in combination with attendant control 57.1) mandatory information in combination with attendant control 57.2) not possible in conjunction with the combination of Standard seat Junior and actuator module for control unit, TEN° 58.1) possible only in combination with control unit, VR2 not possible in conjunction with Australia, Canada or the United States of America as the country of destination 59 0) 59.1) not possible in conjunction with the combination of batteries Gel 63 Ah (C5) / 74 Ah (C20) and general accessories external horn not possible in conjunction with the combination of batteries AGM 63 Ah (C5) / 75 Ah (C20) and general accessories external horn 59.2) for Germany as the country of destination, this is possible only in conjunction with the combination of rear warning sign and lighting acc. to Ger-61.1) man StVZO 61.2) not possible in conjunction with drive unit high performance possible only in conjunction with the combination of Germany as the country of destination and speed > 6 km/h 62.0) mandatory information in conjunction with the combination of Germany as the country of destination and speed > 6 km/h 62.1) 63.0) not possible in conjunction with Australia as the country of destination possible only in combination with additional instructions for use, qualified personnel 64.0) 64.1) mandatory information in combination with additional instructions for use, gualified personnel possible only in combination with additional instructions for use, user 65.0) mandatory information in combination with additional instructions for use, user 65.1) 67.1) not possible in conjunction with the combination of Standard seat Small and seat width 38 cm or 40 cm 67.2) not possible in conjunction with the combination of Standard seat Large and seat width 44 cm or 46 cm 67.3) not possible in conjunction with the combination of Standard seat XL and seat width 50 cm or 52 cm 68.1) possible only in combination with electric seat adjustment seat tilt 45° not possible in conjunction with France as the country of destination 68.2)