Technical modifications and printing errors reserved

2022/23

ottobock.

Base Price -EA004 - FWD - £4774.00 EA005 - RWD - £4356.00 EA006 - MWD - £6306.00 Valid from 01.04.22 to 31.03.23 Please ensure you are using the latest order form ☐ Provide estimate only ☐ Order ☐ Attachment for custom fabrication enclosed Billing address/customer number Delivery address Sales person Name

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products, and you confirm to have read, understood and accepted our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Date

Signature

Standard equipment

Juvo B5 Power Wheelchair

EA004 - 490E75=0_AS01_C

EA005 - 490E75=0_AS01_C

EA006 - 490E75=0 AS05 C

Max. load: 160 kg (standard equipment)







Additional options installed on the power wheelchair can reduce the maximum load. Please observe the maximum gross weight on the nameplate.

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

Basic data (volu	ntary	information) Man	datory information*
Gender		Indication User	height in cm
Age		Paying party User	weight in kg
	<u></u>	1 Sea	at depth
		2 Tru	nk depth
	1	3 Arr	n support height
		4 Arr	npit height
		5 Sho	oulder height
6	5	6 He	ad height
	↓ ↓	7 For	earm length to the middle of the palm
			nk width
		9 Lov	ver leg length
		10 Se	eat width
E .		elp to support user-oriented settings. Ottobock guarantees the confidential and pure	ely internal use of these data.
Product classif	icatio		
EA002	ш,	Category B (in/outdoor) (electric lighting mandatory in Europe)	Inclusive
Drive type			
EA004		Front-wheel drive (FWD)	£4774.00
EA005		Rear-wheel drive (RWD)	£4356.00
EA006		Mid-wheel drive (MWD) exclusions see 2.1)	£6306.00
Max. user weig	ht (us	er + personal luggage, information required to adapt chassis suspension)	
		70 kg	Inclusive
		75 - 100 kg	Inclusive
		100 - 140 kg	Inclusive
		140 - 160 kg	Inclusive
Chassis size			
EA007		Size 1 (overall width approx. 60 cm; max. user weight 140 kg) exclusions see 4.1)	Inclusive
Seating system	ns 📵		
EC001		Standard seat Junior (max. user weight 75 kg)	£128.00
LCOOT	_	(SD 3440 cm, SW 3440 cm, BH 47 cm to 37 cm, adjustable in 5 cm increments) ex	cclusions see 5.2)
EC002		Standard seat Small (SD 3846 cm, SW 3842 cm, BH 55 cm to 45 cm, adjustable ments)	in 5 cm incre- Inclusive
		exclusions see 4.1)	inclusive
		Standard seat Large (SD 4250 cm, SW 4448 cm, BH 55 cm to 45 cm, adjustable	
EC003		ments) exclusions see 5.1)	Inclusive
EC004		Standard seat XL (SD 4250 cm, SW 5056 cm, BH 55 cm to 45 cm, adjustable in 5 exclusions see 5.1)	cm increments) £165.00
EC005		VAS (Vario Adjust Seat) (SD 3858 cm, SW 3854 cm, BH 55 cm, 53 cm, 51 cm, 4.	5 cm) £380.00
EC006		Recaro n-Joy* (manually adjustable back support, cushion thickness approx. 16.5	cm) exclusions see 5.1) £1537.00
EC007		Recaro n-Joy-Plus* (adaptable on site, manually adjustable back support, SD 38 cushion thickness approx. 16.5 cm) exclusions see 5.1)	.56 cm, £3659.00

Back support for mo	odular Recar	o seating	system	exclu	sions see (6.0) and 6.	1)						
ED030	LX (manual	ly adjustal	ole)										£1301.0
ED031	LT (adaptab	le lateral :	supports, i	manually	adjustable	·)							£1352.0
Seat bottom for mo	dular Recard	back su	oport sys	tem 📵	exclusion	s see 6.0)	and 6.1)						
EC008	F (flat padd	ed, seat bo	ottom sew	n to latera	al guides, o	cushion th	ickness a	pprox. 14 c	:m)				£837.0
EC009	X (contoure	d lateral g	uides with	ı seat exte	nsion, cus	shion thick	ness app	rox. 16.5 c	m)				£984.0
EC010	W (flat pade	ded, with s	eat exten	sion, cush	ion thickn	ess appro	x. 14.5 cm	1)					£843.0
* All Recaro seats are e	quipped with	a head su	pport.										
Settings for Standar	d seat Junio	r exclusion	ns see 8.0)	to 8.12) aı	nd 9.0) to 9	9,2)							
Seat depth SD in cm		□34		36	38		D						
Seat width SW in cm		□34		36	□38		0						
Back support heigh	t BH 47 cm (a	djustable	to 42 cm c	or 37 cm)									
Settings for Standar	d seat Small	exclusion	s see 8 (1) t	n 8 12) an	d 9 0) to 9	2)							
Seat depth SD in cm		38		40	42		<u> </u>	 □46					
Seat width SW in cm		□38		140	42		, ,						
Back support height				•	<u> </u>								
Q.					J 0 0) +- 0	2)							
Settings for Standar Seat depth SD in cm		exclusion 42		6 8.16) an 44	a 9.0) to 9. □46	.2)	ь Г	 ⊒50					
Seat width SW in cm				1 44 46	☐48		5 L						
Back support height					Ц40								
Settings for Standar								_					
Seat depth SD in cm				44	☐46			_ 50					
Seat width SW in cm		50		52	□54	☐ 5e	5						
Back support height	. вн ээ cm (а	ajustable	to 50 cm c	or 45 cm)									
Settings for VAS excl													
Seat depth SD in cm	□ 38	□ 40 □ 50		42 52	□ 44 □ 54	□ 46 □ 56		□48 □58					
Seat width SW in cm	1 □38	□ 40 □ 50		42 52	□44 □54	□ 46	5 [□ 48					
Back support height	: BH 55 cm (a	djustable			5 cm)								
-													
Overview to seating	systems, sea	t depths	and seat	widths									
Seat depth													
_						Seat	depth S	D [cm]					
Seat	34	36	38	40	42	44	46	48	50	52	54	56	58
Standard seat Junio													
Standard seat Small													
Standard seat Large													
Standard seat XL													
VAS													
Recaro n-Joy Plus													
ccaro II Joy I Iuj													

Seat width

Search S	Seat	Seat width SW [cm]													
Standard seat Standard sea	Seat		34	36	38	40	42	44	46	48	50	52	54	56	
Standard seat	Standard seat.	Junior													
Standard seat X	Standard seat :	lard seat Small													
Lower leg length Lower leg l	Standard seat I	Large													
Lower leg length LL	Standard seat 2	XL													L
Seat cushion (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9,0) 9,1) EC011	VAS														
Seat cushion (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9,0) 9,1) EC011															
EC011 Without cushion Inclusive EC012 Seat cushion, black cover (seat cushion thickness 5 cm) Inclusive EC013 Seat cushion, black cover (seat cushion thickness 5 cm) Seat cushion seat cushion Livo (max. user weight up to 125 kg; seat cushion thickness 5 cm) Seat cushion seat 11.7) £256.00 EC035 Seat cushion Evoflair (max. user weight up to 200 kg; seat cushion thickness 8 cm) exclusions sea 11.7) £256.00 EC014 Terra seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC015 Terra Aquos seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion t	Lower leg leng	th LL							0 cm not p	ossible in c	ombinatio	n with Rec	aro)		
EC011 Without cushion Inclusive EC012 Seat cushion, black cover (seat cushion thickness 5 cm) Inclusive EC013 Seat cushion, black cover (seat cushion thickness 5 cm) Seat cushion seat cushion Livo (max. user weight up to 125 kg; seat cushion thickness 5 cm) Seat cushion seat 11.7) £256.00 EC035 Seat cushion Evoflair (max. user weight up to 200 kg; seat cushion thickness 8 cm) exclusions sea 11.7) £256.00 EC014 Terra seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC015 Terra Aquos seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions seat 11.7) £174.00 EC016 Terra Flair seat cushion (up to 150 kg; seat cushion t	Seat cushion (p	ossible	e only in combi	nation with	Standard	seat or VAS	5, mandato	ory informat	tion) exclu	sions see 9	.0) 9.1)				
EC013 Seat cushion with incontinence cover (seat cushion thickness 5 cm)														Inclusiv	e
EC034 Seat cushion Livo (max. user weight up to 125 kg; seat cushion thickness 5 cm) exclusions see 11.4) £71.00 11.6) Seat cushion Evoflair (max. user weight up to 200 kg; seat cushion thickness 6 cm) exclusions see 11.7) £256.00 £205.00 Terra seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2) £197.00 £	EC012		Seat cushion	, black co	ver (seat o	ushion th	nickness 5	cm)						Inclusiv	e
EC034	EC013		Seat cushion	with inco	ntinence	cover (sea	at cushion	thickness 5	cm)					£86.0	0
EC014 Terra seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2)	EC034			Livo (max	. user weig	ht up to 12	25 kg; seat	cushion thi	ckness 5 cr	n) exclusio	ns see 11.4)		£71.0	0
EC015 Terra Aquos seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2)	EC035		Seat cushion	Evoflair (ı	max. user v	veightup to	200 kg; se	eat cushion	thickness	8 cm) exclu	usions see	11.7)		£256.0	0
EC016 Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.3)	EC014		Terra seat cu	shion (up	to 150 kg; s	eat cushio	n thicknes	s 6 cm) excl	usions see	11.1) 11.2)				£174.0	0
EC018	EC015		Terra Aquos	seat cushi	on (up to	150 kg; sea	t cushion t	hickness 6	cm) exclusi	ions see 11	.1) 11.2)			£197.0	0
EC020 Contour, flat contoured (seat cushion thickness 7 cm) exclusions see 11.8) 11.10) to 11.12)	EC016		Terra Flair se	at cushior	າ (up to 150) kg; seat c	ushion thic	kness 6 cm) exclusion	ns see 11.1)	11.3)			£395.0	0
ECO21	EC018		Cloud seat c	ushion (se	at cushion	thickness	11 cm) excl	usions see	11.5)					£483.0	0
Please refer to our seat cushion, contoure for information on additional seat cushions. Cover for seat cushion, contoured (possible only in combination with flat or deep contoured seat cushion, mandatory information) exclusions see 12.0) 12.1) EC022	EC020		Contour, flat	contoure	d (seat cus	hion thick	ness 7 cm)	exclusions	see 11.8) 11	I.10) to 11.1	2)			£213.0	0
Cover for seat cushion, contoured (possible only in combination with flat or deep contoured seat cushion, mandatory information) exclusions see 12.0) 12.1) EC022	EC021		Contour, dee	p contou	red (seat c	ushion thic	ckness 9 cn	n) exclusior	ns see 11.8)	11.10) to 1	1.12)			£213.0	0
EC022	Please refer to o	ur seat	cushion brochu	ire for info	mation on	additiona	seat cushi	ions.							_
EC023 Synthetic leather cover £260.00 EC024 Fabric cover with incontinence cover £283.00 Back support version/with contour (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9.11 ED032 Without back support upholstery exclusions see 9.0)				(poss	ible only in	combinat	ion with fla	at or deep o	ontoured:	seat cushic	on, mandat	ory inform	ation)		
EC024	EC022		Fabric cover											£253.0	0
Back support version/with contour (possible only in combination with Standard seat or VAS, mandatory information) ED032 Without back support upholstery exclusions see 9.0) Inclusive ED033 Back support upholstery, adaptable exclusions see 9.0) Inclusive ED034 Contour back support pad, flat contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8) ED035 Contour back support pad, deep contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8) ED050 Contour back support pad, flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2) ED051 Sax aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) £588.00	EC023		Synthetic lea	ther cove	r									£260.0	0
ED032 Without back support upholstery exclusions see 9.0) Inclusive ED033 Back support upholstery, adaptable exclusions see 9.0) Inclusive ED034 Contour back support pad, flat contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8) ED035 Contour back support pad, deep contoured (seat depth reduction by approx. 2 cm) £304.00 ED050 Contour back support pad, deep contoured (seat depth reduction by approx. 2 cm) £355.00 ED051 Contour back support pad, deep contoured AD (adaptable, seat depth reduction by approx. 2 cm) £355.00 ED036 Baxx aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) £588.00	EC024		Fabric cover	with inco	ntinence	cover								£283.0	0
ED033			n/with contou	r 📵 (pos	sible only	in combina	ition with S	Standard se	at or VAS,	mandatory	information	on)			
ED034	ED032		Without bac	k support	upholste	ry exclusio	ns see 9.0)							Inclusiv	e
ED035 ED035 Contour back support pad, deep contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8) Contour back support pad, flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2) ED051 Contour back support pad, flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2) ED051 Baxx aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) £588.00	ED033		Back suppor	t upholste	ry, adapt	able exclu	sions see 9	9.0)						Inclusiv	e
ED050 Contour back support pad, flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2) ED051 Contour back support pad, deep contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2) ED051 Baxx aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) £588.00	ED034			• •	pad, flat	contoured	d (seat dep	th reductio	n by appro	ox. 2 cm)				£304.0	0
ED050 ED051 Contour back support pad, deep contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2) Baxx aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) £588.00	ED035				pad, dee	p contour	ed (seat d	epth reduc	tion by app	orox. 2 cm)				£304.0	0
ED051 exclusions see 13.2) E355.00 E355.	ED050			• •	pad, flat	contoured	d AD (adap	otable, seat	depth red	uction by a	approx. 2 c	m)		£355.0	0
ED036	ED051			• •	pad, dee	p contour	ed AD (ac	laptable, se	at depth r	eduction b	y approx. 2	2 cm)		£355.0	0
	ED036		sories 2-point-	PRO, long,	seat depth	• •		-			stallation a	cces-		£588.0	0

r			
		ort pad, contoured (possible only in combination with flat or deep contoured back support pad, n) exclusions see 14.0) 14.1)	
ED037		Fabric cover	Inclusive
ED038		Synthetic leather cover	£42.00
		,	
		support pad, contoured ((possible only in combination with flat or deep contoured back support pad, a) exclusions see 14.0) 14.1)	
ED039		Side panels (possible only in combination with deep contoured back support pad) exclusions see 15.1)	£80.00
ED040		Lumbar support	£60.00
Back support h	eight	for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions	
ED041		High (18"/46 cm)	Inclusive
ED042		Extra high (20"/51 cm)	Inclusive
Back support co	ontou	or for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions	
ED043		Active (2.5"/6 cm)	Inclusive
ED044		Deep (4"/10 cm)	£24.00
ED045		Extra deep (6"/15 cm)	£47.00
Colour for Baxx	(poss	ible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)	
ED002		Anthrazit metallic	Inclusive
ED003		Jet black RAL 9005	Inclusive
ED004		Ice blue	Inclusive
ED005		Sparkle light orange	Inclusive
ED009		Vinho sparkle	Inclusive
ED012		Sky blue	Inclusive
ED013		Jet black RAL 9005 matte	Inclusive
ED014		Candy red	Inclusive
ED016		Silver metallic	Inclusive
ED017		Yellow RAL 1023	Inclusive
ED018		Signal red RAL 3001	Inclusive
ED021		Sparkle granny-smith	Inclusive
ED022		Creame RAL 9001	Inclusive
ED023		White RAL 9016	Inclusive
ED027		Shimano matte	Inclusive
ED029		Pink RAL 4010	Inclusive
Seat inclination	ı (pre-	tilt)	
		-3° (not possible in combination with Recaro n-Joy, n-Joy-Plus, modular seating system; front-wheel drive; mid-wheel drive combination of rear-wheel drive and VAS) exclusions see 10.1) 19.1) 19.2) 19.3)	ve;
		0°	
		3° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 10.1)	
		6° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 5.1) 10.1)	
		9° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 5.1) 10.1)	

EC026 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) £2012.00 EC027 Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) EC033 Without exclusions see 20.15) to 20.23) 20.26) bis 20.28) 20.31) 20.32) Inclusive Back support angle adjustment (mandatory information in combination with Standard seat or VAS) exclusions see 9.1) ED046 Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.0) ED047 Power (Standard seat 30°; VAS -5° to 30°) exclusions see 22.1) £621.00 Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see EL001 Gooseneck £114.00 EL002 Multi-axis, offset £106.00 Multi-axis, straight £156.00	_	Seat height (at 0° seat tilt, without seat cushion, suspension fully extended/without user) SH >= LL + 3 cm Recaro seat/system: additional approx. 13 cm for padding, recommended max. SH 49 cm											
Notices and exclusions 279 19	FWD, RWD, MV	VD		cm	41	43	45	47	49	51	53	55	57
Notices and exclusions: 21.08 22.08 27.09 27.	Sizes 1 & 2			Inch	16.5	17.5	18	18.5	19.5	20.5	21	22	23
Vario Adjust Seat (VAS)	Notices and excl	usions		,	21.6) 21.9)	21.5) bis 21.7) 21.9) 21.10) 21.14) bis	21.5) 21.6) 21.15) bis	21.15)	21.0) 21.6)	10.2) 21.0)	21.0) 21.6)	21.0) 21.6) 21.11) bis	19.3) 21.0) 21.6) 21.8) 21.12)
Recaro (n-Joy, n-Joy Plus and seat modules) + approx. 13 - 16 cm seat cushion thickness Standard seat; tilt 45° Vario Adjust seat (VAS); tilt 45° Recaro (all); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower. Power seat adjustment © power seat adjustment Power seat tilt 45° without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower. Power seat adjustment Power seat adjustment of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) ECO25 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO26 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO27 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO30 Without exclusions see 20.15) to 20.23) 20.26) bis 20.28) 20.31) 20.32; Inclusive only in combination with Standard seat or VAS) exclusions see 9.1) EDO46 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 20.0) Mounting kit for head supports, for to possible in combination with Recaro seat and seating system) exclusions see ED040 Mounting kit for head supports, for the add supports, multi-axis, suitable only for Advanced line head supports; not post ED031 Multi-axis, offset UnilLink holder for head supports, multi-axis (suitable only for Advanced line head supports; not post	Standard seat												
Standard seat; tilt 45° Standard seat; t	Vario Adjust Se	at (VA	AS)										
Vario Adjust seat (VAS); tilt 45° Recaro (all); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Seat height adjustment Recaro (all); tilt 45° & seat height adjustment Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min 1 cm lower. Power seat adjustment © (possible only in combination with 0° seat inclination) ECO25 Power seat tilt 45° with centre of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) ECO26 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO27 Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO33 Without exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.31 ED046 Mechanical in increments (Standard seat or VAS) exclusions see 9.01 ED047 Mechanical in increments (Standard seat 20/10/20/30° or -9/1/11/21°, VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.01 ED047 Mechanical in increments (Standard seat 20/10/20/30° or -9/1/11/21°, VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.01 ED047 O power (Standard seat 30°; VAS -5° to 30°) exclusions see 9.01 ED048 ED049 Multi-axis, offset find.00 Multi-axis, straight Unil.link holder for head support, multi-axis (suitable only for Advanced line head supports, not poss-													
Recaro (all); tilt 45° & seat height adjustment Vario Adjust seat (VAS); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Seat height adjustment and without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower. Power seat adjustment Seat height adjustment and without seat height adjustment and without seat cushion. Under load the specified seat height adjustment and with 0° seat inclination) ECO25 Dower seat dil 45° with centre of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) ECO26 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO27 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO28 ECO27 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO28 Back support application of the seat seat of the control of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO29 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO29 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO29 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO29 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO29 Dower seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO2	Standard seat;	tilt 45	0										
Standard seat; tilt 45° & seat height adjustment Vario Adjust seat (NS); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Underload the specified seat height will be min. 1 cm lower. Power seat adjustment © (possible only in combination with 0° seat inclination) ECO25 Power seat tilt 45° with centre of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) £CO26 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) £CO27 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) £CO28 ECO27 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) £CO33 Without exclusions see 20.10) 20.10) bis 20.14) 20.25) 20.29) 20.30) exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) Back support angle ### Additional in increments (Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/10/20/30°9; possible only in combination with Standard seat: 0/10/20/30° or -9//11/21°, VAS:-5/0/1	Vario Adjust se	at (VA	\S); tilt 45°										
seat height adjustment Vario Adjust seat (NAS); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower. Power seat adjustment © (possible only in combination with 0° seat inclination) EC025 Power seat tilt 45° with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) EC026 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) EC027 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) EC033 Without exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) Back support argue adjustment (mandatory information in combination with 45° seat tilt with centre of gravity shifting exclusions see 9.1) ED046 Mechanical in increments (Standard seat or VAS) exclusions see 9.1) ED047 Mechanical in increments (Standard seat or VAS) exclusions see 9.1) ED048 Mounting kit for heed/meck supports (not possible in combination with Recaro seat and seating system) exclusions see 10.11) Mounting kit for head/meck supports (not possible in combination with Recaro seat and seating system) exclusions see 1114.00 Multi-axis, offset £110.00 Multi-axis, straight UnilLink holder for head support, multi-axis (suitable only for Advanced line head supports, not pos-	Recaro (all); tilt	45°											
Recaro (all); tilt 45° & seat height adjustment Recaro (all); tilt 45° & seat height adjustment Seat height adjustment as theight adjustment as theight will be min. 1 cm lower. Power seat adjustment Seat height adjustment Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment awithout seat cushion. Under load the specified seat height will be min. 1 cm lower. Power seat adjustment Seat height adjustment of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) ECO25 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) ECO26 Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) ECO37 Without exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) EDO46 Back support abdition with standard seat or VAS) exclusions see 9.1) EDO46 Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/1/21°; VAS: -5/0/10/20/30°9; possible inclusive only in combination with Standard seat or VAS) exclusions see 9.1) EDO47 Power (Standard seat 30°; VAS -5° to 30°) exclusions see 20.1) Mounting kit for heads supports (not possible in combination with Recars seat and seating system) exclusions see 10.11 Geometry Seat Height adjustment and with standard seat or VAS) exclusions see 9.0 EDO47 Mounting kit for heads supports (not possible in combination with Recars seat and seating system) exclusions see 10.10 Mounting kit for heads supports (not possible in combination with Recars seat and seating system) exclusions see 10.10 Mounting kit for heads supports (not possible in combination with Recars seat and seating system) exclusions see 10.10 Mounting kit for heads supports (not possible in combination with Recars seat and seating sy	1												
Seat height adjustment bout load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower. Power seat adjustment (possible only in combination with 0° seat inclination) EC025			**										
Power seat adjustment	l .												
EC025 Power seat tilt 45° with centre of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) £729.00 EC026 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) £2012.00 EC027 Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) EC033 Without exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) ED046 Power (mandatory information in combination with Standard seat or VAS) exclusions see 9.1) ED046 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 9.0) ED047 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 9.0) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) Mounting kit for head-incal in increments (Standard seat or VAS) exclusions see 20.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL001 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL002 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL003 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1) EL003 Power (Standard seat 30°, VAS -5° to 30°) exclusions see 22.1)								, at 0° pre-t	tilt, without	seat height	adjustmer	nt and wit-	
EC026 Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) £2012.00 EC027 Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) EC033 Without exclusions see 20.15) to 20.23) 20.26) bis 20.28) 20.31) 20.32) Inclusive Back support angle adjustment (mandatory information in combination with Standard seat or VAS) exclusions see 9.1) ED046 Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.0) ED047 Power (Standard seat 30°; VAS -5° to 30°) exclusions see 20.1) £621.00 Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see 10.1) Only Multi-axis, offset £114.00 EL001 Multi-axis, offset £116.00 EL003 Multi-axis, straight £156.00 UniLink holder for head support, multi-axis (suitable only for Advanced line head supports; not pos-	Power seat adj	ustme	ent 📵 (possible onl	y in comb	ination wit	h 0° seat in	clination)						
### ##################################	EC025		I	with cer	ntre of gra	vity shiftir	n g exclusion	ns see 20.0)	20.11) to 20	.13) 20.24)			£729.00
EC027 exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3) EC033 Without exclusions see 20.15) to 20.23) 20.26) bis 20.28) 20.31) 20.32) Inclusive Back support angle adjustment (mandatory information in combination with Standard seat or VAS) exclusions see 9.1) ED046 Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.0) ED047 Power (Standard seat 30°; VAS -5° to 30°) exclusions see 22.1) £621.00 Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see EL001 Gooseneck £114.00 EL002 Multi-axis, offset £106.00 EL003 Multi-axis, straight £156.00 FL031 UniLink holder for head support, multi-axis (suitable only for Advanced line head supports; not pos-	EC026			adjustm	ient 35 cm	exclusions	see 20.0) 2	0.10) bis 20.	.14) 20.25) 2	0.29) 20.30)		£2012.00
Back support angle adjustment (mandatory information in combination with Standard seat or VAS) exclusions see 9.1) ED046	EC027		_					th centre o	of gravity s	shifting			£2351.00
ED046 Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.0) Power (Standard seat 30°; VAS -5° to 30°) exclusions see 22.1) Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	EC033		Without exclusions	see 20.15) to 20.23) 2	20.26) bis 20).28) 20.31)	20.32)					Inclusive
Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see Coordinate	Back support a	ngle a	adjustment (mandat	ory inforn	nation in co	mbination	with Standa	ard seat or \	VAS) exclus	ions see 9.1))		
Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see 10.1) EL001	ED046		I						S: -5/0/10/20	0/30°9; pos	sible		Inclusive
EL001 Gooseneck £114.00 EL002 Multi-axis, offset £106.00 EL003 Multi-axis, straight £156.00 FL031 UniLink holder for head support, multi-axis (suitable only for Advanced line head supports; not pos-	ED047		Power (Standard se	at 30°; VA	S -5° to 30°)	exclusions	see 22.1)						£621.00
EL002		or hea	nd/neck supports (r	not possib	le in combi	nation with	ı Recaro sea	t and seati	ng system) (exclusions s	see		
EL003	EL001		Gooseneck										£114.00
FI 031 UniLink holder for head support, multi-axis (suitable only for Advanced line head supports; not pos-	EL002		Multi-axis, offset										£106.00
FLU31	EL003		Multi-axis, straigh	t									£156.00
	EL031		l		• •	-	•	for Advance	ed line head	d supports;	not pos-		£212.00

UniLink access	ories	(may be used to compensate the distance at kyphotic head posture) exclusions see 83.0)					
EL039		UniLink extension, 38 mm	£73.00				
EL038		UniLink extension, 50 mm	£54.00				
EL040		UniLink extension, 75 mm	£73.00				
Head/neck sup	Head/neck supports (possible only in comb. with mounting kit for head/neck supports, mandatory information) exclusions see 24.0) 24.1)						
Care line							
EL006		Head support, small exclusions see 24.2)	£80.00				
EL007		Head support, large exclusions see 24.2)	£80.00				
EL013		Head/neck support, small exclusions see 24.2)	£76.00				
EL014		Head/neck support, large exclusions see 24.2)	£76.00				
EL015		Head/neck support, X-shape, small exclusions see 24.2)	£91.00				
EL016		Head/neck support, X-shape, large exclusions see 24.2)	£91.00				
Advanced line							
EL033		Comfort Plus, size S	£141.00				
EL034		Comfort Plus, size M	£164.00				
EL035		Comfort Plus, size L	£164.00				
EL036		Combo (3-pad), size S	£282.00				
EL037		Combo (3-pad), size L	£293.00				
Belts (man	datory	information in combination with category B) exclusions see 25.0)					
EP001		Standard lap belt	Inclusive				
EP002		2-point lap belt, padded, metal buckle (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	£136.00				
EP003		2-point lap belt, padded, plastic buckle (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	£123.00				
EP020		2-point lap belt with metal buckle and rewinder (buckle on side of joystick) exclusion see 10.1) 11.8) 25.2)	£206.00				
Chest/shoulde	r harn	esses (not possible in combination with Recaro) exclusions see 10.1)					
EP005		Dynamic harness, size S	£174.00				
EP006		Dynamic harness, size M	£174.00				
EP007		Dynamic harness, size L	£174.00				
EP008		Sternum harness, size S	£167.00				
EP009		Sternum harness, size M	£167.00				
EP010		Sternum harness, size L	£167.00				
EP011		Slimline sternum harness, size S	£162.00				
EP012		Slimline sternum harness, size M	£162.00				
EP013		Slimline sternum harness, size L	£162.00				
EP014		Shoulder harness, size S	£180.00				
EP015		Shoulder harness, size M	£180.00				
EP016		Shoulder harness, size L	£180.00				
VAS accessorie	s (pos	sible only in combination with VAS)					
ED048		Push handles	£60.00				

Arm supports	©		
EE023		Standard	Inclusive
EE024		Flip-up (effective seat width (+/- 1 cm per side) on Standard seat Small, SW 42 cm; Standard seat Large, SW 48 cm; Standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with Standard seat Junior and Recaro) exclusions see 10.1) 11.6) 11.8) 79.1) to 79.3)	£229.00
Padding for arm	suppo	ort and clothing guard can be ordered from the spare parts catalogue.	12
Leg support ve	rsion	©	
EB001		Standard (LL is required, exclusions see 20.29) 28.1)	Inclusive
EB002		Mechanically elevating with length adjustment (max. load 140 kg; with length adjustment, not available for LL < 21 cm; LL is required) exclusions see 4.1) 28.1) to 28.5) 28.45)	£540.00
EB003		Power elevating with length adjustment and separate control (max. load 140 kg; not available for LL < 21 cm; LL is required) exclusions see 4.1) 28.1) to 28.7)	£1101.00
EB004		Power elevating with length adjustment and simultaneous control (not available for LL < 21 cm; LL is required) exclusions see 28.1) to 28.7)	£1101.00
EB013		Centrally mounted leg support (LL is required) exclusions see tables from page 22 (3); 28.1) 28.9) to 28.44) 28.46) to 28.48)	£782.00
EB005		Without leg support (not possible in combination with selected lower leg length) exclusions see 28.8)	Inclusive
Foot plate vers	ion (exclusions see 29.0) 29.1)	
EB007		Individual, aluminium foot plate exclusions see 5.1) 29.11)	£229.00
EB009		Single-panel, aluminium foot plate exclusions see 29.10)	£170.00
Leg support ac	cesso	ries	
EB010		Lateral leg pad for power and mechanical elevating leg supports (pair) (possible only in combination with mechanically or power elevating leg support adjustment) exclusions see 30.1)	£198.00
Batteries			
EU035		Gel 39 Ah (C5) / 50 Ah (C20) exclusions see 31.2) 31.3)	Inclusive
EU036		AGM 53 Ah (C5) / 60,4 Ah (C20) exclusions see 5.1) 31.3)	Inclusive
Battery charge	r 💿		
EU041		Battery charger 8 A, without fan (only for batteries with 39 Ah (C5)) exclusions see 32.1) 32.3)	Inclusive
EU042		Battery charger 12 A, incl. external charging receptacle (magnetic, installation side right) exclusions see 32.3)	Inclusive
Additional cha	rging	receptacle 📵	Î
EU043		External charging receptacle (magnetic, installation side right; only for battery charger EU040; recommended with existing 12A battery charger) exclusions see 75.1)	£173.00
Caster wheel s	wing	arm 📵	
EF001		Suspension	£136.00
EF002		No suspension exclusions see 5.1) 19.3)	Inclusive
Caster wheels			
EF003		6" PU Komfort (only for MWD) exclusions see 19.1) 64.6)	Inclusive
EF009		6" PU Performance (only for MWD, harder rubber mixture)	£39.00
EF005		9" pneumatic, puncture-resistant exclusions see 19.3)	Inclusive
EF006		9" puncture-proof exclusions see 19.3)	Inclusive
EF007		10" pneumatic, puncture-resistant exclusions see 19.3)	Inclusive
EF008		10" puncture-proof exclusions see 19.3)	Inclusive

EG001	Drive wheels								
Type colour	EG001		14" pneumatic, puncture-resistant	Inclusive					
EG011	EG002		14" puncture-proof	Inclusive					
EG012	Tyre colour	Tyre colour							
Feed	EG011		Grey	Inclusive					
EG013	EG012		Black	Inclusive					
EG014 □ Lugs exclusions see 19.3) Inclusive EG015 □ Caster wheels with ribs, drive wheels with lugs exclusions see 37.2) Inclusive Wheelchair colour 002 □ Anthrazit metallic Inclusive 003 □ Jet black RAL 9005 Inclusive 005 □ Sparkle light orange Inclusive 009 □ Vinho sparkle Inclusive 0109 □ Vinho sparkle Inclusive 0110 □ Sity blue Inclusive 0111 □ Candy red Inclusive 0112 □ Sky blue Inclusive 013 □ Jet black RAL 9005 matte Inclusive 014 □ Candy red Inclusive 015 □ Sparkle granny-smith Inclusive 016 □ Silver metallic Inclusive 017 □ Yellow RAL 1023 Inclusive 018 □ Signal red RAL 3001 Inclusive 021 □ Sparkle granny-smith Inclusive 021 □ Sparkle granny-smith Inclusive 022 □ Cream RAL 9001 Inclusive 023 □ White RAL 9016 Inclusive 033 □ White RAL 9016 Inclusive 034 □ Pink RAL 4010 Inclusive 035 □ Splash guard for drive wheels (included on FWD; not possible in conjunction with the combination of RWD, VAS and 54 43 cm) exclusions see 39.1) to 39.3) EA011 □ Splash guard for caster wheels EA010 □ Mechanical (possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels) exclusions see 19.31 40.1) Chassis safetyaccessories ① EF021 □ Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2) E5003 □ Pocket for mobile phone £49.00	Tread 📵								
EG015 ☐ Caster wheels with ribs, drive wheels with lugs exclusions see 37.2) Inclusive Wheelchair colour 002 ☐ Anthrazit metallic	EG013		Ribs (only with tyre colour grey) exclusions see 37.1)	Inclusive					
Wheelchair colour 002	EG014		Lugs exclusions see 19.3)	Inclusive					
DO2	EG015		Caster wheels with ribs, drive wheels with lugs exclusions see 37.2)	Inclusive					
Jet black RAL 9005 Inclusive 1004 Ice blue Inclusive 1005 Sparkle light orange Inclusive 1012 Sky blue Inclusive 1012 Sky blue Inclusive 1013 Jet black RAL 9005 matte Inclusive 1014 Candy red Inclusive 1016 Silver metallic Inclusive 1016 Silver metallic Inclusive 1016 Silver metallic Inclusive 1017 Yellow RAL 1023 Inclusive 1018 Signal red RAL 3001 Inclusive 1019 Sparkle granny-smith Inclusive 1022 Cream RAL 9001 Inclusive 1023 White RAL 9016 Inclusive 1023 White RAL 9016 Inclusive 1027 Shimano matte Inclusive 1027 Shimano matte Inclusive 1027 Shimano matte Inclusive 1027 Shimano matte Inclusive 1028 Sparkle granny-smith Inclusive 1029 Sparkle granny-smith Inclusive 1020 Sparkle granny-smith 1020 Inclusive 1020 Sparkle granny-smith 1020 Inclusive 1020 Sparkle granny-smith 1020 Inclusive 1020	Wheelchair col	lour							
Dock Ce blue	002		Anthrazit metallic	Inclusive					
Sparkle light orange	003		Jet black RAL 9005	Inclusive					
One	004		Ice blue	Inclusive					
Display Dis	005		Sparkle light orange	Inclusive					
Det black RAL 9005 matte	009		Vinho sparkle	Inclusive					
Candy red Inclusive	012		Sky blue	Inclusive					
Oif	013		Jet black RAL 9005 matte	Inclusive					
O17	014		Candy red	Inclusive					
018	016		Silver metallic	Inclusive					
D21	017		Yellow RAL 1023	Inclusive					
Cream RAL 9001 Inclusive	018		Signal red RAL 3001	Inclusive					
White RAL 9016	021		Sparkle granny-smith	Inclusive					
Shimano matte Pink RAL 4010 Inclusive Chassis accessories EA010 Splash guard for drive wheels (included on FWD; not possible in conjunction with the combination of RWD, VAS and SH 43 cm) exclusions see 39.1) to 39.3) EA011 Splash guard for caster wheels EF020 Mechanical (possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels) exclusions see 19.3) 40.1) Chassis safety accessories EF021 Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2) ES002 Skit for vehicle transport (not in combination with Baxx ED036; max. load 140 kg) ES013 Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3) ES003 Pocket for mobile phone £49.00	022		Cream RAL 9001	Inclusive					
Chassis accessories EA010	023		White RAL 9016	Inclusive					
Chassis accessories EA010	027		Shimano matte	Inclusive					
EA010	037		Pink RAL 4010	Inclusive					
RWD, VAS and SH 43 cm) exclusions see 39.1) to 39.3) EA011	Chassis access	ories							
Caster wheel swivel lock EF020	EA010			£85.00					
EF020 Mechanical (possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels) exclusions see 19.3) 40.1) Chassis safety accessories EF021 Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2) ES002 Kit for vehicle transport (not in combination with Baxx ED036; max. load 140 kg) exclusions see 4.1) 41.1) ES013 Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3) General accessories ES003 Pocket for mobile phone £49.00	EA011		Splash guard for caster wheels	£33.00					
Chassis safety accessories Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2) EF021 Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2) ES002 Circ climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2) ES003 Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3) General accessories Pocket for mobile phone £49.00	Caster wheel s	wivel	lock 📵						
EF021	EF020			£399.00					
ES002	Chassis safety	acces	sories 📵						
ES002 exclusions see 4.1) 41.1) ES013 Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3) General accessories	EF021		Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2)	£322.00					
General accessories ES003 Pocket for mobile phone £49.00	ES002			Inclusive					
ES003 Pocket for mobile phone £49.00	ES013		Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3)	£105.00					
	General access	ories	•						
ES004 Luggage carrier exclusions see 5.1) £226.00				£49.00					
	ES004		Luggage carrier exclusions see 5.1)	£226.00					

ES005		Crutch holders	£114.00
ES006		Rearview mirror (installation side across from control panel side or swivel mechanism for mid-tray control or TEN° tray module) exclusions see 42.1)	£170.00
ES007		Tool kit	£58.00
ES010		Beverage holder	£25.00
ES011		Airman pump	£241.00
ET001		External horn	£468.00
ES012		Tray (swivel mechanism across from control panel side; not possible in combination with rearview mirror) exclusions see 42.2) 42.3)	£399.00
ES023		Backpack hook exclusion see 10.1)	£73.00
Socket for exte	rnal p	power supply, right (front right next to safety switch, mandatory information) exclusions see 43.0) 43.1)	**
ET002		12 V	£300.00
ET003		24 V	£120.00
ET004		USB	£135.00
	_		
Socket for exte	rnal p	power supply, left (front left next to safety switch, mandatory information) exclusions see 44.0) 44.1)	
ET005		12 V (not possible in combination with socket for external power supply, right, 12 V or 24 V) exclusions see 44.2)	£300.00
ET006		24 V (not possible in combination with socket for external power supply, right, 12 V or 24 V) exclusions see 44.2)	£120.00
ET007		USB	£135.00
Lighting 📵 e	xclusio	ons see 63.0)	
ES021		Electric lighting according to German Motor Vehicle Safety Standards (StVZO)	£642.00
Control device	(a)		
EU050		VR2 (90 A), without power functions and lighting	Inclusive
E0030	_	(not recommended for >120 kg user weight) exclusions see 45.1) 45.4) to 45.6)	IIICIUSIVE
EU051		VR2 (90 A), max. 2 power functions and lighting possible (not recommended for >120 kg user weight) exclusions see 45.3) to 45.5) 45.7)	Inclusive
EU061		VR2 (90 A) power module with tray module, manual flip over (max. 2 power funktions and lighting are possible) exclusions see 42.1) 45.3) to 45.5) 45.7)	£1327.00
EU053		R-net/TEN° (120 A) (mandatory for 14 km/h, recommended for >150 kg user weight)	£984.00
Input for R-net	/TEN°	power module exclusions see 46.0)	
EU065		TEN° hand module, standard colour Shimano matte	Inclusive
EU066		TEN° hand module, colour selectable	£967.00
EU063		TEN° (120 A), tray module, electrical flip over (incl. 1 Piko-Button for rotation) exclusions see 42.1) 42.3) Note: The supplied horn can be perceived as too quiet; Ottobock recommends the use of an external horn, if no TEN° Display module is used.	£2184.00
493U75=ST188		Jog Wheel with Toggle	£39.27
Colour for TEN	° hand	d module (possible only in combination with control panel TEN°, mandatory information) exclusions see 47.0) 47.1)	
EU002		Anthrazit metallic	Inclusive
EU003		Jet black RAL 9005	Inclusive
EU004		Ice blue	Inclusive
EU005		Sparkle light orange	Inclusive
EU009		Vinho sparkle	Inclusive
EU012		Sky blue	Inclusive
EU013		Jet black RAL 9005 matte	Inclusive
EU013		Candy red	Inclusive
		I COLIGITICO	iliciusive

EU016		Silver metallic	Inclusive				
EU017		Yellow RAL 1023	Inclusive				
EU018		Signal red RAL 3001	Inclusive				
EU021		Sparkle granny-smith	Inclusive				
EU022		Cream RAL 9001	Inclusive				
EU023		White RAL 9016	Inclusive				
EU029		Pink RAL 4010	Inclusive				
Joystick for TEN° tray module exclusions see 80.0) 80.1)							
EU116		Required force 250 g	Inclusive				
EU117		Required force 120 g	Inclusive				
External button		(connection on TEN° control panel or tray module; possible only in combination with TEN° control device, electrical flip-					
EU067		2 Piko buttons, diameter 50 mm (red/black)	£356.00				
EU068		2 Piko buttons, diameter 30 mm (red/black)	£356.00				
EU097		Button module (for power seat functions, installation opposite control panel side)	£1268.00				
EU098		Button module (for power seat functions) incl. 1 Piko button diameter 30 mm (for installation on TEN° control panel, Piko button red for on/off)	£1447.00				
EU099		Button module (for power seat functions) incl. 1 Piko button diameter 50 mm (for installation on TEN° control panel, Piko button red for on/off)	£1447.00				
Holder for hand	d mod	dule exclusions see 49.0) 49.2)					
EU070		Control panel holder, standard (possible only in combination with VR2) exclusions see 49.3)	Inclusive				
EU071		Control panel holder, swing-away in parallel, height-adjustable	£113.00				
EU072		Control panel holder, swing-away in parallel, 9.5 cm height-adjustable	£136.00				
Mounting mate	erial t	ray for TEN° tray module exclusions see 80.0) 80.1)					
ES014		Tray with attachment, TEN° tray module centrally mounted	£888.00				
ES015		Tray (without cut-out) with attachment, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£631.00				
ES016		Attachment only, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£476.00				
ES017		Cutting template for TEN° tray module (for individual placement by the dealer)	£86.00				
		older for hand module or tray ontrol (MTC) or TEN° tray module; mandatory information) exclusions see 50.0) 50.1)	3				
		Right					
		Left					
Joystick top ()						
EU080		Fork for tetraplegics, horizontal (adjustable for hand width 70 - 90 mm) exclusions see 51.1) 51.2)	£113.00				
EU081		Stick S80 (special joystick handle 80 mm) exclusions see 51.1) 51.2)	£100.00				
EU082		Soft ball, black cover exclusions see 51.1) 51.2)	£170.00				
EU083		Ball top, small (diameter 43 mm) exclusions see 51.1) 51.2)	£114.00				
EU084		Ball top, large (diameter 48 mm) exclusions see 51.1) 51.2)	£105.00				
EU085		Soft ball, coloured (diameter 30 mm, 4 pieces) exclusions see 51.1)	£206.00				
Module for cor	itrol c	device R-net/TEN° (possible only in combination with TEN° control device) exclusions see 46.0) 52.0)					

EU054		TEN° LCD module (when using 1-switch scan drive, programming by service required; please order button separately; adapter switch box not required) exclusions see 52.0) 52.1)	£1622.00
EU055		Input/output module (required e.g. for Easywave radio control) exclusions see 52.2) 52.3)	£1042.00
Holder for TEN	° LCD	module (possible only in combination with TEN° LCD module, mandatory information) exclusions see 53.0) 53.1)	
EU073		Standard (installation across from control panel side; not possible in combination with tray) exclusions see 42.1) 51.2)	£83.00
EU074		With gooseneck (installation across from control panel side; not possible in combination with tray) exclusions see 42.1) 51.2)	£256.00
EU075		With gooseneck for tray (included)	£192.00
Special control	s for 7	TEN° LCD module (possible only in combination with TEN° LCD module) exclusions see 52.0) 53.0)	
EU100		mo-Vis micro-joystick (actuating force 10 g)	£3775.00
EU101		mo-Vis multi-joystick (actuating force 50 g)	£3448.00
EU102		mo-Vis all-round joystick light (actuating force 120 g)	£2857.00
EU128		mo-Vis All-round Joystick (actuating force 250 g)	£1819.00
EU129		mo-Vis All-round Heavy Duty Joystick (actuating force 650 g)	£3508.00
EU103		Sip and puff control (possible only in combination with Recaro seat and seating system) exclusions see 25.1)	£1134.00
EU104		Button control (3 or 4 button switch control application, on-/off and mode included (at TEN° LCD module))	£668.00
Number of but	tons	for button control (possible only in comb. with button control, mandatory information) exclusions see 55.0) 55.1)	
9		3 buttons	
		4 buttons	3
		control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of but- = 3, 4) exclusions see 72.0) 72.1)	
EU086		Piko button, diameter 50 mm, red	£170.00
EU087		Piko button, diameter 50 mm, yellow	£170.00
EU088		Piko button, diameter 50 mm, black	£170.00
EU089		Piko button, diameter 50 mm, silver	£170.00
EU090		Piko button, diameter 30 mm, red	£170.00
EU091		Piko button, diameter 30 mm, yellow	£170.00
EU092		Piko button, diameter 30 mm, black	£170.00
EU093		Piko button, diameter 30 mm, silver	£170.00
		CONTROI (mandatory information with number of buttons for button control = 3, 4; only in combination with number of but- = 3, 4) exclusions see 72.0) 72.1)	
EU186		Piko button, diameter 50 mm, red	£170.00
EU187		Piko button, diameter 50 mm, yellow	£170.00
EU188		Piko button, diameter 50 mm, black	£170.00
EU189		Piko button, diameter 50 mm, silver	£170.00
EU190		Piko button, diameter 30 mm, red	£170.00
EU191		Piko button, diameter 30 mm, yellow	£170.00
EU192		Piko button, diameter 30 mm, black	£170.00
EU193		Piko button, diameter 30 mm, silver	£170.00

		control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of = 3, 4) exclusions see 72.0) 72.1)	but-
EU286		Piko button, diameter 50 mm, red	£170.00
EU287		Piko button, diameter 50 mm, yellow	£170.00
EU288		Piko button, diameter 50 mm, black	£170.00
EU289		Piko button, diameter 50 mm, silver	£170.00
EU290		Piko button, diameter 30 mm, red	£170.00
EU291		Piko button, diameter 30 mm, yellow	£170.00
EU292		Piko button, diameter 30 mm, black	£170.00
EU293		Piko button, diameter 30 mm, silver	£170.00
		CONTROI (mandatory information with number of buttons for button control = 4; only in combination with number of but exclusions see 74.0) 74.1)	ittons
EU386		Piko button, diameter 50 mm, red	£170.00
EU387		Piko button, diameter 50 mm, yellow	£170.00
EU388		Piko button, diameter 50 mm, black	£170.00
EU389		Piko button, diameter 50 mm, silver	£170.00
EU390		Piko button, diameter 30 mm, red	£170.00
EU391		Piko button, diameter 30 mm, yellow	£170.00
EU392		Piko button, diameter 30 mm, black	£170.00
EU393		Piko button, diameter 30 mm, silver	£170.00
		nout TEN° LCD module (direct connection to bus system; possible only in combination with TEN° control device; N° LCD module) exclusions see 46.0) 57.0)	not possible
EU105		mo-Vis micro-joystick (actuating force 10 g)	£3915.00
EU106		mo-Vis multi-joystick (actuating force 50 g)	£3687.00
EU107		mo-Vis all-round joystick light (actuating force 120 g)	£3087.00
EU108		mo-Vis all-round joystick (actuating force 250 g)	£2154.00
EU109		mo-Vis all-round heavy duty joystick (actuating force 650 g)	£3853.00
Holder for mo-	Vis jo	ystick • exclusions see 58.0) 58.1)	
EU076		Power swivel arm, installation side left on the back support (to hold joysticks, sip & puff and button controls) exclusions see 42.3) 58.2) 58.7)	£2506.00
EU077		Power swivel arm, installation side right on the back support (to hold joysticks, sip & puff and button controls) exclusions see 42.3) 58.2) 58.7)	£2506.00
EU078		Holder for tray (must be installed by the customer) exclusions see 42.3)	£553.00
EU110		Holder for arm support incl. 1 finger button (for on/off, installation on control panel side) exclusions see 58.6)	£279.00
EU111		Holder for arm support incl. 2 finger buttons (for on/off and mode, installation on control panel side) exclusions see 58.5)	£436.00
EU112		Holder for arm support incl. 1 piko button (diameter 30 mm red for on/off, installation on control panel side) exclusions see 58.6)	£303.00
EU113		Holder for arm support incl. 2 piko buttons (diameter 30 mm red/black for on/off and mode, installation on control panel side) exclusions see 58.5)	£483.00

Actuator module for R-net/TEN° control device exclusions see 46.0) 59.0) 59.1)			
EU056		Actuator module (required for lighting and/or power seat functions on TEN° (120 A))	Inclusive
Control device accessories			
EU057		Attendant control exclusions see 60.2)	£706.00
EU094		Easywave radio module (possible only in combination with input/output module) exclusions see 60.1)	£321.00
Attendant control installation side (possible only in combination with attendant control; mandatory information) exclusions see 61.0) 61.1)			
		Right exclusions see 61.2)	
		Left	
Track stabiliser (mandatory information in conjunction with the combination of front-wheel drive and VR2 control device or front-wheel drive and TEN° control device) exclusions see 64.0)			
EF022		Mechanical (not possible in comb. with drive type MWD; possible only in comb. with chassis acc. splash guard for caster wheels; not possible in comb. of drive type FWD and speed > 7,2 km/h) exclusions see 19.3) 40.2) 64.3)	Inclusive
EF023		Power (gyro-module, included for FWD 10 km/h; not in combination with FWD and VR2; depending on terrain, the specified driving distance range can be reduced when using a gyro) exclusions see 2.1) 46.0)	£557.00
EF024		Mechanical incl. ASM (stability control; only in combination with TEN°, only for Australia, Canada or USA, not for RWD) exclusions see 19.3) 46.0) 64.5) 64.6)	£397.00
Memory module for power seat functions (possible only in combination with TEN° (120A) control device or TEN° tray module, electrical flip-over) exclusions see 46.0)			
EU122		Back support angle adjustment, pre-programmed, 20° exclusions see 77.1) 77.2)	£480.00
EU123		Seat tilt, pre-programmed, 20° exclusions see 77.2) 77.3)	£493.00
EU124		Back support angle adjustment/seat tilt, pre-programmed 35°/15° exclusions see 77.4) to 77.6)	£1027.00
Option for electric seat adjustment			
EU127		Speed limiter (sum angle >35°) exclusions see 77.3) 82.0) 82.1)	£220.00
Drive unit			
ET010		Standard (max. user weight 140 kg; possible only in comb. with overall weight <= 260 kg; not possible in comb. with TEN° control device (120A) or TEN° tray module, electrical flip-over)) exclusions see 4.1) 45.2) 65.1)	Inclusive
ET016		Performance (recommended for user weight > 100 kg; widening size 1 to 620 mm)	Inclusive
ET011		High performance (recommended for user weight > 100 kg; mandatory 14 km/h; (widening size 1 to 620 mm)	£559.00
Speed			
ET012		6 km/h	Inclusive
ET013		7.2 km/h exclusions see 66.1)	Inclusive
ET014		10 km/h (not in combination with FWD and VR2) exclusions see 5.1) 45.4) 64.2) 66.1) 66.5) 66.6)	Inclusive
ET015		14 km/h (only in comb. with RWD and TEN° (120A)) exclusions see 19.1) 19.3) 45.2) 46.0) 66.1) 66.3) 66.4)	Inclusive
Drive unit warranty extension (only for drive motors, not for actuators)			
EW002		From 24 months to 48 months (the Mobility Solutions GmbH terms and exclusions apply) exclusions see 5.1)	£80.00
Additional instructions for use (additional IFU for non-national languages) exclusions see 68.0)			
ES028		Qualified personnel	£20.00
ES029		User	£20.00