2020/21

ottobock.

v2
Base Price -

EA004 - FWD - £5962.00
EA005 - RWD - £5569.00
EA006 - MWD - £6814.00

Valid 01.04.20 to 31.03.21
Please ensure you are using the latest order form

☐ Provide estimate only	☐ Order
☐ Attachment for custom fabrication enclosed	
Billing address/customer number	
Delivery address	
Sales person	Name ..... Date Signature

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products, and you confirm to have read, understood and accepted our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Standard equipment

- .....
- .....
- .....

Juvo B6 Power Wheelchair

☐ EA004 - 490E75=0_AS03_C
☐ EA005 - 490E75=0_AS03_C

☐ EA006 - 490E75=0_AS06_C

Max. load: 160 kg
(standard equipment)







Additional options installed on the power wheelchair can reduce the maximum load.
Please observe the maximum gross weight on the nameplate.
The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.
Please use the spare parts catalogue for spare parts orders.

Otto Bock Mobility Plc - 32 Parsonage Road, Englefield Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Email bockuk@ottobock.com - Web www.ottoobck.co.uk


Technical modifications and printing errors reserved

© Ottobock 490E75=0_C_647F566=EN_INT-05-1910 - November 2020 - v2

Basic data (voluntary information)

Gender _____ Indication_____

Age _____ Paying party _____



Mandatory information*

User height in cm _____

User weight in kg _____

1 Seat depth _____

2 Trunk depth _____

3 Arm support height_____

4 Armpit height _____

5 Shoulder height_____

6 Head height_____

7 Forearm length to the middle of the palm___

8 Trunk width _____

9 Lower leg length _____

10 Seat width _____

* This information will help to support user-oriented settings. Ottobock guarantees the confidential and purely internal use of these data.

Product classification			
EA002	☐	Category B (in/outdoor)	

Drive type			
EA004	☐	Front-wheel drive (FWD)	£5962.00
EA005	☐	Rear-wheel drive (RWD)	£5569.00
EA006	☐	Mid-wheel drive (MWD) exclusions see 2.1)	£6814.00

Max. user weight (user + personal luggage, information required to adapt chassis suspension)		
	☐	70 kg
	☐	75 - 100 kg
	☐	100 - 140 kg
	☐	140 - 160 kg

Chassis size			
EA008	☐	Size 2 (overall width approx. 64 cm; max.user weight 160 kg/200 kg)	Inclusive

Seating systems			
EC001	☐	Standard seat Junior (max. user weight 75 kg) (SD 34…40 cm, SW 34...40 cm, BH 47 cm to 37 cm, adjustable in 5 cm increments) exclusions see 5.2)	£117.00
EC002	☐	Standard seat Small (SD 38...46 cm, SW 38...42 cm, BH 55 cm to 45 cm, adjustable in 5 cm increments) exclusions see 4.1)	Inclusive
EC003	☐	Standard seat Large (SD 42...50 cm, SW 44...48 cm, BH 55 cm to 45 cm, adjustable in 5 cm increments) exclusions see 5.1)	Inclusive
EC004	☐	Standard seat XL (SD 42...50 cm, SW 50...56 cm, BH 55 cm to 45 cm, adjustable in 5 cm increments) exclusions see 5.1)	£117.00
EC005	☐	VAS (Vario Adjust Seat) (SD 38…58 cm, SW 38…54 cm, BH 55 cm, 53 cm, 51 cm, 45 cm)	£348.00
EC006	☐	Recaro n-Joy* (manually adjustable back support, cushion thickness approx. 16.5 cm) exclusions see 5.1)	£1410.00
EC007	☐	Recaro n-Joy-Plus* (adaptable on site, manually adjustable back support, SD 38 ... 56 cm, cushion thickness approx. 16.5 cm) exclusions see 5.1)	£2296.00

ottobock.

Back support for modular Recaro seating system exclusions see 6.0) and 6.1)			
ED030	☐	LX (manually adjustable)	£538.00
ED031	☐	LT (adaptable lateral supports, manually adjustable)	£601.00

Seat bottom for modular Recaro back support system exclusions see 6.0) and 6.1)			
EC008	☐	F (flat padded, seat bottom sewn to lateral guides, cushion thickness approx. 14 cm)	£767.00
EC009	☐	X (contoured lateral guides with seat extension, cushion thickness approx. 16.5 cm)	£902.00
EC010	☐	W (flat padded, with seat extension, cushion thickness approx. 14.5 cm)	£767.00
* All Recaro seats are equipped with a head support.			

Settings for Standard seat Junior exclusions see 8.0) to 8.12) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 34	☐ 36	☐ 38	☐ 40	
Seat width SW in cm	☐ 34	☐ 36	☐ 38	☐ 40	
Back support height BH 47 cm (adjustable to 42 cm or 37 cm)					

Settings for Standard seat Small exclusions see 8.0) to 8.12) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 38	☐ 40	☐ 42	☐ 44	☐ 46
Seat width SW in cm	☐ 38	☐ 40	☐ 42		
Back support height BH 55 cm (adjustable to 50 cm or 45 cm)					

Settings for Standard seat Large exclusions see 8.0) to 8.16) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 42	☐ 44	☐ 46	☐ 48	☐ 50
Seat width SW in cm	☐ 44	☐ 46	☐ 48		
Back support height BH 55 cm (adjustable to 50 cm or 45 cm)					

Settings for Standard seat XL exclusions see 8.0) to 8.16) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 42	☐ 44	☐ 46	☐ 48	☐ 50
Seat width SW in cm	☐ 50	☐ 52	☐ 54	☐ 56	
Back support height BH 55 cm (adjustable to 50 cm or 45 cm)					

Settings for VAS exclusions see 8.0) to 8.2) and 9.0) to 9.2)								
Seat depth SD in cm	☐ 38	☐ 40	☐ 42	☐ 44	☐ 48	☐ 50	☐ 52	☐ 54
		☐ 56	☐ 58					
Seat width SW in cm	☐ 38	☐ 40	☐ 42	☐ 44	☐ 48	☐ 50	☐ 52	☐ 54
Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm)								

Overview to seating systems, seat depths and seat widths

Seat depth

Seat	Seat depth SD [cm]												
	34	36	38	40	42	44	46	48	50	52	54	56	58
Standard seat Junior	☐	☐	☐	☐									
Standard seat Small			☐	☐	☐	☐	☐						
Standard seat Large					☐	☐	☐	☐	☐				
Standard seat XL					☐	☐	☐	☐	☐				
VAS			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Recaro n-Joy Plus			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

Seat width

Seat	Seat width SW [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
Standard seat Junior	☐	☐	☐	☐								
Standard seat Small			☐	☐	☐							
Standard seat Large						☐	☐	☐				
Standard seat XL									☐	☐	☐	☐
VAS			☐	☐	☐	☐	☐	☐	☐	☐	☐	

Lower leg length LL	..... cm (15 ... 54 cm) (without seat cushion; > 50 cm not possible in combination with Recaro) exclusions see 5.1) 8.12) 10.1) 10.2) 19.1) 19.3)

Seat cushion (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9.0) 9.1)			
EC011	☐	Without cushion	Inclusive
EC012	☐	Seat cushion, black cover (seat cushion thickness 5 cm)	Inclusive
EC013	☐	Seat cushion with incontinence cover (seat cushion thickness 5 cm)	£78.00
EC014	☐	Terra seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2)	£159.00
EC015	☐	Terra Aquos seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2)	£180.00
EC016	☐	Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.3)	£330.00
EC018	☐	Cloud seat cushion (seat cushion thickness 11 cm) exclusions see 11.5	£442.00
EC020	☐	Contour, flat contoured (seat cushion thickness 7 cm) exclusions see 11.8) to 11.12)	£195.00
EC021	☐	Contour, deep contoured (seat cushion thickness 9 cm) exclusions see 11.8) to 11.12)	£195.00
Please refer to our seat cushion brochure for information on additional seat cushions.			

Cover for seat cushion, contoured (possible only in combination with flat or deep contoured seat cushion, mandatory information) exclusions see 12.0) 12.1)			
EC022	☐	Fabric cover	Inclusive
EC023	☐	Synthetic leather cover	£37.00
EC024	☐	Fabric cover with incontinence cover	£24.00

Back support version/with contour (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9.1			
ED032	☐	Without back support upholstery exclusions see 9.0)	Inclusive
ED033	☐	Back support upholstery, adaptable exclusions see 9.0)	Inclusive
ED034	☐	Contour back support pad, flat contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8) 11.9)	£278.00
ED035	☐	Contour back support pad, deep contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8) 11.9)	£278.00
ED050	☐	Contour back support pad, flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 11.9) 13.2)	£325.00
ED051	☐	Contour back support pad, deep contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 11.9) 13.2)	£325.00
ED036	☐	Baxx aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) exclusions see 13.1) 13.2) 13.3)	£539.00

Cover for back support pad, contoured (possible only in combination with flat or deep contoured back support pad, mandatory information) exclusions see 14.0) 14.1)			
ED037	☐	Fabric cover	Inclusive
ED038	☐	Synthetic leather cover	£37.00

Accessories for back support pad, contoured (possible only in combination with flat or deep contoured back support pad, mandatory information) exclusions see 14.0) 14.1)			
ED039	☐	Side panels (possible only in combination with deep contoured back support pad) exclusions see 15.1)	£72.00
ED040	☐	Lumbar support	£54.00

Back support height for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)			
ED041	☐	High (18"/46 cm)	Inclusive
ED042	☐	Extra high (20"/51 cm)	Inclusive

Back support contour for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)			
ED043	☐	Active (2.5"/6 cm)	Inclusive
ED044	☐	Deep (4"/10 cm)	£21.00
ED045	☐	Extra deep (6"/15 cm)	£42.00

Colour for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)			
ED002	☐	Anthracite metallic	Inclusive
ED003	☐	Jet black RAL 9005	Inclusive
ED004	☐	Ice blue	Inclusive
ED005	☐	Sparkle light orange	Inclusive
ED009	☐	Vinho sparkle	Inclusive
ED012	☐	Sky blue	Inclusive
ED013	☐	Jet black RAL 9005 matte	Inclusive
ED014	☐	Candy red	Inclusive
ED016	☐	Silver metallic	Inclusive
ED017	☐	Yellow RAL 1023	Inclusive
ED018	☐	Signal red RAL 3001	Inclusive
ED021	☐	Sparkle granny-smith	Inclusive
ED022	☐	Creame RAL 9001	Inclusive
ED023	☐	White RAL 9016	Inclusive
ED027	☐	Shimano matte	Inclusive
ED029	☐	Pink RAL 4010	Inclusive

Seat inclination (pre-tilt)		
	☐	-3° (not possible in combination with Recaro n-Joy, n-Joy-Plus, modular seating system; front-wheel drive; mid-wheel drive; combination of rear-wheel drive and VAS) exclusions see 10.1) 19.1) 19.2) 19.3)
	☐	0°
	☐	3° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 10.1)
	☐	6° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 5.1) 10.1)
	☐	9° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 5.1) 10.1)

Seat height (at 0° seat tilt, without seat cushion, suspension fully extended/without user) SH >= LL + 3 cm Recaro seat/system: additional approx. 13 cm for padding, recommended max. SH 49 cm										
FWD, RWD, MWD Sizes 1 & 2	cm	41	43	45	47	49	51	53	55	57
	Inch	16.5	17.5	18	18.5	19.5	20.5	21	22	23
Notices and exclusions		21.0) bis 21.6) 21.9) 21.10)	21.0) 21.5) bis 21.7) 21.9) 21.10) 21.14) bis 21.17)	21.0) 21.5) 21.6) 21.15) bis 21.17)	21.0) 21.15) 21.17)	8.12) 21.0) 21.6) 21.15)	8.12) 10.2) 21.0) 21.6)	5.1) 19.1) 21.0) 21.6) 21.12)	5.1) 19.1) 21.0) 21.6) 21.11) bis 21.13)	10.1) 19.1) 19.3) 21.0) 21.6) 21.8) 21.12) 21.13)
Standard seat		☐	☐	☐	☐	☐	☐	☐	☐	
Vario Adjust Seat (VAS)			☐	☐	☐	☐	☐	☐	☐	☐
Recaro (n-Joy, n-Joy Plus and seat modules) + approx. 13 - 16 cm seat cushion thickness			☐	☐	☐	☐				
Standard seat; tilt 45°					☐	☐	☐	☐	☐	☐
Vario Adjust seat (VAS); tilt 45°					☐	☐	☐	☐	☐	☐
Recaro (all); tilt 45°					☐	☐				
Standard seat; tilt 45° & seat height adjustment					☐					
Vario Adjust seat (VAS); tilt 45° & seat height adjustment					☐					
Recaro (all); tilt 45° & seat height adjustment					☐					
Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower.										

Power seat adjustment (possible only in combination with 0° seat inclination)			
EC025	☐	Power seat tilt 45° with centre of gravity shifting exclusions see 20.0) 20.10) to 20.13) 20.24) 20.29) 20.30)	£668.00
EC026	☐	Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30)	£1846.00
EC027	☐	Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30)	£2158.00
EC033	☐	Without exclusions see 20.15) to 20.23) 20.26) bis 20.28) 20.31) 20.32)	Inclusive

Back support angle adjustment (mandatory information in combination with Standard seat or VAS) exclusions see 9.1)			
ED046	☐	Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.0)	Inclusive
ED047	☐	Power (Standard seat 30°; VAS -5° to 30°) exclusions see 22.1)	£569.00

Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see 10.1)			
EL001	☐	Gooseneck	£103.00
EL002	☐	Multi-axis, offset	£97.00
EL003	☐	Multi-axis, straight	£93.00
EL005	☐	Rock-n-Lock, flip down	£296.00

Head/neck supports (possible only in comb. with mounting kit for head/neck supports, mandatory information) exclusions see 24.0) 24.1)			
EL006	☐	Head support, small	£72.00
EL007	☐	Head support, large	£72.00
EL009	☐	Head support, concave, size M	£141.00
EL011	☐	Head support with ABS exterior shell, small	£114.00
EL012	☐	Head support with ABS exterior shell, large	£144.00
EL013	☐	Head/neck support, small	£68.00
EL014	☐	Head/neck support, large	£68.00

EL015	☐	Head/neck support, X-shape, small	£83.00
EL016	☐	Head/neck support, X-shape, large	£83.00
EL017	☐	Head support, concave, adjustable, one size only	£244.00
EL020	☐	Head support, 3-piece, angle-adjustable, size L	£266.00

Belts (mandatory information in combination with category B) exclusions see 25.0)			
EP001	☐	Standard lap belt	Inclusive
EP002	☐	2-point lap belt, padded, metal buckle (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	£124.00
EP003	☐	2-point lap belt, padded, plastic buckle (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	£112.00

Chest/shoulder harnesses (not possible in combination with Recaro) exclusions see 10.1)			
EP005	☐	Dynamic harness, size S	£159.00
EP006	☐	Dynamic harness, size M	£159.00
EP007	☐	Dynamic harness, size L	£159.00
EP008	☐	Sternum harness, size S	£152.00
EP009	☐	Sternum harness, size M	£152.00
EP010	☐	Sternum harness, size L	£152.00
EP011	☐	Slimline sternum harness, size S	£148.00
EP012	☐	Slimline sternum harness, size M	£148.00
EP013	☐	Slimline sternum harness, size L	£148.00
EP014	☐	Shoulder harness, size S	£165.00
EP015	☐	Shoulder harness, size M	£165.00
EP016	☐	Shoulder harness, size L	£165.00

VAS accessories (possible only in combination with VAS)			
ED048	☐	Push handles	£54.00

Arm supports			
EE023	☐	Standard	Inclusive
EE024	☐	Flip-up (effective seat width (+/- 1 cm per side) on Standard seat Small, SW 42 cm; Standard seat Large, SW 48 cm; Standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with Standard seat Junior and Recaro) exclusions see 10.1) 11.6) 11.8) 79.1) to 79.3)	£82.00
Padding for arm support and clothing guard can be ordered from the spare parts catalogue.			

Leg support version			
EB001	☐	Standard (LL is required, exclusions see 28.1)	Inclusive
EB002	☐	Mechanically elevating with length adjustment (max. load 140 kg; with length adjustment, not available for LL < 21 cm; LL is required) exclusions see 4.1) 28.1) to 28.5)	£495.00
EB003	☐	Power elevating with length adjustment and separate control (max. load 140 kg; not available for LL < 21 cm; LL is required) exclusions see 4.1) 28.1) to 28.7)	£1010.00
EB004	☐	Power elevating with length adjustment and simultaneous control (not available for LL < 21 cm; LL is required) exclusions see 28.1) to 28.7)	£1010.00
EB013	☐	Centrally mounted leg support (LL is required) exclusions see tables from page 22 28.1) 28.9) to 28.44) for MWD	£446.00 Inclusive
EB005	☐	Without leg support (not possible in combination with selected lower leg length) exclusions see 28.8)	Inclusive

Foot plate version exclusions see 29.0) 29.1)			
EB012	☐	Individual, plastic foot plate (max. user weight 140 kg; not available on elevating leg supports) exclusions see 4.1) 29.2) to 29.4) 29.6)	Inclusive
EB007	☐	Individual, aluminium foot plate exclusions see 5.1) 29.7) to 29.9) 29.11)	£112.00
EB009	☐	Single-panel, aluminium foot plate exclusions see 29.7) to 29.10)	£124.00

Leg support accessories			
EB010	☐	Lateral leg pad for power and mechanical elevating leg supports (pair) (possible only in combination with mechanically or power elevating leg support adjustment) exclusions see 30.1)	£114.00

Batteries			
EU032	☐	Gel 63 Ah (C5) / 74 Ah (C20) (possible only in combination with chassis size 2) exclusions see 31.1)	Inclusive
EU033	☐	AGM 63 Ah (C5) / 75 Ah (C20) (Ø 250 charge cycles) possible only in combination with chassis size 2) exclusions see 31.1)	Inclusive
EU034	☐	AGM 75 Ah (C5) / 85 Ah (C20) (Ø 250 charge cycles) possible only in combination with chassis size 2) exclusions see 31.1)	£206.00

Battery charger			
EU041	☐	Battery charger 8 A, without fan (only for batteries with 39 Ah or 53 Ah (C5)) exclusions see 32.1)	Inclusive
EU042	☐	Battery charger 12 A incl. external charging receptacle (magnetic, installation side right)	Inclusive

Additional charging receptacle			
EU043	☐	External magnetic charging receptacle (installation side right; only for battery charger EU040; recommended with existing 12A battery charger) exclusions see 75.1)0	£158.00

Caster wheel swing arm			
EF001	☐	Suspension	£124.00
EF002	☐	No suspension exclusions see 5.1) 19.3)	Inclusive

Caster wheels			
EF003	☐	6" PU (only for MWD) exclusions see 19.1) 64.6)	Inclusive
EF009	☐	6" PU Performance (only for MWD, fimer rubber mixture)	Inclusive
EF005	☐	9" pneumatic, puncture-resistant exclusions see 19.3)	Inclusive
EF006	☐	9" puncture-proof exclusions see 19.3)	Inclusive
EF007	☐	10" pneumatic, puncture-resistant exclusions see 19.3)	Inclusive
EF008	☐	10" puncture-proof exclusions see 19.3)	Inclusive

Drive wheels			
EG001	☐	14" pneumatic, puncture-resistant	Inclusive
EG002	☐	14" puncture-proof	Inclusive

Tyre colour			
EG011	☐	Grey	Inclusive
EG012	☐	Black	Inclusive

Tread			
EG013	☐	Ribbed (only with tyre colour grey) exclusions see 37.1)	Inclusive
EG014	☐	Lugs exclusions see 19.3)	Inclusive
EG015	☐	Caster wheels with ribs, drive wheels with lugs exclusions see 37.2)	Inclusive

Wheelchair colour			
002	☐	Anthracite metallic	Inclusive
003	☐	Jet black RAL 9005	Inclusive
004	☐	Ice blue	Inclusive
005	☐	Sparkle light orange	Inclusive
009	☐	Vinho sparkle	Inclusive
012	☐	Sky blue	Inclusive
013	☐	Jet black RAL 9005 matte	Inclusive
014	☐	Candy red	Inclusive
016	☐	Silver metallic	Inclusive
017	☐	Yellow RAL 1023	Inclusive
018	☐	Signal red RAL 3001	Inclusive
021	☐	Sparkle granny-smith	Inclusive
022	☐	Cream RAL 9001	Inclusive
023	☐	White RAL 9016	Inclusive
027	☐	Shimano matte	Inclusive
037	☐	Pink RAL 4010	Inclusive

Chassis accessories			
EA010	☐	Splash guard for drive wheels (included on FWD; not possible in conjunction with the combination of RWD, VAS and SH 43 cm) exclusions see 39.1) to 39.3) for FWD and MWD	£56.00 Inclusive
EA011	☐	Splash guard for caster wheels for FWD and MWD	£30.00 Inclusive

Caster wheel swivel lock			
EF020	☐	Mechanical (possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels) exclusions see 19.3) 40.1)	£366.00

Chassis safety accessories			
EF021	☐	Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2)	£295.00
ES002	☐	Kit for vehicle transport (not in combination with Baxx ED036; max. load 140 kg) exclusions see 4.1) 41.1)	Inclusive
ES013	☐	Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3)	£96.00

General accessories			
ES003	☐	Pocket for mobile phone	£22.00
ES004	☐	Luggage carrier exclusions see 5.1)	£206.00
ES005	☐	Crutch holders	£66.00
ES006	☐	Rearview mirror (installation side across from control panel side or swivel mechanism for mid-tray control or TEN° tray module) exclusions see 42.1)	£100.00
ES007	☐	Tool kit	£32.00
ES010	☐	Beverage holder	£22.00
ES011	☐	Airman pump	£124.00
ET001	☐	External horn	£177.00
ES012	☐	Tray (swivel mechanism across from control panel side; not possible in combination with rearview mirror) exclusions see 42.2) 42.3)	£366.00

Socket for external power supply, right (front right next to safety switch, mandatory information) exclusions see 43.0) 43.1)			
ET002	☐	12 V	£274.00
ET003	☐	24 V	£109.00
ET004	☐	USB	£123.00

Socket for external power supply, left (front left next to safety switch, mandatory information) exclusions see 44.0) 44.1)			
ET005	☐	12 V (not possible in combination with socket for external power supply, right, 12 V or 24 V) exclusions see 44.2)	£274.00
ET006	☐	24 V (not possible in combination with socket for external power supply, right, 12 V or 24 V) exclusions see 44.2)	£109.00
ET007	☐	USB	£123.00

Lighting exclusions see 63.0)			
ES021	☐	Electric lighting according to German Motor Vehicle Safety Standards (StVZO)	£421.00

Control device			
EU050	☐	VR2 (90 A), without power functions and lighting (not recommended for >120 kg user weight) exclusions see 45.1) 45.4) to 45.6)	Inclusive
EU051	☐	VR2 (90 A), max. 2 power functions and lighting possible (not recommended for >120 kg user weight) exclusions see 45.3) to 45.5) 45.7)	Inclusive
EU061	☐	VR2 (90 A) mid-tray control, manually reversible (max. 2 power funktions and lighting are possible) exclusions see 42.1) 45.3) to 45.5) 45.7)	£1217.00
EU053	☐	TEN° (120 A) (mandatory for 14 km/h, recommended for >150 kg user weight)	£902.00
EU063	☐	TEN° (120A) tray module, electrical flip over (incl. 1 Piko button for rotation) exclusions see 42.1) 42.3) Note: The supplied horn can be perceived as too quiet; Ottobock recommends the use of an external horn, if no TEN° Display module is used.	£2057.00

TEN° control panel (possible only in combination with control device TEN°, mandatory information) exclusions see 46.0) 46.1)			
EU065	☐	Standard colour shimano matte	Inclusive
EU066	☐	Colour selectable	£24.00
493U75=ST188	☐	Jog wheel with toggle	£35.40

Colour for TEN° control panel (possible only in combination with control panel TEN°, mandatory information) exclusions see 47.0) 47.1)			
EU002	☐	Anthracite metallic	Inclusive
EU003	☐	Jet black RAL 9005	Inclusive
EU004	☐	Ice blue	Inclusive
EU005	☐	Sparkle light orange	Inclusive
EU009	☐	Vinho sparkle	Inclusive
EU012	☐	Sky blue	Inclusive
EU013	☐	Jet black RAL 9005 matte	Inclusive
EU014	☐	Candy red	Inclusive
EU016	☐	Silver metallic	Inclusive
EU017	☐	Yellow RAL 1023	Inclusive
EU018	☐	Signal red RAL 3001	Inclusive
EU021	☐	Sparkle granny-smith	Inclusive
EU022	☐	Cream RAL 9001	Inclusive
EU023	☐	White RAL 9016	Inclusive
EU029	☐	Pink RAL 4010	Inclusive

Joystick for TEN° tray module exclusions see 80.0) 80.1)			
EU116	☐	Required force 250 g	Inclusive
EU117	☐	Required force 120 g	Inclusive

External buttons (connection on TEN° control panel or tray module; possible only in combination with TEN° control device, electrical flip-over) exclusions see 46.0)			
EU067	☐	2 Piko buttons, diameter 50 mm (red/black)	£145.00
EU068	☐	2 Piko buttons, diameter 30 mm (red/black)	£145.00
EU097	☐	Button module (for power seat functions, installation opposite control panel side)	£1164.00
EU098	☐	Button module (for power seat functions) incl. 1 Piko button diameter 30 mm (for installation on TEN° control panel, Piko button red for on/off)	£1328.00
EU099	☐	Button module (for power seat functions) incl. 1 Piko button diameter 50 mm (for installation on TEN° control panel, Piko button red for on/off)	£1328.00

Control panel holder exclusions see 49.0) 49.2)			
EU070	☐	Control panel holder, standard (possible only in combination with VR2) exclusions see 65.1)	Inclusive
EU071	☐	Control panel holder, swing-away in parallel, height-adjustable	£102.00
EU072	☐	Control panel holder, swing-away in parallel, 9.5 cm height-adjustable	£124.00

Mounting material tray for TEN° tray module exclusions see 80.0) 80.1)			
ES014	☐	Tray with attachment, TEN° tray module centrally mounted	£489.00
ES015	☐	Tray (without cut-out) with attachment, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£578.00
ES016	☐	Attachment only, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£436.00
ES017	☐	Cutting template for TEN° tray module (for individual placement by the dealer)	£78.00

Mounting side, control panel holder or tray (for VR2, for mid-tray control (MTC) or TEN° tray module; mandatory information) exclusions see 50.0) 50.1)		
	☐	Right
	☐	Left

Joystick top			
EU080	☐	Fork for tetraplegics, horizontal (adjustable for hand width 70 - 90 mm) exclusions see 51.1) 51.2)	£102.00
EU081	☐	Stick S80 (special joystick handle 80 mm) exclusions see 51.1) 51.2)	£46.00
EU082	☐	Soft ball, black cover exclusions see 51.1) 51.2)	£83.00
EU083	☐	Ball top, small (diameter 43 mm) exclusions see 51.1) 51.2)	£78.00
EU084	☐	Ball top, large (diameter 48 mm) exclusions see 51.1) 51.2)	£96.00
EU085	☐	Soft ball, coloured (diameter 30 mm, 4 pieces) exclusions see 51.1)	£188.00

Module for TEN° control device (possible only in combination with TEN° control device) exclusions see 48.0)			
EU054	☐	TEN° LCD module (when using 1-switch scan drive, programming by service required; please order button separately; adapter switch box not required) exclusions see 52.1)	£1488.00
EU055	☐	Input/output module (required e.g. for Easywave radio control) exclusions see 52.2)	£423.00

Holder for TEN° LCD module (possible only in combination with TEN° LCD module, mandatory information) exclusions see 53.0) 53.1)			
EU073	☐	Standard (installation across from control panel side; not possible in combination with tray) exclusions see 42.1) 51.2)	£75.00
EU074	☐	With gooseneck (installation across from control panel side; not possible in combination with tray) exclusions see 42.1) 51.2)	£234.00
EU075	☐	With gooseneck for tray (included)	£175.00

Special controls with TEN° LCD module (possible only in combination with TEN° LCD module) exclusions see 53.0)			
EU100	☐	mo-Vis micro-joystick (actuating force 10 g)	£2094.00
EU101	☐	mo-Vis multi-joystick (actuating force 50 g)	£1912.00
EU102	☐	mo-Vis all-round joystick light (actuating force 120 g)	£1624.00
EU103	☐	Sip and puff control (possible only in combination with Recaro seat and seating system) exclusions see 25.1)	£1040.00
EU104	☐	Button control (3 or 4 button switch control application, on-/off and mode included (at TEN° LCD module))	£440.00

Number of buttons for button control (possible only in comb. with button control, mandatory information) exclusions see 55.0) 55.1)		
	☐	3 buttons
	☐	4 buttons

Button 1 for button control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of buttons for button control = 3, 4) exclusions see 72.0) 72.1)			
EU086	☐	Piko button, diameter 50 mm, red	£94.00
EU087	☐	Piko button, diameter 50 mm, yellow	£94.00
EU088	☐	Piko button, diameter 50 mm, black	£94.00
EU089	☐	Piko button, diameter 50 mm, silver	£94.00
EU090	☐	Piko button, diameter 30 mm, red	£94.00
EU091	☐	Piko button, diameter 30 mm, yellow	£94.00
EU092	☐	Piko button, diameter 30 mm, black	£94.00
EU093	☐	Piko button, diameter 30 mm, silver	£94.00

Button 2 for button control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of buttons for button control = 3, 4) exclusions see 72.0) 72.1)			
EU186	☐	Piko button, diameter 50 mm, red	£94.00
EU187	☐	Piko button, diameter 50 mm, yellow	£94.00
EU188	☐	Piko button, diameter 50 mm, black	£94.00
EU189	☐	Piko button, diameter 50 mm, silver	£94.00
EU190	☐	Piko button, diameter 30 mm, red	£94.00
EU191	☐	Piko button, diameter 30 mm, yellow	£94.00
EU192	☐	Piko button, diameter 30 mm, black	£94.00
EU193	☐	Piko button, diameter 30 mm, silver	£94.00

Button 3 for button control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of buttons for button control = 3, 4) exclusions see 72.0) 72.1)			
EU286	☐	Piko button, diameter 50 mm, red	£94.00
EU287	☐	Piko button, diameter 50 mm, yellow	£94.00
EU288	☐	Piko button, diameter 50 mm, black	£94.00
EU289	☐	Piko button, diameter 50 mm, silver	£94.00
EU290	☐	Piko button, diameter 30 mm, red	£94.00
EU291	☐	Piko button, diameter 30 mm, yellow	£94.00
EU292	☐	Piko button, diameter 30 mm, black	£94.00
EU293	☐	Piko button, diameter 30 mm, silver	£94.00

Button 4 for button control (mandatory information with number of buttons for button control = 4; only in combination with number of buttons for button control = 4) exclusions see 74.0) 74.1)			
EU386	☐	Piko button, diameter 50 mm, red	£94.00
EU387	☐	Piko button, diameter 50 mm, yellow	£94.00
EU388	☐	Piko button, diameter 50 mm, black	£94.00
EU389	☐	Piko button, diameter 50 mm, silver	£94.00
EU390	☐	Piko button, diameter 30 mm, red	£94.00
EU391	☐	Piko button, diameter 30 mm, yellow	£94.00
EU392	☐	Piko button, diameter 30 mm, black	£94.00
EU393	☐	Piko button, diameter 30 mm, silver	£94.00

Special controls without TEN° LCD module (direct connection to bus system; possible only in combination with TEN° control device; not possible in combination with TEN° LCD module) exclusions see 48.0) 57.0)			
EU105	☐	mo-Vis micro-joystick (actuating force 10 g)	£2200.00
EU106	☐	mo-Vis multi-joystick (actuating force 50 g)	£2008.00
EU107	☐	mo-Vis all-round joystick light (actuating force 120 g)	£1769.00
EU108	☐	mo-Vis all-round joystick (actuating force 250 g)	£1231.00
EU109	☐	mo-Vis all-round heavy duty joystick (actuating force 650 g)	£2196.00

Holder for mo-Vis joystick exclusions see 58.0) 58.1)			
EU076	☐	Power swivel arm, installation side left on the back support (to hold joysticks, sip & puff and button controls) exclusions see 42.3) 58.2) to 58.4)	£1424.00
EU077	☐	Power swivel arm, installation side right on the back support (to hold joysticks, sip & puff and button controls) exclusions see 42.3) 58.2) to 58.4)	£1424.00
EU078	☐	Holder for tray (must be installed by the customer) exclusions see 42.3)	£200.00
EU110	☐	Holder for arm support incl. 1 finger button (for on/off, installation on control panel side) exclusions see 58.5)	£255.00
EU111	☐	Holder for arm support incl. 2 finger buttons (for on/off and mode, installation on control panel side) exclusions see 58.5)	£400.00
EU112	☐	Holder for arm support incl. 1 piko button (diameter 30 mm red for on/off, installation on control panel side) exclusions see 58.5)	£277.00
EU113	☐	Holder for arm support incl. 2 piko buttons (diameter 30 mm red/black for on/off and mode, installation on control panel side) exclusions see 58.5)	£442.00

Actuator module for TEN° control device exclusions see 48.0) 59.0) 59.1)			
EU056	☐	Actuator module (required for lighting and/or power seat functions on TEN° (120 A))	Inclusive

Control device accessories			
EU057	☐	Attendant control	£647.00
EU094	☐	Easywave radio module (possible only in combination with input/output module) exclusions see 60.1)	£294.00

Attendant control installation side (possible only in combination with attendant control; mandatory information) exclusions see 61.0) 61.1)		
	☐	Right exclusions see 61.2)
	☐	Left

Track stabiliser (mandatory information in conjunction with the combination of front-wheel drive and VR2 control device or front-wheel drive and TEN° control device) exclusions see 64.0)			
EF022	☐	Mechanical (not possible in combination with drive type MWD; possible only in combination with chassis accessories splash guard for caster wheels; not possible in combination of drive type FWD and speed > 7,2 km/h) exclusions see 19.3) 40.2) 64.3)	Inclusive
EF023	☐	Power (gyro-module, included for FWD 10 km/h; not in combination with FWD and VR2; depending on terrain, the specified driving distance range can be reduced when using a gyro) exclusions see 48.0) 64.4)	£510.00
EF024	☐	Mechanical incl. ASM (stability control; only in combination with TEN°, only for Australia, Canada or USA, not for RWD) exclusions see 19.3) 48.0) 64.5) 64.6)	£364.00

Memory module for power seat functions (possible only in combination with TEN° (120A) control device or TEN° tray module, electrical flip-over) exclusions see 48.0)			
EU122	☐	Back support angle adjustment, pre-programmed, 20° exclusions see 77.1) 77.2)	£439.00
EU123	☐	Seat tilt, pre-programmed, 20° exclusions see 77.2) 77.3)	£452.00
EU124	☐	Back support angle adjustment/seat tilt, pre-programmed 35°/15° exclusions see 77.4) to 77.6)	£942.00

Option for electric seat adjustment			
EU127	☐	Speed limiter (sum angle >35°) exclusions see 77.3) 82.0) 82.1)	£155.00

Drive unit			
ET010	☐	Standard (max. user weight 140 kg; possible only in combination with overall weight <= 260 kg; not possible in combination with TEN° control device (120A) or TEN° tray module, electrical flip-over)) exclusions see 4.1) 45.2) 65.1)	Inclusive
ET016	☐	Performance (recommended for user weight > 100 kg; widening size 1 to 620 mm)	Inclusive
ET011	☐	High performance (recommended for user weight > 100 kg; mandatory 14 km/h; (widening size 1 to 620 mm)	£512.00

Speed			
ET012	☐	6 km/h	Inclusive
ET013	☐	7.2 km/h exclusions see 66.1)	Inclusive
ET014	☐	10 km/h (not in combination with FWD and VR2) exclusions see 5.1) 45.4) 64.2) 66.1) 66.5) 66.6) (must order ES021 lighting with this option)	Inclusive
ET015	☐	14 km/h (only in combination with RWD and TEN° (120A)) exclusions see 19.1) 19.3) 45.2) 48.0) 66.1) 66.3) 66.4) (must order ES021 lighting with this option)	Inclusive

Drive option (possible only for Germany and speed > 6 km/h; mandatory information) exclusions see 67.0) 67.1)			
ET008	☐	Individual type approval for speed > 6 km/h (required only for Germany)	Inclusive

Drive unit warranty extension (only for drive motors, not for actuators)			
EW002	☐	From 24 months to 48 months (the Mobility Solutions GmbH terms and exclusions apply) exclusions see 5.1)	£72.00

Additional instructions for use (additional IFU for non-national languages) exclusions see 68.0)			
ES028	☐	Qualified personnel	£17.00
ES029	☐	User	£17.00

Seating system



EC001 - EC004 Standard seat



EC005 VAS



EC006 Recaro n-Joy

Back support for modular Recaro seating system



ED031 Recaro LT



ED030 Recaro LX

Seat bottom for modular Recaro back support system



EC008 F



EC009 X



EC010 W

Seat cushion/back support version contoured



EC020/ED034 Flat contoured



EC021/ED035 Deep contoured

Cover f. seat cushion/back support version contoured



EC022/ED037 Fabric cover



EC023/ED038 Synthetic leather cover

ottobock.

Back support version



ED050/ED051 Contour back support pad AD



ED036 Baxx aluminium flat top back support

Accessories for back support pad, contoured



ED039 Siede panels



ED040 Lumbar support

Power seat adjustment



EC025 45° seat tilt



EC026 Seat height adjustment 35 cm

Mounting kit for head/neck supports



EL005 Rock-n-Lock flip down

Head/neck supports



EL006 Head support



EL011/EL012 Head support



EL013/EL014 Head support with ABS exterior shell



EL015/EL016 X-shaped head/neck support

Belts



EL017 Head support, concave



EL020 Head support, angle-adjustable



EP002 Lap belt, metal buckle



EP003 Lap belt, plastic buckle

Chest/shoulder harnesses



EP005 - EP007 Dynamic harness



EP008 - EP010 Sternum harness



EP011 - EP013 Slimline sternum harness



EP014 - EP017 Shoulder harness

Arm supports



EE024 Flip-up arm support

Leg support version



EB003 Power elevating, separate control



EB013 Centrally mounted leg support

Foot plate version



EB007 Individual aluminium foot plate

Battery charger



EU041 Battery Charger



EU044 Battery Charger




EU042 Battery Charger

Add. charg. receptacle



EU043 External magnetic charging receptacle

Caster wheel swing arm



EF001 Caster wheel swing arm, spring-mounted

Tread



EG013 Ribs



EG014 Lugs



EG015 Caster wheel with ribs

ottobock.

Caster wheel swivel lock



EF020 Caster wheel swivel lock

Chassis safety accessories



EF021 Curb climbing assist



ES002 Kit for vehicle transport



ES013 Dahl docking system installation kit

General accessories



ES003 Pocket for mobile phone



ES004 Luggage carrier



ES005 Crutch holder



ES006 Rearview mirror

Socket for external power supply



ES010 Beverage holder



ET002/005 12 V



ET004/007 USB

Lighting



ES020/021 Electric lighting for footpaths


Control device



EU050/EU051 VR2



EU053 TEN°





EU063 TEN° tray module, electrical flip over

External buttons



EU098 Button module

Joystick top



EU080 Fork for tetraple-gics, horizontal



EU081 Stick S80



EU082 Soft ball, black cover

Module for TEN°



EU083 Ball top, small



EU084 Ball top, large



EU085 Soft ball, coloured



EU054 TEN° LCD module

Special controls with TEN° LCD module / without TEN° LCD module



EU100/105 mo-Vis micro-joystick



EU101/106 mo-Vis multi-joystick



EU102/107 mo-Vis all-round joystick light



EU103 Sip and puff con-trol

Holder for mo-Vis joystick



EU110-113 Holder for arm support



EU111 mo-Vis Joystick incl. 2 finger buttons

ottobock.

Control device accessories



EU057 Attendant control



EU095 Hand warmer (single hood for hand module)



EU096 Hand warmer (double hood for mid-tray control)

Overview possible combinations centrally mounted leg support - Standard seat junior and Standard seat Small

		SH [cm]	45	47			49			51			53		55		57
SD [cm]	Chassis size	Equipment	MW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	RW
34	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	▨	■	■	▨	■	▨	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	▨	■	■	■	■	■	■	■	■	■	■	■
36	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	▨	■	■	▨	■	▨	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	▨	■	■	■	■	■	■	■	■	■	■	■
38	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	▨	■	■	■	■	■	■	■	■	■	■	■
40	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	▨	■	■	■	■	■	■	■	■	■	■	■
42	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	■	■	■	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
44	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	■	■	■	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
46	1	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	■	■	■	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	2	without tilt	■	▨	■	▨	▨	■	▨	▨	■	▨	■	▨	■	▨	▨
		with seat lift and tilt	▨	■	■	■	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨	▨
		with tilt	▨	■	■	■	■	■	■	■	■	■	■	■	■	■	■

■ Combination possible

▨ Combination not possible

ottobock.

Overview possible combinations centrally mounted leg support - Standard seat Large and Standard seat XL

		SH [cm]	43		45			47 SS large			47 SS XL			49 SS large			49 SS XL		
SD [cm]	Chassis size	Equipment	FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW
42	1	A		■		■	■		■	■		■	■		■	■		■	■
		B						■	■	■	■		■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
	2	A				■			■			■			■			■	
		B							■	■	■	■	■						
		C							■	■	■	■	■		■	■	■	■	■
44	1	A		■		■	■		■	■		■	■		■	■		■	■
		B						■	■	■	■		■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
	2	A				■			■			■			■			■	
		B						■	■	■	■	■	■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
46	1	A		■		■	■		■	■		■	■		■	■		■	■
		B						■	■	■	■		■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
	2	A				■			■			■			■			■	
		B						■	■	■	■	■	■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
48	1	A	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		B						■	■	■	■		■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
	2	A			■	■		■	■		■	■		■	■		■	■	
		B						■	■	■	■	■	■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
50	1	A	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		B						■	■	■	■		■						
		C						■	■	■	■	■	■	■	■	■	■	■	■
	2	A			■	■		■	■		■	■		■	■		■	■	
		B						■	■	■	■	■	■						
		C						■	■	■	■	■	■	■	■	■	■	■	■

■ Combination possible

■ Combination not possible

A without tilt

B with seat lift and tilt

C with tilt

Continuation overview possible combinations centrally mounted leg support - Standard seat Large and Standard seat XL

		SH [cm]	51 SS large			51 SS XL			53		55		57
SD [cm]	Chassis size	Equipment	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	RW
42	1	without tilt	✗	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2	without tilt	✗	✓	✗	✗	✓	✗	✓	✗	✓	✗	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
44	1	without tilt	✗	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2	without tilt	✗	✓	✗	✗	✓	✗	✓	✗	✓	✗	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
46	1	without tilt	✗	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2	without tilt	✗	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
48	1	without tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2	without tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
50	1	without tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2	without tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
		with seat lift and tilt	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
		with tilt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ Combination possible

✗ Combination not possible

Overview possible combinations centrally mounted leg support - VAS

		SH [cm]	43		45			47			49			51			53		55		57	
SD [cm]	Chassis size	Equip-ment	FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	MW	RW
38	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
40	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
42	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
44	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
46	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
48	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				

Combination possible

Combination not possible

A without tilt

B with seat lift and tilt

C with tilt

Continuation overview possible combinations centrally mounted leg support - VAS

		SH [cm]	43		45			47			49			51			53		55		57	
SD [cm]	Chassis size	Equip-ment	FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	MW	RW
50	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
52	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
54	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
56	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				
58	1	A																				
		B																				
		C																				
	2	A																				
		B																				
		C																				

Combination possible

Combination not possible

A without tilt


B with seat lift and tilt

C with tilt

ottobock.

Terra, Terra Aquos seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34		X										
36		X										
38		X	X	X	X	X	X	X	X	X		
40				X	X	X	X					
42				X	X	X	X					
44				X	X	X	X	X	X	X		
46				X	X	X	X	X	X	X		
48				X	X	X	X	X	X	X		
50												
52												
54												
56												
58												

Terra Flair seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34												
36												
38			X	X	X	X	X	X	X	X		
40				X	X	X	X					
42				X	X	X	X					
44				X	X	X	X	X	X	X		
46				X	X	X	X	X	X	X		
48				X	X	X	X	X	X	X		
50												
52												
54												
56												
58												



EC014 Terra



EC015 Terra Aquos



EC016 Terra Flair

Cloud seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34	X	X										
36	X	X	X									
38	X	X	X	X	X		X	X	X	X	X	X
40	X	X	X	X	X	X	X	X	X	X	X	X
42			X	X	X	X	X	X	X	X	X	X
44				X	X	X	X	X	X	X	X	X
46				X	X		X	X	X	X	X	X
48				X	X		X	X	X	X	X	X
50							X			X	X	X
52							X			X	X	X
54												
56												
58												



EC018 Cloud

Notes and exclusions

2.1) Not possible in combination with Australia, Canada or the USA as the country of destination
4.1) Possible only in combination with max. user weight <= 140 kg
5.1) Possible only in combination with maximum user weight <= 160 kg
5.2) Possible only in combination with maximum user weight <= 100 kg
6.0) Possible only in combination with modular Recaro seating system
6.1) Mandatory information only in combination with modular Recaro seating system
8.0) Possible only in combination with Standard seat, VAS or Recaro n-Joy Plus
8.1) Mandatory information in combination with Standard seat, VAS or Recaro n-Joy-Plus
8.2) See table "Seat depth"
8.3) Not possible in conjunction with the combination of max. user weight > 75 kg and mid-wheel drive
8.4) Not possible in conjunction with the combination of max. user weight > 100 kg, chassis size 1 and Standard seat Small or VAS
8.5) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive and VAS
8.6) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 1 and VAS
8.7) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 2 and VAS
8.8) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 2 and Standard seat Small or VAS
8.9) Not possible in conjunction with the combination of max. user weight > 140 kg, mid-wheel drive and VAS
8.10) Not possible in conjunction with the combination of max. user weight > 140 kg, rear-wheel drive and VAS
8.11) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type front-wheel drive (FWD) and VAS
8.12) Not possible in conjunction with the combination of maximum user weight > 160 kg and drive type front-wheel drive (FWD)
8.13) Not possible in conjunction with the combination of maximum user weight > 160 kg and drive type mid-wheel drive (MWD)
8.14) Not possible in conjunction with the combination of maximum user weight > 180 kg and drive type mid-wheel drive (MWD)
8.15) Not possible in conjunction with the combination of maximum user weight > 180 kg and drive type front-wheel drive (FWD)
8.16) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type rear-wheel drive (RWD) or mid-wheel drive (MWD) and standard seat, large or standard seat, XL
9.0) Possible only in combination with Standard seat or VAS
9.1) Mandatory information in combination with Standard seat or VAS
9.2) See table "Seat width"
10.1) Not possible in combination with Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
10.2) Not possible in conjunction with the combination of front-wheel drive and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
11.1) Possible only in combination with max. user weight <= 150 kg
11.2) See table "Terra, Terra Aquos seat cushion"
11.3) See table "Terra-Flair seat cushion"
11.4) See table "Z-Flo seat cushion"
11.5) See table "Cloud seat cushion"
11.6) Possible only in combination with max. user weight <= 125 kg
11.8) Not possible in combination with Standard seat Junior
11.9) Not possible in conjunction with the combination of VAS and SW 38 cm, 42 cm, 46 cm, 48 cm or 52 cm
11.10) Not possible in conjunction with the combination of VAS, SW 40 cm and SD 48 cm, 50 cm, 52 cm, 54 cm or 56 cm
11.11) Not possible in conjunction with the combination of VAS, SW 44 cm or 50 cm or 54 cm and SD 38 cm or 40 cm
11.12) Not possible in combination with SD 58 cm
12.0) Possible only in combination with seat cushion with flat or deep contours
12.1) Mandatory information in combination with seat cushion with flat or deep contours
13.1) Possible only in combination with max. user weight <= 113 kg
13.2) Possible only in combination with VAS
13.3) Not possible in combination with SW 54 cm
14.0) Possible only in combination with back version back cushion with flat or deep contours
14.1) Mandatory information in combination with back version back cushion with flat or deep contours
15.1) Possible only in combination with back version back cushion with deep contours
16.0) Possible only in combination with back version ADI aluminium flat top back
16.1) Mandatory information in combination with back version ADI aluminium flat top back
19.1) Not possible in combination with front-wheel drive
19.2) Not possible in conjunction with the combination of rear-wheel drive and VAS
19.3) Not possible in combination with mid-wheel drive
20.0) Possible only in combination with seat inclination 0°
20.10) Not possible in conjunction with the combination of max. user weight > 140 kg, front-wheel drive, VAS and SD 38 cm
20.11) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 1, Standard seat Small and SD 40 cm
20.12) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 1, Standard seat Large or Standard seat XL and SD 42 cm
20.13) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 1, Standard seat XL and SD 42 cm
20.14) Not possible in combination with LL >= 45 cm
20.15) Not possible in conjunction with the combination of max. user weight > 75 kg, front-wheel drive and SD 34 cm
20.16) Not possible in conjunction with the combination of max. user weight > 100 kg, front-wheel drive, chassis size 2, Standard seat Small or VAS and SD 38 cm
20.17) Not possible in conjunction with the combination of max. user weight > 100 kg, front-wheel drive, Standard seat Small or VAS and SD 40 cm
20.18) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 1, VAS and SD 40 cm
20.19) Not possible in conjunction with the combination of max. user weight > 100 kg, front-wheel drive, chassis size 1, Standard seat Large or Standard seat XL and SD 42 cm
20.20) Not possible in conjunction with the combination of max. user weight > 140 kg, front-wheel drive, VAS and SD 42 cm
20.21) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 1, VAS and SD 44 cm
20.22) Not possible in conjunction with the combination of max. user weight > 75 kg, mid-wheel drive, chassis size 2, Standard seat Small and SD 46 cm
20.23) Not possible in conjunction with the combination of max. user weight <= 100 kg, mid-wheel drive, chassis size 2, Standard seat XL and SD 50 cm
20.24) Not possible in conjunction with the combination of France as the country of destination, drive type Rear-wheel Drive (RWD), maximum user weight >= 150 kg and lower leg length >= 49 cm
20.25) Not possible in conjunction with the combination of maximum user weight > 100 kg and chassis, size 1
20.26) Not possible in conjunction with the combination of maximum user weight > 160 kg, drive type front-wheel drive (FWD) and seat depth 50 cm
20.27) Not possible in conjunction with the combination of maximum user weight > 160 kg, drive type mid-wheel drive (MWD) and seat depth 44 cm
20.28) Not possible in conjunction with the combination of maximum user weight > 180 kg, drive type mid-wheel drive (MWD) and seat depth 46 cm oder 48 cm

20.29) Not possible in conjunction with the combination of maximum user weight > 70 kg, VAS and lower leg length 23 cm
20.30) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type rear-wheel drive (RWD), standard seat, large or standard seat, XL and seat depth 44 cm
20.31) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type front-wheel drive (FWD), standard seat, large or standard seat, XL and seat depth 42 cm
30.32) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type mid-wheel drive (MWD), standard seat, large and seat depth 44 cm
21.0) SH >= LL +3 cm
21.1) Not possible in combination with VAS, Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
21.2) Not possible in conjunction with the combination of front-wheel drive, chassis size 1 and Standard seat Large
21.3) Not possible in conjunction with the combination of front-wheel drive and Standard seat XL
21.4) Not possible in conjunction with the combination of rear-wheel drive and Standard seat
21.5) Not possible in combination with 45° seat tilt
21.6) Not possible in combination with 35 cm seat height adjustment or 35 cm seat height adjustment combined with 45° seat tilt
21.7) Not possible in conjunction with the combination of rear-wheel drive and Standard seat Large or Standard seat XL and -3° seat inclination
21.8) Not possible in combination with Standard seat when 45° seat tilt is not selected
21.9) Not possible in conjunction with the combination of mid-wheel drive and Standard seat Large or Standard seat XL
21.10) Not possible in conjunction with the combination of mid-wheel drive, Standard seat Small and SW 42 cm
21.11) Not possible in conjunction with the combination of mid-wheel drive and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
21.12) Not possible in conjunction with the combination of France as the country of destination, drive type Rear-wheel Drive (RWD), maximum user weight >= 150 kg and electric seat adjustment seat tilt 45°
21.13) Cannot be combined with seat incliation -3°
22.1) Not possible in combination with Recaro n-Joy or Recaro n-Joy Plus
24.0) Possible only in combination with mounting kit for head/neck supports
24.1) Mandatory information in combination with the mounting kit for head/neck supports
25.0) Mandatory information in combination with category B
25.1) Possible only in combination with Recaro n-Joy or Recaro n-Joy-Plus or modular Recaro seating system
28.1) Possible only in combination with selected LL
28.2) Not possible in conjunction with the combination of Standard seat or VAS and LL < 21 cm
28.3) Not possible in conjunction with the combination of max. user weight > 70 kg and Standard seat and LL < 28 cm
28.4) Not possible in conjunction with the combination of max. user weight > 70 kg and VAS and LL < 27 cm
28.5) Not possible in conjunction with the combination of max. user weight > 70 kg and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and LL < 21 cm
28.6) Not possible in conjunction with the combination of rear-wheel drive, chassis size 2, Standard seat Small and SH 43 cm
28.7) Not possible in conjunction with the combination of rear-wheel drive, chassis size 2, Standard seat Small, -3° seat inclination and SH 43 cm
28.8) Not possible in combination with selected lower leg length
28.9) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), Standard seat Junior or Standard seat Small and electric seat adjustment, without
28.10) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), Standard seat Large or Standard seat XL, seat depth <= 46 cm and electric seat adjustment, without
28.11) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, Standard seat Large or Standard seat XL, seat depth >= 48 cm, seat height 43 cm and electric seat adjustment, without
28.12) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, Standard seat Large, seat depth 42 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
28.13) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, Standard seat Large, seat depth 42 cm, seat height 47 cm or 49 cm and electric seat adjustment seat tilt 45°
28.14) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), Standard seat and lower leg length < 28 cm
28.15) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), VAS (Vario Adjust Seat), seat depth <= 46 cm and electric seat adjustment, without
28.16) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth 48 cm, seat height <= 47 cm and electric seat adjustment, without
28.17) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth 50 cm, seat height 43 cm and electric seat adjustment, without
28.18) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth 48 cm, seat height <= 49 cm and electric seat adjustment, without
28.19) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth 50 cm or 52 cm or 54 cm, seat height <= 45 cm and electric seat adjustment, without
28.20) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 43 cm and electric seat adjustment, without
28.21) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm and electric seat adjustment seat tilt 45°, seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
28.22) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, Standard seat Junior or Standard seat Small, seat height <= 51 cm and electric seat adjustment, without
28.23) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, Standard seat Junior or Standard seat Small, seat depth <= 40 cm, seat height 53 cm or 55 cm and electric seat adjustment, without
28.24) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, Standard seat Junior, seat depth 34 cm or 36 cm, seat height 49 cm or 51 cm or 53 cm and electric seat adjustment seat tilt 45°
28.25) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Junior or Standard seat Small or Standard seat XL and electric seat adjustment, without
28.26) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Junior and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
28.27) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Small, seat depth <= 42 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
28.28) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Junior, seat height 47 cm and electric seat adjustment seat tilt 45°
28.29) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Small, seat depth <= 42 cm, seat height 47 cm and electric seat adjustment seat tilt 45°
28.30) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), Standard seat, lower leg length < 28 cm or > 48 cm and electric seat adjustment, without
28.31) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), Standard seat, lower leg length < 28 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°

28.32) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), Standard seat, lower leg length < 28 cm or > 49 cm and electric seat adjustment seat tilt 45°
28.33) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth <= 42 cm, seat height 43 cm and electric seat adjustment, without
28.34) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth <= 40 cm, seat height 43 cm and electric seat adjustment, without
28.35) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 49 cm and electric seat adjustment, without
28.36) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
28.37) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 48 cm and electric seat adjustment seat tilt 45°
28.38) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat Junior or Standard seat Small, seat height 41 cm or 43 cm and electric seat adjustment, without
28.39) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat, lower leg length < 28 cm or > 48 cm and electric seat adjustment, without
28.40) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat, lower leg length < 27 cm or > 40 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
28.41) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat, lower leg length < 27 cm or > 48 cm and electric seat adjustment seat tilt 45°
28.42) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, seat height 43 cm and electric seat adjustment, without
28.43) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 49 cm and electric seat adjustment set tilt 45° or without
28.44) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 41 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
29.0) Not possible in combination with leg support adjustment, none or centrally mounted
29.1) Mandatory information in combination with standard, mechanically elevating or power elevating leg support adjustment
29.2) Not possible in conjunction with the combination of Standard seat and LL < 25 cm
29.3) Not possible in conjunction with the combination of VAS and LL < 24 cm
29.4) Not possible in conjunction with the combination of Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and LL < 18 cm
29.6) Not possible in combination with mechanically elevating or power elevating leg support adjustment
29.7) Not possible in conjunction with the combination of Standard seat or VAS and LL < 17 cm and standard leg support adjustment
29.8) Not possible in conjunction with the combination of max. user weight > 70 kg and Standard seat or VAS and LL < 24 cm and standard leg support adjustment
29.9) Not possible in conjunction with the combination of max. user weight > 70 kg and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and LL < 17 cm and standard leg support adjustment
29.10) Not possible in combination with mechanically elevating or power elevating leg support adjustment, separate control
29.11) Not possible in conjunction with the combination of max. user weight > 140 kg and power elevating leg support adjustment, simultaneous control
30.1) Possible only in combination with mechanically or power elevating leg support adjustment
31.1) Possible only in combination with chassis size 2
31.2) Possible only in combination with chassis, size 1
31.3) Not possible in conjunction with the combination of maximum user weight > 100 kg and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
32.1) Possible only in combination with AGM 53 Ah (C5) or Gel 39 Ah (C5) batteries
32.2) Not possible in combination with Argentina, Australia, Brazil, Hong Kong, Japan, Canada, Colombia, Mexico, Thailand, the UK or USA as the country of destination
37.1) Possible only in combination with grey tyres
37.2) Not possible in conjunction with the combination of front-wheel drive or rear-wheel drive and black tyres
39.1) Mandatory information in combination with front-wheel drive or mid-wheel drive (derivation)
39.2) Not possible in conjunction with the combination of rear-wheel drive, VAS and SH 43 cm
39.3) Not possible in conjunction with the combination of rear-wheel drive, Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and SH 43 cm
40.1) Possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels
40.2) Possible only in combination with splash guard for caster wheels
41.1) Not possible in combination with ADI aluminium flat top back support
41.2) Not possible in combination with leg support adjustment, with central mounting
41.3) Not possible in combination with curb climbing assist
42.1) Not possible in combination with general accessories therapy tray
42.2) Not possible in combination with rearview mirror
42.3) Possible only in combination with maximum user weight <= 180 kg
43.0) Possible only in combination with external power supply, installation side right
43.1) Mandatory information in combination with external power supply, installation side right
44.0) Possible only in combination with external power supply, installation side left
44.1) Mandatory information in combination with external power supply, installation side left
44.2) Not possible in combination with socket for external power supply, right, 12 V or 24 V
45.1) Not possible in combination with power functions
45.2) Possible only in combination with overall weight <= 260 kg
45.3) Possible only in combination with max. 2 power functions
45.4) Possible only in combination with overall weight <= 320 kg
45.5) Possible only in combination with rear-wheel drive, mid-wheel drive or the combination of front-wheel drive and splash guard for caster wheels
45.6) Not possible in combination with lighting in accordance with Germany Motor Vehicle Safety Standards (StVZO)
45.7) Not possible in combination with modular Recaro seating system and power back support angle adjustment
46.0) Possible only in combination with TEN° control device
46.1) Mandatory information in combination with TEN° control device
47.0) Possible only in combination with TEN° control panel, colour selectable
47.1) Mandatory information in combination with TEN° control panel, colour selectable
48.0) Possible only in combination with control unit, TEN° (120A) or TEN° tray module, electrical flip over
49.0) Possible only in combination with VR2 control device, without power functions and lighting, VR2, max. 2 power functions and lighting, or TEN° (120 A)

49.1) Possible only in combination with VR2 control device
49.2) Mandatory information in combination with VR2 control device, without power functions and lighting, VR2, max. 2 power functions and lighting or TEN° (120 A)
50.0) Possible only in combination with control unit, VR2 or TEN° (120A) or in conjunction with the combination of control unit, TEN° tray module, electrical flip over and mounting material tray for tray module - tray with attachment, tray module centrally mounted or tray with attachment, incl. template or only attachment, incl. template
50.1) Mandatory information in combination with control unit, VR2 or TEN° (120A) or in conjunction with the combination of control unit TEN° tray module, electrical flip over and mounting material tray for tray module - tray with attachment, tray module centrally mounted or tray with attachment, incl. template or only attachment, incl. template
51.1) Not possible in combination with VR2, mid-tray control, manually reversible
51.2) Not possible in combination with control unit, TEN° tray module, electrical flip over
52.1) Not possible in conjunction with the combination of Standard seat and modules for control unit TEN° Input/Output module
52.2) Not possible in conjunction with the combination of Standard seat and modules for control unit TEN° - TEN° LCD module
53.0) Possible only in combination with TEN° LCD module
53.1) Mandatory information in combination with TEN° LCD module
55.0) Possible only in combination with modules for control unit TEN° - TEN° LCD-Modul
55.1) Mandatory information in combination with special controls with TEN° LCD modul button control
57.0) Not possible in combination with modules for control unit, TEN° - TEN° LCD module
58.0) Possible only in combination with special controls with TEN° LCD module – micro-joystick, multi-joystick, all-round joystick light or special controls – micro-joystick, multi-joystick, all-round joystick light, all-round joystick, all-round joystick heavy duty
58.1) Mandatory information in combination with special controls with TEN° LCD module – micro-joystick, multi-joystick, all-round joystick light or special controls – micro-joystick, multi-joystick, all-round joystick light, all-round joystick, all-round joystick heavy duty
58.2) Not possible in combination with special controls – all-round joystick or all-round joystick heavy duty
58.3) Not possible in conjunction with the combination of Standard seat and installation kit for head/neck supports Rock-n-Lock or Rock-n-Lock, flip down
58.4) Not possible in combination with external buttons – 2 piko buttons diameter 50 mm or 2 piko buttons diameter 30 mm
58.5) Not possible in combination with special controls with TEN° LCD module – all-round joystick light or special controls – all-round joystick light, all-round joystick or all-round joystick heavy duty
59.0) Mandatory information in combination with >= 1 power function
59.1) Mandatory information in conjunction with the combination of lighting according to German Motor Vehicle Safety Standards (StVZO) and TEN° control device or TEN° tray module, electrical flip over
60.1) Possible only in combination with input/output module
61.0) Possible only in combination with attendant control
61.1) Mandatory information in combination with attendant control
61.2) Not possible in conjunction with the combination of Standard seat Junior and actuator module for TEN° control device
63.0) Mandatory information in conjunction with the combination of all countries of destination except other countries, Argentina, Australia, Brazil, France, Hong Kong, Japan, Canada, Colombia, Korea, Mexico, Russian Federation, Switzerland, Thailand, the UK or USA and product classification category B (in-/outdoor)
63.1) Not possible in conjunction with the combination of Germany as the country of destination and category B
64.0) Mandatory information in conjunction with the combination of front-wheel drive and VR2 control device or front-wheel drive and TEN° control device
64.2) Not possible in conjunction with the combination of front-wheel drive and VR2 control device
64.3) Not possible in conjunction with the combination of front-wheel drive and speed > 7.2 km/h
64.4) Not possible in combination with Australia, Canada or the USA as the country of destination
64.5) Only possible in combination with Australia, Canada or the USA as the country of destination
64.6) Not possible in combination with rear-wheel drive
65.1) Not possible in combination with TEN° control device (120 A) or TEN° Tray module, electrical flip over
66.1) For Germany as the country of destination, possible only in conjunction with the combination of rear marker plate and lighting in accordance with Germany Motor Vehicle Safety Standards (StVZO)
66.3) Possible only in combination with drive unit high performance
66.4) Cannot be combined with batteries, 39Ah Gel (C5) or AGM 53Ah (C5))
66.5) Not possible in conjunction with the combination of maximum user weight > 100 kg and batteries, Gel 39Ah (C5) or AGM 53Ah (C5)
66.6) Cannot be combined with drive unit high performance
67.0) Possible only in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
67.1) Mandatory information in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
68.0) Not possible in conjunction with Australia as the country of destination
69.0) Possible only in combination with instructions for use (qualified personnel)
69.1) Mandatory information in combination with instructions for use (qualified personnel)
70.0) Possible only in combination with instructions for use (user)
70.1) Mandatory information in combination with instructions for use (user)
71.1) Theoretical overall weight (without special requests) = sum of the chosen characteristic values
71.2) Cannot be combined with theoretical total weight > 380 kg (the evaluated options exceed the permissible total weight of 380 kg)
72.0) Mandatory information with number of buttons for button control = 3, 4
72.1) Possible only in combination with number of buttons for button control = 3, 4
74.0) Mandatory information with number of buttons for button control = 4
74.1) Possible only in combination with number of buttons for button control = 4
75.1) Possible only in combination with battery charger
77.1) Possible only in combination with power back support angle adjustment
77.2) Not possible in combination with > 5 power functions
77.3) Possible only in combination with 45° seat tilt or 35 cm seat height adjustment combined with 45° seat tilt
77.4) Possible only in conjunction with the combination of power back support angle adjustment and 45° seat tilt or power back support angle adjustment and 35 cm seat height adjustment combined with 45° seat tilt
77.5) Not possible in combination with > 4 power functions
77.6) Not possible in combination with mechanical track stabiliser incl. ASM
79.1) Not possible in conjunction with the combination of Standard seat Small and SW 38 cm or SW 40 cm
79.2) Not possible in conjunction with the combination of Standard seat Large and SW 44 cm or SW 46 cm
79.3) Not possible in conjunction with the combination of Standard seat XL and SW 50 cm or SW 52 cm
80.0) Possible only in combination with control unit, TEN° tray module, electrical flip over
80.1) Mandatory information in combination with control unit, TEN° tray module, electrical flip over
82.0) Not possible in conjunction with France as the country of destination
82.1) Mandatory information in conjunction with the combination of maximum user weight > 160 kg and electric seat adjustment seat tilt 45° or seat height adjustment up to 35 cm with seat tilt 45° except with France as the country of destination