2022/23

ottobock.

Juvo B6 Power Wheelchair

EA004 - 490E75=0_AS03_C ☐
EA005 - 490E75=0_AS03_C ☐
EA006 - 490E75=0_AS06_C ☐

Max. load: 160 kg (standard equipment)







Base Price -

EA004 - FWD - £6305.00
EA005 - RWD - £5890.00
EA006 - MWD - £7206.00

Valid 01.04.22 to 31.03.23
Please ensure you are using the latest order form

☐ Provide estimate only	☐ Order
☐ Attachment for custom fabrication enclosed	
Billing address/customer number	
Delivery address	
Sales person	Name ..... Date Signature

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products, and you confirm to have read, understood and accepted our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Standard equipment

- .....
- .....
- .....

Additional options installed on the power wheelchair can reduce the maximum load.
Please observe the maximum gross weight on the nameplate.
The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.
Please use the spare parts catalogue for spare parts orders.

Technical modifications and printing errors reserved


© Ottobock 490E75=0_C_647566=EN_MASTER-12-2110 - January 2022 - v1

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefield Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Email bockuk@ottobock.com - Web www.ottobock.com/en-uk

Basic data (voluntary information)

Gender _____ Indication _____

Age _____ Paying party _____



Mandatory information*

User height in cm _____

User weight in kg _____

1 Seat depth _____

2 Trunk depth _____

3 Arm support height _____

4 Armpit height _____

5 Shoulder height _____

6 Head height _____

7 Forearm length to the middle of the palm _____

8 Trunk width _____

9 Lower leg length _____

10 Seat width _____

* This information will help to support user-oriented settings. Ottobock guarantees the confidential and purely internal use of these data.

Product classification			
EA002	☐	Category B (in/outdoor) (electric lighting mandatory in Europe)	Inclusive

Drive type			
EA004	☐	Front-wheel drive (FWD)	£6305.00
EA005	☐	Rear-wheel drive (RWD)	£5890.00
EA006	☐	Mid-wheel drive (MWD) exclusions see 2.1)	£7206.00

Max. user weight (user + personal luggage, information required to adapt chassis suspension)			
	☐	70 kg	
	☐	75 - 100 kg	Inclusive
	☐	100 - 140 kg	Inclusive
	☐	140 - 160 kg	Inclusive

Chassis size			
EA008	☐	Size 2 (overall width approx. 64 cm; max.user weight 160 kg/200 kg)	Inclusive

Seating systems			
EC001	☐	Standard seat Junior (max. user weight 75 kg) (SD 34...40 cm, SW 34...40 cm, BH 47 cm to 37 cm, adjustable in 5 cm increments) exclusions see 5.2)	£128.00
EC002	☐	Standard seat Small (SD 38...46 cm, SW 38...42 cm, BH 55 cm to 45 cm, adjustable in 5 cm increments) exclusions see 4.1)	Inclusive
EC003	☐	Standard seat Large (SD 42...50 cm, SW 44...48 cm, BH 55 cm to 45 cm, adjustable in 5 cm increments) exclusions see 5.1)	Inclusive
EC004	☐	Standard seat XL (SD 42...50 cm, SW 50...56 cm, BH 55 cm to 45 cm, adjustable in 5 cm increments) exclusions see 5.1)	£165.00
EC005	☐	VAS (Vario Adjust Seat) (SD 38…58 cm, SW 38…54 cm, BH 55 cm, 53 cm, 51 cm, 45 cm)	£380.00
EC006	☐	Recaro n-Joy* (manually adjustable back support, cushion thickness approx. 16.5 cm) exclusions see 5.1)	£1537.00
EC007	☐	Recaro n-Joy-Plus* (adaptable on site, manually adjustable back support, SD 38 ... 56 cm, cushion thickness approx. 16.5 cm) exclusions see 5.1)	£3659.00

ottobock.

Back support for modular Recaro seating system exclusions see 6.0) and 6.1)			
ED030	☐	LX (manually adjustable)	£1301.00
ED031	☐	LT (adaptable lateral supports, manually adjustable)	£1352.00

Seat bottom for modular Recaro back support system exclusions see 6.0) and 6.1)			
EC008	☐	F (flat padded, seat bottom sewn to lateral guides, cushion thickness approx. 14 cm)	£837.00
EC009	☐	X (contoured lateral guides with seat extension, cushion thickness approx. 16.5 cm)	£984.00
EC010	☐	W (flat padded, with seat extension, cushion thickness approx. 14.5 cm)	£843.00
* All Recaro seats are equipped with a head support.			

Settings for Standard seat Junior exclusions see 8.0) to 8.12) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 34	☐ 36	☐ 38	☐ 40	
Seat width SW in cm	☐ 34	☐ 36	☐ 38	☐ 40	
Back support height BH 47 cm (adjustable to 42 cm or 37 cm)					

Settings for Standard seat Small exclusions see 8.0) to 8.12) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 38	☐ 40	☐ 42	☐ 44	☐ 46
Seat width SW in cm	☐ 38	☐ 40	☐ 42		
Back support height BH 55 cm (adjustable to 50 cm or 45 cm)					

Settings for Standard seat Large exclusions see 8.0) to 8.16) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 42	☐ 44	☐ 46	☐ 48	☐ 50
Seat width SW in cm	☐ 44	☐ 46	☐ 48		
Back support height BH 55 cm (adjustable to 50 cm or 45 cm)					

Settings for Standard seat XL exclusions see 8.0) to 8.16) and 9.0) to 9.2)					
Seat depth SD in cm	☐ 42	☐ 44	☐ 46	☐ 48	☐ 50
Seat width SW in cm	☐ 50	☐ 52	☐ 54	☐ 56	
Back support height BH 55 cm (adjustable to 50 cm or 45 cm)					

Settings for VAS exclusions see 8.0) to 8.2) and 9.0) to 9.2)						
Seat depth SD in cm	☐ 38	☐ 40	☐ 42	☐ 44	☐ 46	☐ 48
		☐ 50	☐ 52	☐ 54	☐ 56	☐ 58
Seat width SW in cm	☐ 38	☐ 40	☐ 42	☐ 44	☐ 46	☐ 48
		☐ 50	☐ 52	☐ 54		
Back support height BH 55 cm (adjustable to 53 cm, 51 cm or 45 cm)						

Overview to seating systems, seat depths and seat widths

Seat depth

Seat	Seat depth SD [cm]												
	34	36	38	40	42	44	46	48	50	52	54	56	58
Standard seat Junior	☐	☐	☐	☐									
Standard seat Small			☐	☐	☐	☐	☐						
Standard seat Large					☐	☐	☐	☐	☐				
Standard seat XL					☐	☐	☐	☐	☐				
VAS			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Recaro n-Joy Plus			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

Seat width

Seat	Seat width SW [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
Standard seat Junior	☐	☐	☐	☐								
Standard seat Small			☐	☐	☐							
Standard seat Large						☐	☐	☐				
Standard seat XL									☐	☐	☐	☐
VAS			☐	☐	☐	☐	☐	☐	☐	☐	☐	

Lower leg length LL	..... cm (15 ... 54 cm) (without seat cushion; > 50 cm not possible in combination with Recaro) exclusions see 5.1) 8.12) 10.1) 10.2) 19.1) 19.3)

Seat cushion (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9.0) 9.1)			
EC011	☐	Without cushion	Inclusive
EC012	☐	Seat cushion, black cover (seat cushion thickness 5 cm)	Inclusive
EC013	☐	Seat cushion with incontinence cover (seat cushion thickness 5 cm)	£86.00
EC034	☐	Seat cushion Livo (max. user weight up to 125 kg; seat cushion thickness 5 cm) exclusions see 11.4) 11.6)	£71.00
EC035	☐	Seat cushion Evoflair (max. user weightup to 200 kg; seat cushion thickness 8 cm) exclusions see 11.7)	£256.00
EC014	☐	Terra seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2)	£174.00
EC015	☐	Terra Aquos seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.2)	£197.00
EC016	☐	Terra Flair seat cushion (up to 150 kg; seat cushion thickness 6 cm) exclusions see 11.1) 11.3)	£395.00
EC018	☐	Cloud seat cushion (seat cushion thickness 11 cm) exclusions see 11.5)	£483.00
EC020	☐	Contour, flat contoured (seat cushion thickness 7 cm) exclusions see 11.8) 11.10) to 11.12)	£213.00
EC021	☐	Contour, deep contoured (seat cushion thickness 9 cm) exclusions see 11.8) 11.10) to 11.12)	£213.00
Please refer to our seat cushion brochure for information on additional seat cushions.			

Cover for seat cushion, contoured (possible only in combination with flat or deep contoured seat cushion, mandatory information) exclusions see 12.0) 12.1)			
EC022	☐	Fabric cover	Inclusive
EC023	☐	Synthetic leather cover	£260.00
EC024	☐	Fabric cover with incontinence cover	£283.00

Back support version/with contour (possible only in combination with Standard seat or VAS, mandatory information) exclusions see 9.1)			
ED032	☐	Without back support upholstery exclusions see 9.0)	Inclusive
ED033	☐	Back support upholstery, adaptable exclusions see 9.0)	Inclusive
ED034	☐	Contour back support pad, flat contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8)	£304.00
ED035	☐	Contour back support pad, deep contoured (seat depth reduction by approx. 2 cm) exclusions see 9.0) 11.8)	£304.00
ED050	☐	Contour back support pad, flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2)	£355.00
ED051	☐	Contour back support pad, deep contoured AD (adaptable, seat depth reduction by approx. 2 cm) exclusions see 13.2)	£355.00
ED036	☐	Baxx aluminium flat top back support (max. load 113 kg, without shoulder recess, installation accessories 2-point-PRO, long, seat depth reduction by approx. 2 cm, not for Standard seat) exclusions see 13.1) 13.2) 13.3)	£588.00

Cover for back support pad, contoured (possible only in combination with flat or deep contoured back support pad, mandatory information) exclusions see 14.0) 14.1)			
ED037	☐	Fabric cover	Inclusive
ED038	☐	Synthetic leather cover	£42.00

Accessories for back support pad, contoured (possible only in combination with flat or deep contoured back support pad, mandatory information) exclusions see 14.0) 14.1)			
ED039	☐	Side panels (possible only in combination with deep contoured back support pad) exclusions see 15.1)	£80.00
ED040	☐	Lumbar support	£60.00

Back support height for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)			
ED041	☐	High (18"/46 cm)	Inclusive
ED042	☐	Extra high (20"/51 cm)	Inclusive

Back support contour for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)			
ED043	☐	Active (2.5"/6 cm)	Inclusive
ED044	☐	Deep (4"/10 cm)	£24.00
ED045	☐	Extra deep (6"/15 cm)	£47.00

Colour for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) exclusions see 16.0) 16.1)			
ED002	☐	Anthrazit metallic	Inclusive
ED003	☐	Jet black RAL 9005	Inclusive
ED004	☐	Ice blue	Inclusive
ED005	☐	Sparkle light orange	Inclusive
ED009	☐	Vinho sparkle	Inclusive
ED012	☐	Sky blue	Inclusive
ED013	☐	Jet black RAL 9005 matte	Inclusive
ED014	☐	Candy red	Inclusive
ED016	☐	Silver metallic	Inclusive
ED017	☐	Yellow RAL 1023	Inclusive
ED018	☐	Signal red RAL 3001	Inclusive
ED021	☐	Sparkle granny-smith	Inclusive
ED022	☐	Creame RAL 9001	Inclusive
ED023	☐	White RAL 9016	Inclusive
ED027	☐	Shimano matte	Inclusive
ED029	☐	Pink RAL 4010	Inclusive

Seat inclination (pre-tilt)		
	☐	-3° (not possible in combination with Recaro n-Joy, n-Joy-Plus, modular seating system; front-wheel drive; mid-wheel drive; combination of rear-wheel drive and VAS) exclusions see 10.1) 19.1) 19.2) 19.3)
	☐	0°
	☐	3° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 10.1)
	☐	6° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 5.1) 10.1)
	☐	9° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) exclusions see 5.1) 10.1)

Seat height (at 0° seat tilt, without seat cushion, suspension fully extended/without user) SH >= LL + 3 cm
Recaro seat/system: additional approx. 13 cm for padding, recommended max. SH 49 cm

FWD, RWD, MWD Sizes 1 & 2	cm	41	43	45	47	49	51	53	55	57
	Inch	16.5	17.5	18	18.5	19.5	20.5	21	22	23
Notices and exclusions		21.0) bis 21.6) 21.9) 21.10)	21.0) 21.5) bis 21.7) 21.9) 21.10) 21.14) bis 21.17)	21.0) 21.5) 21.6) 21.15) bis 21.17)	21.0) 21.15) 21.17)	8.12) 21.0) 21.6) 21.15)	8.12) 10.2) 21.0) 21.6)	5.1) 19.1) 21.0) 21.6) 21.12)	5.1) 19.1) 21.0) 21.6) 21.11) bis 21.13)	10.1) 19.1) 19.3) 21.0) 21.6) 21.8) 21.12) 21.13)
Standard seat		☐	☐	☐	☐	☐	☐	☐	☐	
Vario Adjust Seat (VAS)			☐	☐	☐	☐	☐	☐	☐	☐
Recaro (n-Joy, n-Joy Plus and seat modules) + approx. 13 - 16 cm seat cushion thickness			☐	☐	☐	☐				
Standard seat; tilt 45°					☐	☐	☐	☐	☐	☐
Vario Adjust seat (VAS); tilt 45°					☐	☐	☐	☐	☐	☐
Recaro (all); tilt 45°					☐	☐				
Standard seat; tilt 45° & seat height adjustment					☐					
Vario Adjust seat (VAS); tilt 45° & seat height adjustment					☐					
Recaro (all); tilt 45° & seat height adjustment					☐					

Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm lower.

Power seat adjustment (possible only in combination with 0° seat inclination)			
EC025	☐	Power seat tilt 45° with centre of gravity shifting exclusions see 20.0) 20.11) to 20.13) 20.24) 20.29) 20.30)	£729.00
EC026	☐	Power seat height adjustment 35 cm exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3)	£2012.00
EC027	☐	Power seat height adjustment 35 cm with 45° seat tilt with centre of gravity shifting exclusions see 20.0) 20.10) bis 20.14) 20.25) 20.29) 20.30) 42.3)	£2351.00
EC033	☐	Without exclusions see 20.15) to 20.23) 20.26) bis 20.28) 20.31) 20.32)	Inclusive

Back support angle adjustment (mandatory information in combination with Standard seat or VAS) exclusions see 9.1)			
ED046	☐	Mechanical in increments (Standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with Standard seat or VAS) exclusions see 9.0)	Inclusive
ED047	☐	Power (Standard seat 30°; VAS -5° to 30°) exclusions see 22.1)	£621.00

Mounting kit for head/neck supports (not possible in combination with Recaro seat and seating system) exclusions see 10.1)			
EL001	☐	Gooseneck	£114.00
EL002	☐	Multi-axis, offset	£106.00
EL003	☐	Multi-axis, straight	£156.00
EL031	☐	UniLink holder for head support, multi-axis (suitable only for Advanced line head supports; not possible in combination with EL006, EL007, EL013 to EL016)	£212.00

UniLink accessories (may be used to compensate the distance at kyphotic head posture) exclusions see 83.0)			
EL039	☐	UniLink extension, 38 mm	£73.00
EL038	☐	UniLink extension, 50 mm	£54.00
EL040	☐	UniLink extension, 75 mm	£73.00

Head/neck supports (possible only in comb. with mounting kit for head/neck supports, mandatory information) exclusions see 24.0) 24.1)			
Care line			
EL006	☐	Head support, small exclusions see 24.2)	£80.00
EL007	☐	Head support, large exclusions see 24.2)	£80.00
EL013	☐	Head/neck support, small exclusions see 24.2)	£76.00
EL014	☐	Head/neck support, large exclusions see 24.2)	£76.00
EL015	☐	Head/neck support, X-shape, small exclusions see 24.2)	£91.00
EL016	☐	Head/neck support, X-shape, large exclusions see 24.2)	£91.00
Advanced line			
EL033	☐	Comfort Plus, size S	£141.00
EL034	☐	Comfort Plus, size M	£164.00
EL035	☐	Comfort Plus, size L	£164.00
EL036	☐	Combo (3-pad), size S	£282.00
EL037	☐	Combo (3-pad), size L	£293.00

Belts (mandatory information in combination with category B) exclusions see 25.0)			
EP001	☐	Standard lap belt	Inclusive
EP002	☐	2-point lap belt, padded, metal buckle (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	£136.00
EP003	☐	2-point lap belt, padded, plastic buckle (not possible in combination with Recaro seat and seating system) exclusions see 10.1)	£123.00
EP020	☐	2-point lap belt with metal buckle and rewinder (buckle on side of joystick) exclusion see 10.1) 11.8) 25.2)	£206.00

Chest/shoulder harnesses (not possible in combination with Recaro) exclusions see 10.1)			
EP005	☐	Dynamic harness, size S	£174.00
EP006	☐	Dynamic harness, size M	£174.00
EP007	☐	Dynamic harness, size L	£174.00
EP008	☐	Sternum harness, size S	£167.00
EP009	☐	Sternum harness, size M	£167.00
EP010	☐	Sternum harness, size L	£167.00
EP011	☐	Slimline sternum harness, size S	£162.00
EP012	☐	Slimline sternum harness, size M	£162.00
EP013	☐	Slimline sternum harness, size L	£162.00
EP014	☐	Shoulder harness, size S	£180.00
EP015	☐	Shoulder harness, size M	£180.00
EP016	☐	Shoulder harness, size L	£180.00

VAS accessories (possible only in combination with VAS)			
ED048	☐	Push handles	£60.00

Arm supports			
EE023	☐	Standard	Inclusive
EE024	☐	Flip-up (effective seat width (+/- 1 cm per side) on Standard seat Small, SW 42 cm; Standard seat Large, SW 48 cm; Standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with Standard seat Junior and Recaro) exclusions see 10.1) 11.6) 11.8) 79.1) to 79.3)	£229.00
Padding for arm support and clothing guard can be ordered from the spare parts catalogue.			

Leg support version			
EB001	☐	Standard (LL is required, exclusions see 20.29) 28.1)	Inclusive
EB002	☐	Mechanically elevating with length adjustment (max. load 140 kg; with length adjustment, not available for LL < 21 cm; LL is required) exclusions see 4.1) 28.1) to 28.5) 28.45)	£540.00
EB003	☐	Power elevating with length adjustment and separate control (max. load 140 kg; not available for LL < 21 cm; LL is required) exclusions see 4.1) 28.1) to 28.7)	£1101.00
EB004	☐	Power elevating with length adjustment and simultaneous control (not available for LL < 21 cm; LL is required) exclusions see 28.1) to 28.7)	£1101.00
EB013	☐	Centrally mounted leg support (LL is required) exclusions see tables from page 22 📷; 28.1) 28.9) to 28.44) 28.46) to 28.48)	£782.00
EB005	☐	Without leg support (not possible in combination with selected lower leg length) exclusions see 28.8)	Inclusive

Foot plate version 📷 exclusions see 29.0) 29.1)			
EB007	☐	Individual, aluminium foot plate exclusions see 5.1) 29.11)	£229.00
EB009	☐	Single-panel, aluminium foot plate exclusions see 29.10)	£170.00

Leg support accessories			
EB010	☐	Lateral leg pad for power and mechanical elevating leg supports (pair) (possible only in combination with mechanically or power elevating leg support adjustment) exclusions see 30.1)	£198.00

Batteries			
EU035	☐	Gel 39 Ah (C5) / 50 Ah (C20) exclusions see 31.2) 31.3)	Inclusive
EU036	☐	AGM 53 Ah (C5) / 60,4 Ah (C20) exclusions see 5.1) 31.3)	Inclusive
EU032	☐	Gel 63 Ah (C5) / 74 Ah (C20) (possible only in combination with chassis size 2) exclusions see 31.1)	£551.00
EU038	☐	Gel 63 Ah (C5) / 74 Ah (C20) Basic (possible only in combination with chassis size 2) exclusions see 31.1)	£307.00
EU034	☐	AGM 75 Ah (C5) / 85 Ah (C20) (Ø 250 charge cycles) possible only in combination with chassis size 2) exclusions see 31.1)	£650.00

Battery charger 📷			
EU041	☐	Battery charger 8 A, without fan (only for batteries with 39 Ah (C5)) exclusions see 32.1) 32.3)	Inclusive
EU042	☐	Battery charger 12 A, incl. external charging receptacle (magnetic, installation side right) exclusions see 32.3)	Inclusive

Additional charging receptacle 📷			
EU043	☐	External charging receptacle (magnetic, installation side right; only for battery charger EU040; recommended with existing 12A battery charger) exclusions see 75.1)	£173.00

Caster wheel swing arm 📷			
EF001	☐	Suspension	£136.00
EF002	☐	No suspension exclusions see 5.1) 19.3)	Inclusive

Caster wheels			
EF003	☐	6" PU Komfort (only for MWD) exclusions see 19.1) 64.6)	Inclusive
EF009	☐	6" PU Performance (only for MWD, harder rubber mixture)	£39.00
EF005	☐	9" pneumatic, puncture-resistant exclusions see 19.3)	Inclusive
EF006	☐	9" puncture-proof exclusions see 19.3)	Inclusive
EF007	☐	10" pneumatic, puncture-resistant exclusions see 19.3)	Inclusive
EF008	☐	10" puncture-proof exclusions see 19.3)	Inclusive

Drive wheels			
EG001	☐	14" pneumatic, puncture-resistant	Inclusive
EG002	☐	14" puncture-proof	Inclusive

Tyre colour			
EG011	☐	Grey	Inclusive
EG012	☐	Black	Inclusive

Tread			
EG013	☐	Ribs (only with tyre colour grey) exclusions see 37.1)	Inclusive
EG014	☐	Lugs exclusions see 19.3)	Inclusive
EG015	☐	Caster wheels with ribs, drive wheels with lugs exclusions see 37.2)	Inclusive

Wheelchair colour			
002	☐	Anthrazit metallic	Inclusive
003	☐	Jet black RAL 9005	Inclusive
004	☐	Ice blue	Inclusive
005	☐	Sparkle light orange	Inclusive
009	☐	Vinho sparkle	Inclusive
012	☐	Sky blue	Inclusive
013	☐	Jet black RAL 9005 matte	Inclusive
014	☐	Candy red	Inclusive
016	☐	Silver metallic	Inclusive
017	☐	Yellow RAL 1023	Inclusive
018	☐	Signal red RAL 3001	Inclusive
021	☐	Sparkle granny-smith	Inclusive
022	☐	Cream RAL 9001	Inclusive
023	☐	White RAL 9016	Inclusive
027	☐	Shimano matte	Inclusive
037	☐	Pink RAL 4010	Inclusive

Chassis accessories			
EA010	☐	Splash guard for drive wheels (included on FWD; not possible in conjunction with the combination of RWD, VAS and SH 43 cm) exclusions see 39.1) to 39.3)	£85.00
EA011	☐	Splash guard for caster wheels	£33.00

Caster wheel swivel lock			
EF020	☐	Mechanical (possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels) exclusions see 19.3) 40.1)	£399.00

Chassis safety accessories			
EF021	☐	Curb climbing assist (for RWD only) exclusions see 19.1) 19.3) 41.2)	£322.00
ES002	☐	Kit for vehicle transport (not in combination with Baxx ED036; max. load 140 kg) exclusions see 4.1) 41.1)	Inclusive
ES013	☐	Dahl docking system installation kit exclusions see 4.1) 41.1) 41.3)	£105.00

General accessories			
ES003	☐	Pocket for mobile phone	£49.00
ES004	☐	Luggage carrier exclusions see 5.1)	£226.00
ES005	☐	Crutch holders	£114.00
ES006	☐	Rearview mirror (installation side across from control panel side or swivel mechanism for mid-tray control or TEN° tray module) exclusions see 42.1)	£170.00
ES007	☐	Tool kit	£58.00
ES010	☐	Beverage holder	£25.00
ES011	☐	Airman pump	£241.00
ET001	☐	External horn	£468.00
ES012	☐	Tray (swivel mechanism across from control panel side; not possible in combination with rearview mirror) exclusions see 42.2) 42.3)	£399.00
ES023	☐	Backpack hook exclusion see 10.1)	£73.00

Socket for external power supply, right (front right next to safety switch, mandatory information) exclusions see 43.0) 43.1)			
ET002	☐	12 V	£300.00
ET003	☐	24 V	£120.00
ET004	☐	USB	£135.00

Socket for external power supply, left (front left next to safety switch, mandatory information) exclusions see 44.0) 44.1)			
ET005	☐	12 V (not possible in combination with socket for external power supply, right, 12 V or 24 V) exclusions see 44.2)	£300.00
ET006	☐	24 V (not possible in combination with socket for external power supply, right, 12 V or 24 V) exclusions see 44.2)	£120.00
ET007	☐	USB	£135.00

Lighting exclusions see 63.0)			
ES021	☐	Electric lighting according to German Motor Vehicle Safety Standards (StVZO)	£642.00

Control device			
EU050	☐	VR2 (90 A), without power functions and lighting (not recommended for >120 kg user weight) exclusions see 45.1) 45.4) to 45.6)	Inclusive
EU051	☐	VR2 (90 A), max. 2 power functions and lighting possible (not recommended for >120 kg user weight) exclusions see 45.3) to 45.5) 45.7)	Inclusive
EU061	☐	VR2 (90 A) power module with tray module, manual flip over (max. 2 power funktions and lighting are possible) exclusions see 42.1) 45.3) to 45.5) 45.7)	£1327.00
EU053	☐	R-net/TEN° (120 A) (mandatory for 14 km/h, recommended for >150 kg user weight)	£984.00

Input for R-net/TEN° power module exclusions see 46.0)			
EU065	☐	TEN° hand module, standard colour Shimano matte	Inclusive
EU066	☐	TEN° hand module, colour selectable	£967.00
EU063	☐	TEN° (120 A), tray module, electrical flip over (incl. 1 Piko-Button for rotation) exclusions see 42.1) 42.3) Note: The supplied horn can be perceived as too quiet; Ottobock recommends the use of an external horn, if no TEN° Display module is used.	£2184.00

Colour for TEN° hand module (possible only in combination with control panel TEN°, mandatory information) exclusions see 47.0) 47.1)			
EU002	☐	Anthrazit metallic	Inclusive
EU003	☐	Jet black RAL 9005	Inclusive
EU004	☐	Ice blue	Inclusive
EU005	☐	Sparkle light orange	Inclusive
EU009	☐	Vinho sparkle	Inclusive
EU012	☐	Sky blue	Inclusive

EU013	☐	Jet black RAL 9005 matte	Inclusive
EU014	☐	Candy red	Inclusive
EU016	☐	Silver metallic	Inclusive
EU017	☐	Yellow RAL 1023	Inclusive
EU018	☐	Signal red RAL 3001	Inclusive
EU021	☐	Sparkle granny-smith	Inclusive
EU022	☐	Cream RAL 9001	Inclusive
EU023	☐	White RAL 9016	Inclusive
EU029	☐	Pink RAL 4010	Inclusive

Joystick for TEN° tray module exclusions see 80.0) 80.1)			
EU116	☐	Required force 250 g	Inclusive
EU117	☐	Required force 120 g	Inclusive

External buttons (connection on TEN° control panel or tray module; possible only in combination with TEN° control device, electrical flip-over) exclusions see 48.0)			
EU067	☐	2 Piko buttons, diameter 50 mm (red/black)	£356.00
EU068	☐	2 Piko buttons, diameter 30 mm (red/black)	£356.00
EU097	☐	Button module (for power seat functions, installation opposite control panel side)	£1268.00
EU098	☐	Button module (for power seat functions) incl. 1 Piko button diameter 30 mm (for installation on TEN° control panel, Piko button red for on/off)	£1447.00
EU099	☐	Button module (for power seat functions) incl. 1 Piko button diameter 50 mm (for installation on TEN° control panel, Piko button red for on/off)	£1447.00

Holder for hand module exclusions see 49.0) 49.2)			
EU070	☐	Control panel holder, standard (possible only in combination with VR2) exclusions see 49.3)	Inclusive
EU071	☐	Control panel holder, swing-away in parallel, height-adjustable	£113.00
EU072	☐	Control panel holder, swing-away in parallel, 9.5 cm height-adjustable	£136.00

Mounting material tray for TEN° tray module exclusions see 80.0) 80.1)			
ES014	☐	Tray with attachment, TEN° tray module centrally mounted	£890.00
ES015	☐	Tray (without cut-out) with attachment, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£631.00
ES016	☐	Attachment only, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£476.00
ES017	☐	Cutting template for TEN° tray module (for individual placement by the dealer)	£86.00

Mounting side for holder for hand module or tray (for VR2, for mid-tray control (MTC) or TEN° tray module; mandatory information) exclusions see 50.0) 50.1)		
	☐	Right
	☐	Left

Joystick top			
EU080	☐	Fork for tetraplegics, horizontal (adjustable for hand width 70 - 90 mm) exclusions see 51.1) 51.2)	£113.00
EU081	☐	Stick S80 (special joystick handle 80 mm) exclusions see 51.1) 51.2)	£100.00
EU082	☐	Soft ball, black cover exclusions see 51.1) 51.2)	£170.00
EU083	☐	Ball top, small (diameter 43 mm) exclusions see 51.1) 51.2)	£114.00
EU084	☐	Ball top, large (diameter 48 mm) exclusions see 51.1) 51.2)	£105.00
EU085	☐	Soft ball, coloured (diameter 30 mm, 4 pieces) exclusions see 51.1)	£206.00

Module for control device R-net/TEN° (possible only in combination with TEN° control device) exclusions see 46.0) 52.0)			
EU054	☐	TEN° LCD module (when using 1-switch scan drive, programming by service required; please order button separately; adapter switch box not required) exclusions see 52.0) 52.1)	£1622.00
EU055	☐	Input/output module (required e.g. for Easywave radio control) exclusions see 52.2) 52.3)	£834.00

Holder for TEN° LCD module (possible only in combination with TEN° LCD module, mandatory information) exclusions see 53.0) 53.1)			
EU073	☐	Standard (installation across from control panel side; not possible in combination with tray) exclusions see 42.1) 51.2)	£83.00
EU074	☐	With gooseneck (installation across from control panel side; not possible in combination with tray) exclusions see 42.1) 51.2)	£256.00
EU075	☐	With gooseneck for tray (included)	£192.00

Special controls for TEN° LCD module (possible only in combination with TEN° LCD module) exclusions see 52.0) 53.0)			
EU100	☐	mo-Vis micro-joystick (actuating force 10 g)	£3775.00
EU101	☐	mo-Vis multi-joystick (actuating force 50 g)	£3448.00
EU102	☐	mo-Vis all-round joystick light (actuating force 120 g)	£2857.00
EU128	☐	mo-Vis All-round Joystick (actuating force 250 g)	£1819.00
EU129	☐	mo-Vis All-round Heavy Duty Joystick (actuating force 650 g)	£3508.00
EU103	☐	Sip and puff control (possible only in combination with Recaro seat and seating system) exclusions see 25.1)	£1134.00
EU104	☐	Button control (3 or 4 button switch control application, on-/off and mode included (at TEN° LCD module))	£668.00

Number of buttons for button control (possible only in comb. with button control, mandatory information) exclusions see 55.0) 55.1)		
	☐	3 buttons
	☐	4 buttons

Button 1 for button control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of buttons for button control = 3, 4) exclusions see 72.0) 72.1)			
EU086	☐	Piko button, diameter 50 mm, red	£170.00
EU087	☐	Piko button, diameter 50 mm, yellow	£170.00
EU088	☐	Piko button, diameter 50 mm, black	£170.00
EU089	☐	Piko button, diameter 50 mm, silver	£170.00
EU090	☐	Piko button, diameter 30 mm, red	£170.00
EU091	☐	Piko button, diameter 30 mm, yellow	£170.00
EU092	☐	Piko button, diameter 30 mm, black	£170.00
EU093	☐	Piko button, diameter 30 mm, silver	£170.00

Button 2 for button control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of buttons for button control = 3, 4) exclusions see 72.0) 72.1)			
EU186	☐	Piko button, diameter 50 mm, red	£170.00
EU187	☐	Piko button, diameter 50 mm, yellow	£170.00
EU188	☐	Piko button, diameter 50 mm, black	£170.00
EU189	☐	Piko button, diameter 50 mm, silver	£170.00
EU190	☐	Piko button, diameter 30 mm, red	£170.00
EU191	☐	Piko button, diameter 30 mm, yellow	£170.00
EU192	☐	Piko button, diameter 30 mm, black	£170.00
EU193	☐	Piko button, diameter 30 mm, silver	£170.00

Button 3 for button control (mandatory information with number of buttons for button control = 3, 4; only in combination with number of buttons for button control = 3, 4) exclusions see 72.0) 72.1)			
EU286	☐	Piko button, diameter 50 mm, red	£170.00
EU287	☐	Piko button, diameter 50 mm, yellow	£170.00
EU288	☐	Piko button, diameter 50 mm, black	£170.00
EU289	☐	Piko button, diameter 50 mm, silver	£170.00
EU290	☐	Piko button, diameter 30 mm, red	£170.00
EU291	☐	Piko button, diameter 30 mm, yellow	£170.00
EU292	☐	Piko button, diameter 30 mm, black	£170.00
EU293	☐	Piko button, diameter 30 mm, silver	£170.00

Button 4 for button control (mandatory information with number of buttons for button control = 4; only in combination with number of buttons for button control = 4) exclusions see 74.0) 74.1)			
EU386	☐	Piko button, diameter 50 mm, red	£170.00
EU387	☐	Piko button, diameter 50 mm, yellow	£170.00
EU388	☐	Piko button, diameter 50 mm, black	£170.00
EU389	☐	Piko button, diameter 50 mm, silver	£170.00
EU390	☐	Piko button, diameter 30 mm, red	£170.00
EU391	☐	Piko button, diameter 30 mm, yellow	£170.00
EU392	☐	Piko button, diameter 30 mm, black	£170.00
EU393	☐	Piko button, diameter 30 mm, silver	£170.00

Special controls without TEN° LCD module (direct connection to bus system; possible only in combination with TEN° control device; not possible in combination with TEN° LCD module) exclusions see 46.0) 57.0)			
EU105	☐	mo-Vis micro-joystick (actuating force 10 g)	£3915.00
EU106	☐	mo-Vis multi-joystick (actuating force 50 g)	£3687.00
EU107	☐	mo-Vis all-round joystick light (actuating force 120 g)	£3087.00
EU108	☐	mo-Vis all-round joystick (actuating force 250 g)	£2154.00
EU109	☐	mo-Vis all-round heavy duty joystick (actuating force 650 g)	£3853.00

Holder for mo-Vis joystick exclusions see 58.0) 58.1)			
EU076	☐	Power swivel arm, installation side left on the back support (to hold joysticks, sip & puff and button controls) exclusions see 42.3) 58.2) 58.4) 58.7)	£2506.00
EU077	☐	Power swivel arm, installation side right on the back support (to hold joysticks, sip & puff and button controls) exclusions see 42.3) 58.2) 58.4) 58.7)	£2506.00
EU078	☐	Holder for tray (must be installed by the customer) exclusions see 42.3)	£553.00
EU110	☐	Holder for arm support incl. 1 finger button (for on/off, installation on control panel side) exclusions see 58.6)	£279.00
EU111	☐	Holder for arm support incl. 2 finger buttons (for on/off and mode, installation on control panel side) exclusions see 58.5)	£436.00
EU112	☐	Holder for arm support incl. 1 piko button (diameter 30 mm red for on/off, installation on control panel side) exclusions see 58.6)	£303.00
EU113	☐	Holder for arm support incl. 2 piko buttons (diameter 30 mm red/black for on/off and mode, installation on control panel side) exclusions see 58.5)	£483.00
EU118	☐	Without attachment incl. 2 Piko-Buttons (diameter 30 mm red/black for on/off and mode)	£423.00

Actuator module for R-net/TEN° control device exclusions see 46.0) 59.0) 59.1)			
EU056	☐	Actuator module (required for lighting and/or power seat functions on TEN° (120 A))	Inclusive

Control device accessories			
EU057	☐	Attendant control exclusions see 60.2)	£706.00
EU094	☐	Easywave radio module (possible only in combination with input/output module) exclusions see 60.1)	£321.00

Attendant control installation side (possible only in combination with attendant control; mandatory information) exclusions see 61.0) 61.1)			
	☐	Right exclusions see 61.2)	
	☐	Left	

Track stabiliser (mandatory information in conjunction with the combination of front-wheel drive and VR2 control device or front-wheel drive and TEN° control device) exclusions see 64.0)			
EF022	☐	Mechanical (not possible in comb. with drive type MWD; possible only in comb. with chassis acc. splash guard for caster wheels; not possible in comb. of drive type FWD and speed > 7,2 km/h) exclusions see 19.3) 40.2) 64.3)	Inclusive
EF023	☐	Power (gyro-module, included for FWD 10 km/h; not in combination with FWD and VR2; depending on terrain, the specified driving distance range can be reduced when using a gyro) exclusions see 2.1) 46.0)	£557.00
EF024	☐	Mechanical incl. ASM (stability control; only in combination with TEN°, only for Australia, Canada or USA, not for RWD) exclusions see 19.3) 46.0) 64.5) 64.6)	£397.00

Memory module for power seat functions (possible only in combination with TEN° (120A) control device or TEN° tray module, electrical flip-over) exclusions see 46.0)			
EU122	☐	Back support angle adjustment, pre-programmed, 20° exclusions see 77.1) 77.2)	£480.00
EU123	☐	Seat tilt, pre-programmed, 20° exclusions see 77.2) 77.3)	£493.00
EU124	☐	Back support angle adjustment/seat tilt, pre-programmed 35°/15° exclusions see 77.4) to 77.6)	£1027.00

Option for electric seat adjustment			
EU127	☐	Speed limiter (sum angle >35°) exclusions see 77.3) 82.0) 82.1)	£220.00

Drive unit			
ET010	☐	Standard (max. user weight 140 kg; possible only in comb. with overall weight <= 260 kg; not possible in comb. with TEN° control device (120A) or TEN° tray module, electrical flip-over)) exclusions see 4.1) 45.2) 65.1)	Inclusive
ET016	☐	Performance (recommended for user weight > 100 kg; widening size 1 to 620 mm)	Inclusive
ET011	☐	High performance (recommended for user weight > 100 kg; mandatory 14 km/h; (widening size 1 to 620 mm)	£559.00

Speed			
ET012	☐	6 km/h	Inclusive
ET013	☐	7.2 km/h exclusions see 66.1)	Inclusive
ET014	☐	10 km/h (not in combination with FWD and VR2) exclusions see 5.1) 45.4) 64.2) 66.1) 66.5) 66.6)	Inclusive
ET015	☐	14 km/h (only in comb. with RWD and TEN° (120A)) exclusions see 19.1) 19.3) 45.2) 46.0) 66.1) 66.3) 66.4)	Inclusive

Drive option (possible only for Germany and speed > 6 km/h; mandatory information) exclusions see 67.0) 67.1)			
ET008	☐	Individual type approval for speed > 6 km/h (required only for Germany)	£505.00

Drive unit warranty extension (only for drive motors, not for actuators)			
EW002	☐	From 24 months to 48 months (the Mobility Solutions GmbH terms and exclusions apply) exclusions see 5.1)	£80.00

Additional instructions for use (additional IFU for non-national languages) exclusions see 68.0)			
ES028	☐	Qualified personnel	£20.00
ES029	☐	User	£20.00