


APEX

ORDER FORM - INTERNATIONAL

1- Purchasing information

P.O. number: * Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

2- Clinician information

Clinician: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

*Required MA043 ☐ English Manual (STD) MA044 ☐ German Manual MA045 ☐ Italian Manual MA046 ☐ Dutch Manual MA047 ☐ Spanish Manual MA048 ☐ French Manual MA090 ☐ Portuguese Manual taxes not included

MODEL						
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (120kg /265 lb weight limit) <i>Not available with painted frame - Frame will be black</i>	Triple-butt aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer			£2,595
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)	Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.			£3,990
	☐					

Frame																			
SEAT WIDTH																			
SW	☐	30.48 (12")	☐	33.02 (13")	☐	35.56 (14")	☐	38.10(15")	☐	40.64(16")	☐	43.18 (17")	☐	45.72 (18")	☐			NC	
	☐	48.26 (19")	☐	50.80 (20")	☐													£360	
SEAT DEPTH																			
SD	☐	30.48 (12")	☐	33.02 (13")	☐	35.56 (14")	☐	38.10(15")	☐	40.64(16")	☐	43.18 (17")	☐	45.72 (18")	☐			NC	
	☐	48.26 (19")	☐	50.80 (20")	☐													£360	
FRAME LENGTH																			
SP01	☐	Standard frame length configuration ¹																	STD
SP02	☐	Frame length 2.54cm (1") longer than standard configuration																	NC
SP03	☐	Frame length 5.08cm (2") longer than standard configuration																	NC
SP04	☐	Frame length 2.54cm (1") shorter than standard configuration																	NC
SP05	☐	Frame length 5.08cm (2") shorter than standard configuration																	NC
TIE-DOWN																			
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3} Short belt 50-104 (20-41")																	£285
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3} Long belt 50-116 (20-46")																	£285
AC35	☐	WC-19 Transit Tie Down without belt ³																	£285


1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

4. Width calculator


FRONT Seat-to-floor height			
Caster sizes		Height available +- 1/4"	
☐	3" Caster	35.6cm to 53.3cm (14" to 21")	
☐	4" Caster	36.8cm to 53.3cm (14.5" to 21")	
☐	5" Caster	39.4cm to 53.3cm (15.5" to 21")	
☐	6" Caster	41.9cm to 53.3cm (16.5" to 21") (N/A with 90° front frame)	
		Specify desired height: _____ (inches)	

Frog Legs FRONT Seat-to-floor height			
Caster Sizes		Height available +- 1/4"	
☐	3" Caster	38.7cm to 53.3cm (15.25" to 21")	
☐	4" Caster	40.0cm to 53.3cm (15.75" to 21")	
☐	5" Caster	42.54cm to 53.3cm (16.75" to 21")	
☐	6" Caster	45.08cm to 53.3cm (17.75" to 21") (N/A with 90° front frame)	
		Specify desired height: _____ (inches)	



CASTERS				Availability		
CA01-03 to CA01-06	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6"		NC
CA10	☐	Pneumatic casters (1 ¼")		6"		£140
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		£81
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		£140
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks				£395

REAR Seat-to-floor height		
Wheel sizes	Height available + 1/4"	
☐ 20" (451) wheel	35.5cm to 44.5cm (14" to 17.5")	Specify desired height: _____ (inches)
☐ 22" (501) wheel	35.5cm to 47cm (14" to 18.5")	
☐ 24" (540) wheel	38.1cm to 49.5cm (15" to 19.5")	
☐ 25" (559) wheel	39.4cm to 50.8cm (15.5" to 20")	
☐ 26" (590) wheel	40.6cm to 50.8cm (16" to 20")	



FRONT FRAME ANGLE						
FA70	☐	70° Front frame angle				NC
FA75	☐	75° Front frame angle				NC
FA80	☐	80° Front frame angle				NC
FA85	☐	85° Front frame angle				NC
FA90	☐	90° Front frame angle				NC

Seat upholstery to footplate length	
30.48 to 48.26cm (12" to 19") without high mount	Specify desired length: _____ (inches) <i>Required</i>
17.78 to 33.02cm (7" to 13") with high mount ¹	



1- Choose high mount in the footplates section



Footrest width / Taper selection					
Seat Width	Straight		2,5 cm (1") Taper	5cm (2") Taper	
Outside Measurement (cm)	6.4cm (2 1/2") Narrower than Seat Width		11.4cm (4 1/2") Narrower than Seat Width	16.6 cm (6 1/2") Narrower than Seat Width	
30.5 12"	☐ 24.1 9.5"		☐ 19.1 7.5"		
33.0 13"	☐ 26.7 10.5"		☐ 21.6 8.5"		
35.6 14"	☐ 29.2 11.5"		☐ 24.1 9.5"		
38.1 15"	☐ 31.8 12.5"		☐ 26.7 10.5"		
40.6 16"	☐ 34.3 13.5"		☐ 29.2 11.5"	☐ 24.1 9.5"	
43.2 17"	☐ 36.8 14.5"		☐ 31.8 12.5"	☐ 26.7 10.5"	
45.7 18"	☐ 39.4 15.5"		☐ 34.3 13.5"	☐ 29.2 11.5"	
48.3 19"	☐ 41.9 16.5"		☐ 36.8 14.5"	☐ 31.8 12.5"	
50.8 20"	☐ 44.5 17.5"		☐ 39.4 15.5"	☐ 34.3 13.5"	

Note: higher than 50,8cm (20"), front STFH will reduce the footrest width up to 2,5cm (1") with a 5cm (2") taper

FOOTPLATES						
FP12	☐	Tubular open loop ¹				STD
FP13	☐	Tubular with ABS cover				NC
FP31	☐	Newton adjustable angle - Aluminum (<i>one piece</i>)				£87
FP32	☐	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)				£158
FP14	☐	Flip back, adjustable angle aluminum				£175
FP15	☐	Flip back, adjustable angle carbon fiber				£240
FR25	☐	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)				£150
FR26	☐	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)				£205

FOOTPLATES ACCESSORIES						
FP16	☐	5.08cm (2") riser (<i>only available with aluminum angle adjustable footplate</i>) ²				£65
FP09	☐	Calf strap				£33
FP30	☐	Bodypoint Aeromesh Padded calf strap				£95

1 - Available on: all straight frames; 2,5cm (1") taper with seat width of 14" and greater; 5cm (2") taper with seat width of 16" and greater; 2- Not available with high mount

Backrest												
FOLD DOWN BACKREST												
BC20	☐	Locking backrest							STD			
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²							£85			
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)												
BC	☐	Fixed height without push handle	(30) 22.8cm/9"	(31) 24.1cm/9.5"	(32) 25.4cm/10"	(33) 26.7cm/10.5"	(34) 27.9 cm/11"		NC			
		(35) 29.2cm/11.5"	(36) 30.5cm/12"	(37) 31.7cm/12.5"	(38) 33cm/13"	(39) 34.3cm/13.5"	(40) 35.5cm/14"	(41) 35.8cm/14.5"				
		(42) 38.1cm/15"	(43) 39.4cm/15.5"	(44) 40.6cm/16"	(45) 41.9cm/16.5"	(46) 43.2cm/17"	(47) 44.5cm/17.5"	(48) 45.7cm/18"				
		(49) 47cm/18.5"	(50) 48.3/19"	(51) 49.5cm/19.5"	(52) 50.8cm/20"	(53) 52.7cm/20.5"	(54) 53.3cm/21"					
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)												
BC	☐	Straight back canes	(22) 22.8 - 30.5cm ☐	(23) 30.5 - 38.1cm ☐	(24) 38.1 - 45.7cm ☐	(25) 45.7 - 53.3cm ☐			NC			
Set height to: *		(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position										
		Select back cane angle: ¹	101° ☐	99° ☐	96° ☐	93° ☐	90° ☐	87° ☐	83° ☐	80° ☐		STD
1 - If not indicated default angle setting is at 93°; 2- Maximum back cane height of 19.5" with aluminum chair												
PUSH HANDLES OPTIONS (ONE option at a time)												
PH01	☐	Push handles							STD			
PH05	☐	Fold down push handles							£140			
PH06-920	☐	Clamp on height adjustable push handles 22.9-50.80cm (9 - 20") ¹							£260			
PH06-923	☐	Clamp on height adjustable push handles 22.9-58.4cm (9 - 23") ¹							£260			
PH02	☐	Omit push handles							NC			
STROLLER HANDLE												
PH04	☐	Stroller handle (Push handles included)							£145			
1- Not compatible with swing away armrests;												
BACKRESTS OPTIONS												
BC61	☐	Depth adjustable back - 2.54cm (1") depth adjustment ^{1,4}							£162			
BC62	☐	Depth adjustable back - 5.08cm (2") depth adjustment ^{2,4}							£162			
BC56	☐	Depth adjustable back - 7.62cm (3") depth adjustment ^{3,4}							£162			
BC57	☐	Standard 7.62cm (3") deep rigidizer bar							STD			
BC55	☐	Four inch deep Aluminum rigidizer bar							NC			
BC88	☐	Custom height rigidizer bar set at _____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7" Lowest position is 4,25"							£120			
												
If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down without Q'Straint belt												
BACK UPHOLSTERY												
BH03	☐	Slip-on Syntech-Suede back upholstery							STD			
BH04	☐	Adjustable tension Syntech-Suede back upholstery							£150			
BH99	☐	Omit Back upholstery							NC			
SEAT CUSHION												
SC01	☐	5.08cm (2") Cushion							£150			
SC02	☐	7.62cm (3") Cushion							£166			
SC99	☐	Omit seat cushion							STD			

Rear wheels					
REAR WHEELS					Available
RW01	☐	Mag ²		20", 22" 24"	£47
RW02	☐	Newton One - spoke wheel ²		20", 22" 24"	STD
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26"	£295
RW04	☐	Spinergy Spox Blk ☐ STD ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐		22", 24", 25", 26"	£625
RW05	☐	Spinergy LX Blk ☐ STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐		22", 24", 25", 26"	£825
RW07	☐	Spinergy CLX ⁴ Blk ☐ STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐		24", 25"	£1200
TIRES					Available
AIRLESS					
TI01	☐	Soft Urethane 3.49cm (1 3/8") - Low Tread, black		20", 22" 24"	NC
TI02	☐	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁵		22", 24", 25", 26"	£85
TI04	☐	Soft Urethane 2.54cm (1") - No tread, black - <i>Shox</i>		22", 24", 25", 26"	£99
TI08	☐	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread ⁶		22", 24", 26"	£75
PNEUMATIC					
TI05	☐	Pneumatic 3.49cm (1 3/8") Medium Tread		20", 22", 24", 25", 26"	STD
TI06	☐	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>		20", 22", 24", 25", 26"	£85
TI07	☐	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>		24", 25", 26"	£99
TI03	☐	Pneumatic 5.08cm (2") - Large Tread, black ⁷		22", 24", 25"	£95

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires; 3- Colour spokes require an additional 10 days lead-time;
4- Only available with 1" tires; 5- The 22" is only available with Mags and Newton One rear wheels; 6- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels
7- Not available when armrests and 4", 6", 8" camber are selected.

Handrims					
HANDRIM					Available
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"	£55
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"	£85
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"	£295
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² See page 6 for the color selection and price		20", 22", 24", 25", 26"	
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	£354
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	£354
HR04	☐	Natural Fit ^{1,2}		22", 24", 25", 26"	£279
HR62	☐	Simi H ^{1,2} (1 3/8" Oval handrim with high friction strip)		22", 24", 25", 26"	£329
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"	£354
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"	£270
HR99	☐	Omit handrim			NC


1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position	Full tab		STD
HR030	☐	Narrow Handrim position no cut	Full tab		NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions		£22
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions ☐ STD ☐ Short tab 1 position ☐		£22
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			£79
HR27	☐	Super grip			£125
HR099	☐	Omit thumb piece			NC

3- Only available with Aluminum and Air Grip handrims;

AXLES				
AX01	☐	Quick release axle		STD
AX03	☐	Quad release axle		£112
REAR WHEEL CAMBER				
CM00	☐	0° camber		STD
CM02	☐	2° camber		NC
CM04	☐	4° camber		NC
CM06	☐	6° camber		NC
CM08	☐	8° camber		NC

CENTER OF GRAVITY	
Specify the position of rear wheel axle plate: _____	
Measure distance from front of back post to center of axle receiver.	
0 - 6" range	Set At: _____ (inches)
If not indicated, default setting is at 2.5"	
Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG	



WHEEL LOCK					
WL08	☐	Newton wheel lock - push to lock			STD
WL16	☐	Aluminum push to lock with extensions			£69
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)			£135
WL13	☐	6" removable extension handle ¹			£69
WL14					
WL05	☐	Scissors lock			£129
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

Armrests					
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	25.4cm (10") Desk Length armpad ³	15.25 - 25cm (6" - 10")		£291
AR03-812	☐	25.4cm (10") Desk Length armpad	20.32 - 30.48cm (8" - 12")		£291
AR03-1014	☐	25.4cm (10") Desk Length armpad	25.40 - 35.56cm (10" - 14")		£291
AR14-610	☐	35.56cm (14") Full Length armpad ³	15.25 - 25cm (6" - 10")		£291
AR04-812	☐	35.56cm (14") Full Length armpad	20.32 - 30.48cm (8" - 12")		£291
AR04-1014	☐	35.56cm (14") Full Length armpad	25.40 - 35.56cm (10" - 14")		£291
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest - Short pad	20.32 - 27.94cm (8 - 11")		£200
AR23	☐	Tubular armrest - Long pad	20.32 - 27.94cm (8 - 11")		£200
AR06	☐	25.4cm (10") Desk Length flat armpad	20.32 - 27.94cm (8 - 11")		£200
AR17	☐	35.56cm (14") Full Length flat armpad	20.32 - 27.94cm (8 - 11")		£200
ARMREST OPTIONS					
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴			£137
AR99	☐	Omit armrest			NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4 - Only available with "T" full length armrest; Not available with swing away and desk lenght armrests

SIDE GUARDS (not available with "T" Armrest)					
SG01	☐	Plastic side guards (<i>removable</i>)	Straight bracket -STD ☐	Offset bracket ¹ ☐	£175
SG03	☐	Carbon fiber side guards (<i>removable</i>)	Straight bracket -STD ☐	Offset bracket ¹ ☐	£255
SG06	☐	Plastic fender side guards (<i>removable</i>)	Straight bracket -STD ☐	Offset bracket ¹ ☐	£245
SG04	☐	Carbon fiber fender side guards (<i>removable</i>)	Straight bracket -STD ☐	Offset bracket ¹ ☐	£445
SG99	☐	Omit side guards			NC
SIDE GUARDS OPTION					
SG07	☐	Side guard clip (<i>pair</i>)			NC

1- only compatible with 0° and 2° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Small 88.9cm (35") ¹			£40
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")			£40
SB02-S	☐	Auto buckle - Small 88.9cm (35") ¹			£79
SB02-M	☐	Auto buckle - Medium 121.92cm (48")			£79
SB02-L	☐	Auto buckle - Long 152.40cm (60")			£79
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")			£79
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")			£79
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")			£154
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")			£154
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")			£154
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")			£165
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")			£165
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")			£165
SB03	☐	Hardware attachment for 2 extra points (1 pair)			£15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66cm (18")			£258
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")			£258
SB99	☐	Omit positioning belt			STD

1- Not recommended for seat width of 45.72cm (18") and more

ACCESSORIES							
AC03	☐	Anti-tippers					£125
AC06	☐	Cane and crutch holder	Left ☐	Right ☐		PRICE PER SIDE	£108
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 26"				£104
AC10	☐	Seat pouch					£65
AC30	☐	Newton multi-purpose pouch					£51
AC26	☐	BodyPoint Mobility Bag					£112
AC23	☐	Newton Backpack					£100
AC13	☐	Tool kit					£41
AC16	☐	Motion Composites Polo Shirt	W/S ☐ M/S ☐	W/M ☐ M/M ☐	W/L ☐ M/L ☐	M/XL ☐ M/XXL ☐ M/XXXL ☐	DEALER ONLY NO DISCOUNT £15

1- Not available with Mag wheels and Spinerigy

Colors																					
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐ £90		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	£185
Carbon Fiber Frame		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
Camber Tube	☐ STD/NC		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	£50
																					
Highlight ³	☐		☐					☐		☐	☐			☐			☐				NC
FC99 ²	☐	Custom Color	Specify PPG Paintit color: additional 10 days lead-time																		£325

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- Only available with carbon fiber upgrade; 3- To see different highlight, visit our website:
https://www.motioncomposites.com/en_intl/products/rigid-wheelchairs/apex-c

Notes :