2022/23


ottobock.

		Order no.:	Zenit R
Base Price - £2695.00			Active wheel
Valid from 01.04.22 to 31.03.23 Please ensure you are using the latest o	rder form		Article number: 480F160
Provide estimate only	🗌 Order		
Attachment for custom fabr	ication enclose	ed	
Billing address/customer number Delivery address			
Sales person By placing the order, you agree to comply with cessories and products of other manufacturers in addition to the instructions for use/service n you confirm to have read, understood and acce tion, you agree, upon placing an order, to conc in accordance with national requirements if an ments that do not meet the specifications of O	Date Si the instructions for u when combining the nanuals of the respec- epted our general terr luct your own conform d when you impleme	em with an Ottobock product, tive Ottobock products, and ms and conditions. In addi- mity assessment or approval ent modifications or attach-	Standard equipment Open aluminium tube Choice of front frame o Back support upholste Aluminium side panels Modular design Drive wheels with quid Knee lever wheel lock Calf strap

Wheelchair measurements*

- 1 Anterior seat height (ASH)
 - = ground to top of seat upholstery
- 2 Lower leg length (LL) = top of seat upholstery right/left to top of foot plate centre (without seat cushion)
- 3 Posterior seat height (PSH) = ground to top of seat upholstery
- 4 Back support height (BH) = top of seat tube (crossbrace) to top of back support upholstery
- 5 Seat depth (SD)
- = front of seat upholstery to back support tube 6 Seat width (SW)
 - = outside edge of frame tube to outside edge of frame tube

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.



The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefield Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Email bockuk@ottobock.com - Web www.ottobock.com/en-uk

Technical modifications and printing errors reserved

Zenit R Active wheelchair

Article number: 480F160=1_AA04_C

Open aluminium tube frame Choice of front frame offset Back support upholstery, adaptable

Drive wheels with quick-release axle

Crash-tested according to DIN ISO 7176-19

Knee lever wheel lock 4.0

Max. user weight 120 kg

Equipment			
MA 110	X Standard	£2695.00	
Frame tube materia	1		
MA 08	Aluminium	Inclusive	
MA 12	Carbon (available only with 85° anterior frame angle and 2 cm offset/abduc- tion) (max. load capacity100 kg)	£441.00	
Anterior frame ang	e		
MA 20	□ 75°	Inclusive	
MA 21	□ 85°	Inclusive	
Front frame offset			
MA 14	0 cm offset	Inclusive	
MA 15	2 cm offset	Inclusive	
MA 30	2 cm abduction (possible only up to SW 42 cm)	Inclusive	
Front frame extensi	on		
MA 23	3 cm	£87.00	
Seat width SW in cm)		
32 34			
Seat depth SD in cm			
□ 36 □ 38			
Anterior seat height	t (ASH) in cm		
47 48			
Frame accessories			
MA 51	Image: Tip-assist, right + 270 g	£101.00	
MA 52	Image: Tip-assist, left + 270 g	£101.00	
MA 55	Anti-tipper, right + 517 g	£178.00	
MA 56	Anti-tipper, left + 42 g	£178.00	
MA 60	□ Frame pad + 42 g	£65.00	
Caster wheels	1 1		
MF 30	4" solid rubber, black	Inclusive	
MF 35	4" soft caster, aluminium	£132.00	
MF 31	5" solid rubber, black	Inclusive	
MF 36	5" soft caster, aluminium	£132.00	
MF 04	5.5" soft caster, grey	Inclusive	
MF 05 MF 32	6" pneumatic tyre	Inclusive	
MF 32 MF 37	6" solid rubber, black 6" soft caster, aluminium	Inclusive	
		£132.00	
Caster wheel axle			
MF 90	Image: Second system Forks with threaded axle	Inclusive	
Posterior seat height (PSH) in cm			
□ 37 □ 38 □ 44 □ 45	39 40 41 42 43 46 47 48 49 50		

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefield Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Email bockuk@ottobock.com - Web www.ottobock.com/en-uk

ottobock.

Drive wheel size					
MG 02		24" Inclusive			
MG 00		25"			Inclusive
Drive wheel camber		0° 2° 3° 4°			
Drive wheel rim			24"	25"	
MG 06		Hollow rim	•	•	Inclusive
MG 10		Spinergy SPOX - 360 g	•		£627.00
MG 11		Spinergy LX - 400 g	•		£692.00
MG 12		Spinergy LXL Blade, black spokes - 660 g	•		£780.00
MG 12		Spinergy LXL Blade, white spokes - 660 g	•		£780.00
MG 15		Infinity Ultralight (not possible in combination with MG 34) - 720 g	•	•	£95.00
MG 150		Infinity Ultralight, coloured (not possable in combination with MG 34) -720 g	•		£162.00
		Infinity Ultralight/caster wheel fork colour package	24"	25"	
		Sparkle light orange	•		
		Marine blue	•		
		Candy red	•		
		Sparkle granny-smith	•		
Tyres	-		24"	25"	
MG 31		Schwalbe RightRun 1"	•	•	Inclusive
MG 34		PU 1" (not possible in combination with MG 15/MG 150) + 344 g	•		Inclusive
MG 341		PU 1", black + 344 g (not possible in combination with MG 15/MG 150)	•		Inclusive
MG 37		Schwalbe Marathon Plus Evolution 1" + 374 g	•	•	£45.00
MG 371		Schwalbe Marathon Plus Evolution 1.1" + 379 g	•		£61.00
MG 200		Schwalbe ONE 1" - 226 g	•		£74.00
Handrims 24" 25"					
MG 50		Aluminium, black coated, high	•	•	Inclusive
MG 52		Aluminium, silver anodised, high - 40 g	•	•	£12.00
MG 53		Aluminium, silver anodised, low - 120 g	•		£12.00
MG 54		Rubber-coated, high + 500 g	•	•	£132.00
MG 56		Stainless steel, polished, high + 620 g	•	•	£51.00
MG 57		Stainless steel, polished, low + 580 g	•		£51.00
MG 63		CURVE L (anodised) + 200 g	•	•	£335.00
MG 64		CURVE L Grip for users with limited gripping + 840 g function	•	•	£362.00
MG 65		GEKKO, ergonomic handrim + 580 g	•	•	£297.00
Handrim mounting					
MG 70		Mounting position narrow (15 mm)			Inclusive
MG 71		Mounting position wide (25 mm)			Inclusive

Tipping point in cm	(meas	sured parallel to the ground)	
Alternative measurir	ng me	ethod (specification of the horizontal drive wheel position of the Avantgarde)	
□ A □ B			
(Tick the drive whee	l posi	ition of your Avantgarde, we calculate the tipping point)	
Quick-release axle sy	ystem)	
MG 27		Quick-release axle	Inclusive
MG 28		Quick-release axle with Tetra release + 158 g	£140.00
Drive wheel accesso	ries		
MG 87		High-pressure air pump, 14 bar	£99.00
MG 88		Airman pump	£151.00
Wheel locks	-		
MH 01		Knee lever wheel lock 4.0	Inclusive
MH 30		Knee lever wheel lock 4.0, long wheel lock lever	Inclusive
MH 05		Scissor wheel lock - 142 g	£123.00
Wheel lock accessor	ies		
MH 10		Wheel lock lever extension, fixed + 70 g	£33.00
MH 21		Wheel lock lever extension, pluggable + 34 g	£60.00
Back support height	: in cm	n	
25 27.5 40 42.5] 30	
Back support system	า		
MD 01		Back support, straight (measured 90° to the seat tube)	Inclusive
MD 11		Angle-adjustable, fold-down onto seat tubes $(-10^{\circ}/-5^{\circ}/0^{\circ}/+5^{\circ}/+10^{\circ})$ + 240 g	£557.00
MD 13		Back support angle according to customer request (measured 90° to the ground) □ 0° □ -5° □ -10°	£89.00
Back support upholstery			
MD 03		Adaptable, padded	£47.00
MD 05		Adaptable, breathable	Inclusive
MD 18		Ultra light	£45.00
MD 06		Without	Inclusive
Back support pad w	idenir	ng	
MD 80		+ 2 cm	£17.00
MD 81		+ 4 cm	£17.00
MD 82		Without	Inclusive
Use of BAXX back support system (include order form, model-specific restrictions are possible)			
MD 44		BAXX aluminium back support (not mounted)	£588.00

ottobock.

Push handles				
MD 50		Short		Inclusive
MD 51		Long	+ 128 g	Inclusive
MD 55		Height-adjustable/removable	+ 580 g	£141.00
MD 56		Fold-down	+ 108 g	£170.00
MD 59		Without	- 258 g	Inclusive
Side panels				
ME 02		Aluminium, with splash guard and protection against cold		Inclusive
ME 04		Carbon, with splash guard		£537.00
ME 05		With arm support, short		£282.00
ME 06		With arm support, long		£282.00
Seat upholstery				
MC 15		Upholstery with storage compartment		£35.00
MC 16		Upholstery, readjustable		Inclusive
MC 18		Ultra light		£36.00
MC 06		Without		Inclusive
Seat cushions				
MC 01		Standard (thickness of cushion 5 cm)		£85.00
MC 02		Cubic Foam (thickness of cushion 5 cm)		£123.00
MC 05		Evolight (thickness of cushion 6 cm)		£175.00
MC 20		Terra seat (thickness of cushion 10 cm)		£164.00
MC 21		Terra Aquos (thickness of cushion 10 cm)		£197.00
MC 22		Terra Flair (thickness of cushion 10 cm)		£494.00
MC 23		Cloud (thickness of cushion 10 cm)		£483.00
MC 29		Livo (thickness of cushion 5 cm)		£73.00
MC 30		Evoflair (thickness of cushion 8 cm)		£264.00
Lower leg length in cm (without seat cushion) Lower leg length (LL) in cm				
MB 130	X	Adjustable	Inclusive	
				Com COD
Leg supports				
MB 160		Single-panel, aluminium* (LL 28 – 51 cm)		Inclusive
MB 180		Single-panel, carbon* (LL 28 – 51 cm)		£218.00
MB 06		Aluminium light, fixed (LL 31 – 51 cm)		£133.00
* LL can be selected in depe	ndence	of wheel size, seat width and anterior seat height.		
Other accessories				
MZ 51		Lap belt with metal buckle		£68.00
MZ 59		Pocket for mobile phone		£27.00

Spoke protectors			
MG 90		Transparent	£127.00
MG 100		Graphics decor	£183.00
MG 101		Miracle decor	£183.00
MG 102		Network decor	£183.00
MG 103		Robots decor	£183.00
MG 104		Spectrum decor	£183.00
Frame colours	,		
001		Brilliant silver	£384.00
002		Anthracite metallic	£384.00
003		Jet black RAL 9005	£384.00
004		Ice blue	£384.00
005		Sparkle light orange	£384.00
009		Vinho sparkle	£384.00
010		Marine blue	£384.00
012		Sky blue	£384.00
048		Jet black matte (texture)	£374.00
014		Candy red	£384.00
021		Sparkle granny-smith	£384.00
023		White RAL 9016	£384.00
027		Shimano matte	£384.00
039		Black, matte anodised	Inclusive
040		Anthracite, matte anodised	Inclusive
041		Gold, matte anodised	Inclusive
042		Blue, matte anodised	Inclusive
043		Orange, matte anodised	Inclusive
044		Green, matte anodised	Inclusive
045		Violet, matte anodised	Inclusive
046		Red, matte anodised	Inclusive
Special accessories			
MZ 52		Tool kit	£55.00
MZ 58		Bag for drive wheels (for 2 drive wheels up to 28")	£96.00
MZ 70		Kit for transportation in a motor vehicle	£286.00
MZ 89		Quick-release axle protection	£8.00
MZ 92		Wheelblades (Mini-skis for caster wheels)	£375.00
MZ 93		Backpack	£54.00

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefield Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Email bockuk@ottobock.com - Web www.ottobock.com/en-uk

ottobock.

Information



MG 06 Hollow rim



MF 35/36/37 4/5/6" soft caster



MF 90 Caster fork with threaded axle



MD 03 Back support upholstery, adaptable, padded



MG 10 Spinergy SPOX



MG 100 Graphic



MH 01 Knee lever wheel lock 4.0



MB 06 Aluminium light leg support, fixed



MG 11 Spinergy LX



MG 103 Robots



MD 55 Push handles, height-adjustable/removable



Drive wheel adapter, permanently welded



MG 15 Infinity Ultralight



MG 104 Spectrum



ME 04 Carbon side panel, with sp**l**ash guard