

# Q100 R & Q200 R

## Retail



| Billing Address Or Customer-ID                               | Shipping Address   | Identical To Billing Address |
|--|--|------------------------------|
| C.-ID:   | C.-ID:   |                              |
| Name:  | Name:  |                              |
| Street:  | Street:  |                              |
| Town/PC:   | Town/PC:   |                              |
| Order Information  | User Weight  |                              |
| Purchase Order No.:  | <b>User Weight Capacity: Q100 R: 125 kg / Q200 R: 136 kg</b> |                              |
| <b>Art. No.:</b> Q100 R : 22600100C & Q200 R - 22600000C-300 |  |                              |
| Order Date:  | Day  | Month Year                   |

### Seating Specifications

|   |            |                        |  |
|---|------------|------------------------|--|
| All Bases Prepared For DAHL Docking Station |            | <b>Seat Type</b>       | Sling Seat / Solid Seat Pan                      |
| <b>Typical WC Weight Without Batteries</b>  | From 60 kg | <b>Seat Size Range</b> | Width 380 (with In-Rig Armrest/Legrest) - 540 mm |
|   |            |                        | Depth 410 - 510 mm                               |

## ORDER FORM

| Drive Bases |  |  | £      |
|-------------|--|--|--------|
| QJR000019   | <b>Q100 R (RWD Base Chair) - 12" Drive Wheels, Solid &amp; 8" Castors, Solid</b> |  | £3,410 |
| QJR000022   | <b>Q200 R (RWD Base Chair)</b>   |  | £3,520 |

| Frame Width |   |  |   |
|-------------|---|--|---|
| QJR020128   | 420 mm Frame Width – Seat Width Range With Armrest Adjustment 420-480 mm (380 mm Available With In-Rig Armrest) |  | 0 |
| QJR020129   | 480 mm Frame Width – Seat Width Range With Armrest Adjustment 480-540 mm (440 mm Available With In-Rig Armrest) |  | 0 |

| Seat Width |            |  |
|------------|------------|--|
| SW38       | 380 mm (1) |  |
| SW42       | 420 mm     |  |
| SW44       | 440 mm (2) |  |
| SW46       | 460 mm     |  |
| SW48       | 480 mm     |  |
| SW52       | 520 mm     |  |
| SW54       | 540 mm     |  |

| Seat Depth |        |  |
|------------|--------|--|
| SD41       | 410 mm |  |
| SD435      | 435 mm |  |
| SD46       | 460 mm |  |
| SD485      | 485 mm |  |
| SD51       | 510 mm |  |

(1) Supplied With In-Rig Armrest

(2) Supplied With In-Rig Armrest When 480 mm Frame Width Selected

**Seat Type** £

|           |                    |     |
|-----------|--------------------|-----|
| QJR020087 | Sling Seat         | 0   |
| QJR020127 | Solid Seat Pan (1) | 121 |

**Seat Cushion Type**

|           |                               |   |
|-----------|-------------------------------|---|
| QJR020098 | Seat Cushion, Standard, 50 mm | 0 |
|-----------|-------------------------------|---|

**JAY Seat Cushion** £

|           |  |     |
|-----------|--|-----|
| JAY020002 | JAY Basic  | 63  |
| JAY020006 | JAY Easy Visco With Flat Base  | 152 |
| JAY020015 | JAY Balance, Fluid, Microclimatic, With Positioning Kit, Until SW 500 mm | 613 |
| JAY020009 | JAY Ion  | 150 |
| JAY020024 | JAY Union  | 288 |
| JAY090106 | JAY Union, Reduced Profile   | 288 |

**SEDEO Seat Cushion**

|           |   |     |
|-----------|---|-----|
| QJR020073 | SEDEO, Seat Cushion, Profiled, Height 70 mm       | 131 |
| QJR020076 | SEDEO, Seat Cushion, Support Memory, Height 90 mm | 226 |
| QJR020078 | SEDEO, Seat Cushion, Stabilizer, Height 90 mm     | 250 |

**SEDEO Seat Cushion Cover** £

|           |   |   |
|-----------|---|---|
| QJR020518 | Seat Cushion Cover, Incontinence Protection | 0 |
| QJR020080 | Seat Cushion Cover, Comfort                 | 0 |

**Power Seating Options** £**Seat Angle Adjustment (Adjustable To 0°, 3°, 6°) - Preset Selection**

|           |                           |   |
|-----------|---------------------------|---|
| QJR020125 | Seat Angle, 0° Preset     | 0 |
| QJR020096 | Seat Angle, 3° Preset     | 0 |
| QJR020126 | Seat Angle, 6° Preset (2) | 0 |

**Q200 R**

|           |  |     |
|-----------|--|-----|
| QJR130013 | Posterior Tilt, Powered, 0° - 22° (With 7 cm Centre Of Gravity Movement) | 605 |
|-----------|--|-----|

**Backrest Frame Type**  £

|           |   |   |
|-----------|---|---|
| QJR030147 | Backrest, Tool Angle Adjustable 90°, 94°, 98°, 102° | 0 |
|-----------|---|---|

**Q200 R**

|           |  |     |
|-----------|--|-----|
| QJR030160 | Backrest, Powered Recline, 90° - 120°, Flip Down | 440 |
|-----------|--|-----|

**COG Adjustment** £

|        |  |     |
|--------|--|-----|
| COG075 | Centre Of Gravity, Adjustable, +0 mm to -75 mm (3) | 288 |
|--------|--|-----|

**Seat Heights** £

|      |  |     |
|------|--|-----|
| SH45 | 45cm, Seat to Floor Height (To pan 3° Fixed Tilt) - Range - 43 - 47cm (4)(5)     | 110 |
| SH47 | 47cm, Seat to Floor Height (To pan 3° Fixed Tilt) - Range - 45 - 49cm (4)        | 0   |
| SH49 | 49m, Seat Height Adjustment (To pan 3° Fixed Tilt) - Range - 49cm - 53cm (4) (5) | 0   |

**Backrest Height** £

|      |        |    |
|------|--------|----|
| BH50 | 500 mm | 0  |
| BH57 | 570 mm | 86 |

**Sling Back Size** £

|           |                                  |   |
|-----------|----------------------------------|---|
| QJR030150 | Standard, 5 Tension Adj Backrest | 0 |
|-----------|----------------------------------|---|

**JAY Shape Back Size** £

|           |  |     |
|-----------|--|-----|
| JAY080006 | JAY Shape Backrest - Oversized (Supplied 1" larger than seat width to allow greater immersion) | 222 |
|-----------|--|-----|


(1) Recommended In Combination With JAY Seat Cushions


(2) Seat Angle 6° Not Available With Seat Height 490 mm

(3) Refer To Training Materials With COG Option Before Setup And Use

(4) 3° Seat Angle

(5) Not available with tilt

| <b>JAY Shape Laterals Thoracic Supports</b>   |  | £   |
|---|--|-----|
| JAY080010   | JAY SHAPE Lateral Thoracic supports (Pair) - Support 15 x 15 cm (Pair)                           | 222 |
| JAY080011   | JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)                           | 222 |
| <b>SEDEO Lite Back Cushion</b>  |  | £   |
| QJR030130   | SEDEO LITE, Back Cushion, Profiled, Height 500 mm, Comfort Cover                                 | 168 |
| QJR030131   | SEDEO LITE, Back Cushion, Profiled, Adjustable Straps, Height 570 mm, Comfort Cover              | 232 |
| QJR030132   | SEDEO LITE, Back Cushion, Deep Contour, Passive, Adjustable Straps, Height 570 mm, Comfort Cover | 297 |
| QJR030133   | SEDEO LITE, Back Cushion, Deep Contour, Active, Adjustable Straps, Height 570 mm, Comfort Cover  | 297 |
| <b>SEDEO Lateral Thoracic Supports</b>  |  | £   |
| QJR030607   | SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Long Pad, 150 x 130 mm, Right   | 132 |
| QJR030608   | SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Long Pad, 150 x 130 mm, Left    | 132 |
| QJR030609   | SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Short Pad, 90 x 120 mm, Right   | 132 |
| QJR030610   | SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Short Pad, 90 x 120 mm, Left    | 132 |
| <b>Headrest Pad</b>   |  | £   |
| QJR030430   | SEDEO, Headrest Pad, Small, (LxH) 240 x 150 mm   | 84  |
| QJR030431   | SEDEO, Headrest Pad, Small, With Cover, (LxH) 240 x 150 mm                                       | 95  |
| QJR030432   | SEDEO, Headrest Pad, Flexible, (LxH) 400 x 110 mm  | 165 |
| WHT030401   | Whitmyer, Headrest Pad, Plush, (LxH) 203 x 127 mm  | 137 |
| <b>Headrest Mount</b>   |  | £   |
| QJR030433   | SEDEO, Headrest Mount  | 119 |
| WHT030409   | Whitmyer, Headrest Mount, AXYS   | 124 |
| <b>Headrest Receiver</b>  |  | £   |
| QJR030120   | Headrest Receiver, Backrest Frame Mount  | 0   |
| <b>Armrest Type </b> |  | £   |
| QJR040047   | Armrest, Single Post, Height-Adjustable, Removeable  | 0   |
| QJR040048   | Arm Pad, Integral Foam, Depth-Adjustable, 380 mm   | 0   |
| QJR040049   | Side Guard, Depth-Adjustable   | 0   |
| <b>UNI Swing Away Legrest</b>   |  | £   |
| QJR050115   | Legrest, UNI, 80°, Swing Away - Select Footplate Below   | 0   |
| QJR050138   | Legrest, UNI, Manual Elevating, Swing Away, Pair   | 238 |
| <b>Legrest Positioning</b>  |  |     |
| QJR050150   | In-Rig Legrest 20 mm Per Side  | 47  |
| QJR050151   | Out-Rig Legrest 20 mm Per Side   | 47  |
| <b>Footplates</b>   |  |     |
| QJR050135   | Footplate, Fixed   | 0   |
| QJR050137   | Footplate, Angle Adjustable, Pair  | 70  |
| QJR050142   | Amputee Supports, Padded, Right  | 119 |
| QJR050143   | Amputee Supports, Padded, Left   | 119 |
| <b>SEDEO LITE Swing Away Legrest</b>  |  | £   |
| QJR050100   | SEDEO LITE, Legrest, 70°, Swing Away   | 0   |
| QJR050105   | SEDEO LITE, Legrest, Manual Elevating, Swing Away  | 238 |
| QJR050017   | SEDEO LITE, Legrest, Power Elevating, Swing Away   | 550 |
| <b>Legrest Positioning</b>  |  |     |
| QJR050150   | In-Rig Legrest 20 mm Per Side  | 47  |
| QJR050151   | Out-Rig Legrest 20 mm Per Side   | 47  |
| QJR050013   | Amputee Supports, Padded, Right  | 165 |
| QJR050014   | Amputee Supports, Padded, Left   | 165 |

| <b>SEDEO PRO Swing Away Legrest</b>  |   | £   |
|--|---|-----|
| QJR050015  | SEDEO PRO, Legrest, 70°, Swing Away   | 110 |
| <b>Support Options</b>   |   |     |
| QJR050082  | Calf Support, Integral Foam, Depth-Adjustable, Pair                                     | 95  |
| QJR050083  | Calf Support, Padded, Depth-Adjustable, Pair  | 113 |
| QJR050084  | Heel Loop   | 0   |
| QJR050085  | Calf Strap  | 0   |
| QJR050200  | Knee Pad, Integral Foam   | 59  |
| <b>Centre Mount Legrest (Q100 R Only)</b>  |   | £   |
| QJR050148  | Centre Mount Legrest, Angle Adjustable, With Flip Up Footplates (1)                     | 330 |
| <b>Remote Joystick – VR2 </b> |   | £   |
| QJR110036  | Remote Joystick, VR2  | 0   |
| QJR110037  | Remote Joystick, VR2, 2 Actuators - Required if retro fitting tilt                      | 0   |
| QJR110040  | Remote Joystick, VR2, 2 Actuators And Lights  | 0   |
| <b>Power Modules – VR2</b>   |   | £   |
| QJR110085  | Power Module, VR2, 60 A   | 0   |
| QJR110001  | Power Module, VR2, 70 A - Required if retro fitting tilt (2)                            | 0   |
| QJR110002  | Power Module, VR2, 90 A (3)   | 83  |
| <b>Lighting Module – VR2</b>   |   | £   |
| QJR110030  | Lighting Module, VR2  | 0   |
| <b>Remote Joystick – R-Net</b>   |   | £   |
| QJR110015  | Remote Joystick, R-Net, LED, Actuators  | 416 |
| QJR110016  | Remote Joystick, R-Net, LED, Actuators And Lights                                       | 416 |
| QJR110017  | Remote Joystick, R-Net, Colour LCD  | 535 |
| QJR110013  | Remote Joystick, R-Net, High Resolution Colour LCD, Advanced, Infrared Control Included | 653 |
| QJR110009  | Traction Control System For R-Net (GYRO Technology)                                     | 356 |
| <b>Power Modules – R-Net</b>   |   | £   |
| QJR110003  | Power Module, R-Net, 90 A   | 0   |
| <b>Joystick Mounting</b>   |   | £   |
| QJR110082  | Joystick Mounting, Parallel, Swing Away   | 0   |
| <b>Joystick Mounting Location</b>  |   | £   |
| QJR110052  | Joystick Mounting Location, Right   | 0   |
| QJR110053  | Joystick Mounting Location, Left  | 0   |
| <b>Attendant Controls - Select Joystick Above</b>  |   | £   |
| QJR110021  | Attendant Control, Dual   | 374 |
| QJR110158  | Attendant Only Tiller Control   | 330 |
| QJR110020  | Joystick Mounted As Attendant Control   | 231 |
| <b>Attendant Mounting Location</b>   |   | £   |
| QJR110025  | Attendant Mounting Location, Right  | 0   |
| QJR110026  | Attendant Mounting Location, Left   | 0   |
| <b>LED Lights &amp; Indicators</b>   |   | £   |
| QJR110201  | LED Light And Indicator StVZO Approved  | 351 |
| <b>Kerb Climber</b>  |   | £   |
| QJR090038  | Kerb Climber (4)  | 149 |

(1) Not available with kerb climber

(2) Required For Actuator Control

(3) With Q200 R 10 kph Motors Only

(4) Not with centre mount

| <b>Drive Wheels - Q200-R Only</b>             |   | £   |
|---|---|-----|
| QJR070084                                     | Drive Wheel, 12", Solid, Knobbly, Black                                     | 0   |
| QJR070034                                     | Drive Wheel, 14", Pneumatic, Knobbly, Black                                 | 0   |
| QJR070033                                     | Drive Wheel, 14", Solid, Knobbly, Black                                     | 0   |
| <b>Castor Wheels - Q200-R Only</b>            |   | £   |
| QJR080210                                     | Castor Wheel, 9", Solid, Black  | 0   |
| QJR080211                                     | Castor Wheel, 9", Pneumatic, Black  | 0   |
| <b>Motor Packages</b>                         |   | £   |
| QJR180014                                     | 2-Pole Motor, 4 kph / 2.5 mph, Via Programming                              | 0   |
| QJR180011                                     | 2-Pole Motor, 6 kph / 4 mph, Standard                                       | 0   |
| QJR180006                                     | 2-Pole Motor, 10 kph / 6 mph (1)(2)   | 330 |
| <b>Colour Accents</b>                         |   | £   |
| QJR140004                                     | Black (RAL 9005)  | 0   |
| QJR140002                                     | Red (RAL 040 40 67)   | 0   |
| QJR140005                                     | Apple Green (RAL 110 70 77)   | 0   |
| QJR140003                                     | Blue (RAL 260 40 45)  | 0   |
| <b>Batteries &amp; Chargers</b>               |   |     |
| <b>Batteries</b>                              |   |     |
| QJR160012                                     | Battery, 40 Ah, Gel, Maintenance-Free                                       | 0   |
| QJR160003                                     | Battery, 50 Ah, Gel, Maintenance-Free - Required if retro fitting tilt      | 0   |
| QJR160007                                     | Battery, 55 Ah, Maintenance-Free (3)  | 0   |
| <b>Chargers</b>                               |   |     |
| QJR160100                                     | Charger, Automatic, 220 V / 8 A, UK   | 0   |
| QJR160109                                     | Omit Charger  | 0   |
| <b>Positioning Supports &amp; Accessories</b> |   | £   |
| QJR090128                                     | Positioning Belt, Buckle, Short, 50 mm x 1700 mm                            | 0   |
| QJR090110                                     | Rear View Mirror, Right   | 47  |
| QJR090118                                     | Rear View Mirror, Left  | 47  |
| QJR090009                                     | Crutch Holder   | 77  |
| QJR030605                                     | Abduction Pommel (4)  | 226 |
| QJR090124                                     | Tray Table, Swing Away  | 297 |
| <b>DAHL Cover Kit</b>                         |   | £   |
| QJR090164                                     | DAHL Cover Kit (5)  | 110 |
| <b>Switches</b>                               |   | £   |
| QJR110601                                     | Single Switch, Ø 64 mm, Black   | 103 |
| QJR110602                                     | Single Switch, Ø 64 mm, Red   | 103 |
| QJR110603                                     | Single Switch, Ø 64 mm, Green   | 103 |
| <b>Switch Mounting</b>                        |   |     |
| QJR110560                                     | Switch Mounting, Link-It To The Hand Control (Available Post Launch)        | 275 |
| QJR110566                                     | Switch Mounting, Link-It To the Armrest (Opposite Site As The Hand Control) | 275 |

(1) Q200 R Only. Not Available With Tiller Control

(2) Requires 90Amp VR2 power module

(3) Not With Power Tilt

(4) Requires Seat Pan

(5) Backrest Cover Only - Purchase Full DAHL Kit Separately From DAHL. Not Available With Power Recline

## Comments For Personalisations



## Q100 R &amp; Q200 R

£

|                               |                  |
|-------------------------------|------------------|
| <b>Base Price</b>             | <b>00,000.00</b> |
| Total Of Additional Equipment |                  |
| Packaging And Transport       |                  |
| Exclusive VAT                 |                  |
| VAT                           |                  |
| <b>Total Price</b>            |                  |

## Date

## Signature

Day      Month      Year



## Sunrise Medical

Thorns Road, Brierley Hill, West Midlands  
DY5 2LD

Tel.: +44 (0) 845 605 66 88

Fax: +44 (0) 845 605 66 89

E-Mail: [enquiries@sunmed.co.uk](mailto:enquiries@sunmed.co.uk)

[www.SunriseMedical.co.uk](http://www.SunriseMedical.co.uk)