# Quantum®

32 Wedgwood Road, Bicester,

Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070

Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk





# **Dealer April 2021**















| Q6 Edge 2.0 with Synergy® Seating & VR2 or R-Net Controls |             |  |  |  |
|---|-------------|--|--|--|
| Dealer Name:  | Order Date: |  |  |  |
| Address:  |             |  |  |  |
|   | Post Code:  |  |  |  |
| Phone   | Email:      |  |  |  |
| PO No:  | Order Ref:  |  |  |  |
| Delivery Address:   |             |  |  |  |
|   |             |  |  |  |
|   | Post Code:  |  |  |  |
| Quantum Special   | ist:        |  |  |  |

# **Standard Features**

- Synergy Seating System
- 4" of Seat Width Adjustment
- 4" of Seat Depth Adjustment
- 2 x 55ah batteries
- VR2 Control System

- 2" x 6" Front & Rear Castors, Flat Free
- 3" x 14" Pneumatic Drive Tyres
- 12 Colour Options
- 4 Mph (6 Km/h) Motors
- ATX Suspension System

- Single Post Height Adj. Removable Armrests
- Centre Mount Foot Platform
- Maximum User Weight 21 Stone 6lbs
- Synergy Simplicity Seat Cushion
- Tie-Down System for Transportation

# **Base Model**

# Q6 Edge 2.0 with Synergy® Seating and VR2 Controls - £4,595.00

| Drive Wheels  |          |  |  |  |
|---|----------|--|--|--|
| □ 3" x 14" Pneumatic, Black Tyres   | Standard |  |  |  |
| □ 3" x 14" Flat Free, Black Tyres   | £150.00  |  |  |  |
| $\square$ 4" x 14" Pneumatic, Black Tyres, Knobby, Extended Traction Tyres Increases overall base width by 1.5" | £220.00  |  |  |  |
| $\square$ 4" x 14" Flat Free, Black Tyres, Knobby, Extended Traction Tyres Increases overall base width by 1.5" | £320.00  |  |  |  |
| Castor Wheels   |          |  |  |  |
| 2" x 6" Flat Free, Black Tyres, Front and Rear  | Standard |  |  |  |
| 2" x 8" Flat Free, Black Tyres, Front and Rear Includes extended castor arms                                    | £364.00  |  |  |  |
| Colours   |          |  |  |  |















Carbon Fibre



☐ Electric Blue

☐ White Satin



☐ Pretty in Pink

Deep Purple



Lime Light

☐ Grey Street



☐ Yellow Blaze

☐ Night Train

#### **Seat Dimensions** Select width and depth package and enter desired seat width and depth in that package range. Available in 1" increments. Maximum seat size is 22"W x 22"D. **Seat Width Packages Seat Depth Packages** □16"W-20"W □16"D-20"D ☐ 14"W-18"W □ 20"W-22"W ☐ 14"D-18"D □ 20"D-22"D Set Width at: Set Depth at: **Seat Cushions** Please refer to our Stealth Cushion Order form for available sizes and enter your preferred size here.......Wx..... ☐ No Seat Cushion Required FOC Stealth Simplicity G: General use, Fluid resistant Stealth-Tek cover - 25 stone weight limit FOC Stealth TRU-Comfort 2 SPP: Skin protection, positioning, 4-way stretch Coolcore cover - 32 stone weight limit Standard Stealth Solution® SPP: Skin protection, positioning, 4-way stretch, Coolcore cover and urethane liner - 25 stone weight limit £100.00 Stealth Essence® SPP: Skin protection, positioning, 4-way stretch and Coolcore cover - 35 stone 7lbs weight limit £120.00 Stealth Spectrum® Gel SPP: Skin protection, positioning, 4-way stretch, Coolcore cover and urethane liner - 25 stone weight limit £160.00 £160.00 Stealth Spectrum® Foam SPP: Skin protection, positioning, 4-way stretch, Coolcore cover and urethane liner - 42 stone weight limit Synergy® Backrest Specifications Syneray® Backrest Assembly Including Visco padded backrest Standard ☐ Tension Adjustable Backrest Upholstery This option may increase the delivery time £120.00 ☐ Back Canes Only Suitable for third party backrests. A backrest will not be supplied FOC Backrest/Back Cane Height: Set Backrest/Back Cane Height at: Available in 1" increments. Please refer to the Synergy Backrest Matrix below for seat width and backrest height compatibility. Backrest Width must match Seat Width selected unless using 1" or 2" Endo brackets in Backrest Positioning Adjustments section, in which case Backrest Width can be 2" or 4" narrower than Seat Width. Back Height = Seat Pan to Top of Back | Odd heights = 3" gap at bottom, Even heights = 4" gap at bottom. Synergy Static Back Width 12" 14" 16" 30" 32" 12" 13" Height 14' 15" 16 17" Back 18" \_ 19" 1 1 20" Synergy 21" 22' 23" 24" **ADI Back** ADI Backrest Refer to ADI Backrest configurator on page 7 and enter part number and price here. Part No:..... **TRU-Comfort Plus® Backrest Specifications** TRU-Comfort Plus® Backrest Assembly 4-way stretch fabric (Positioning). Only available with seat widths 16", 18", 20" and 22" £220.00 **Backrest Height:** □ 27" Tall Standard ■ 24" Tall **FOC** Back Height = Seat Pan to Top of Back | 3" gap at bottom. **Seat Positioning Adjustments** ☐ Static Seat Standard TRU-Balance®2 Power Tilt 0-55 degree centre of gravity (CG) power tilt seating system. Uses 1 power option £1100.00 Tru-Balance® 2 10" Power Adjustable Seat Lift and Tilt Requires R-Net Controls. Uses 2 power options. £1400.00 Seat to Floor Height Static Seat □ 15.875" Seat to Floor ☐ 16.875" Seat to Floor □ 17.875" Seat to Floor TB2 Power Tilt □ 17.125" Seat to Floor ■ 18.125" Seat to Floor □ 19.125" Seat to Floor 10" Seat Lift and Tilt □ 17.875" Seat to Floor

■ 18.875" Seat to Floor

Q6 EDGE 2.0 SYNERGY SEATING - DEALER

2

■ 19.875" Seat to Floor

| Ва   | ckrest P                                       | osition             | ing <i>A</i> djustme                     | ents                                    |                 |             |
|--|--|---------------------|--|---|-----------------|-------------|
| Static Backrest Tool angle adjustable from 85° to 120° in 5° increments  Additional Static Back Options: |  |                     |  |   | Standard        |             |
| ☐ Flip Forward Backrest Not suitable for occupied transportation   |  |                     |  |   | £200.00         |             |
| 1" Endo Brackets Reduces backrest width by 2   | ". Not available with                          | th TRU-Comfort F    | Plus backrest on seat widths i           | 4"-17"                                  | £40.00          |             |
| $\square$ 2" Endo Brackets Reduces backrest width by 4   | ". Not available with                          | th TRU-Comfort F    | Plus backrest on seat widths 1           | 4"-19"                                  | £40.00          |             |
|  |  | Armro               | ests                                     |   |                 |             |
| ☐ Single Post, Quick Height Adjustable Rem   | novable Armı                                   | rests Height a      | djustment from 11" - 17" in 1            | /2" increments                          | Standard        |             |
| ☐ Paediatric, Removable, Height Adjustab   | le Height adjustme                             | ent from 7.75" to   | 9.75" in 1/2" increments. Not c          | ıvailable with full length armpads      | FOC             |             |
| ☐ Single Post, Tool Height Adjustable Armre  | ests, Heavy Di                                 | uty, Remov          | /able Height adjustment i                | from 10" - 14"                          | £220.00         |             |
| □ 2-Post, Flip Back, Height Adjustable, Rem  | ovable Height r                                | range 9"-13". No    | t available with a seat depth            | less than 16"                           | £145.00         |             |
| Cantilever Flip-Up Armrests Not available with a   | tension adjustable b                           | oackrest. Increase  | es overall width by 7". Height           | adj.11"-17" depending on backrest       | £280.00         |             |
| neight, Not avaliable  | ,  |                     | ad Options                               |   |                 |             |
| □ 14"L x 2"W Straight, Pair □ 10"  | L x 2''W Straig                                | ght, Pair           | -  |   | Standard        |             |
| □ 14"L x 3"W Waterfall, Pair □ 10"   | L x 3"W Wate                                   | erfall, Pair        |  |   | FOC             |             |
| □ 14"L x 3.5"W Gel Armpad, Pair  |  |                     |  |   | £160.00         |             |
| □ 10"L x 3.5"W Gel Armpad, Pair  |  |                     |  |   | £130.00         |             |
|  |  | Headr               | ests                                     |   |                 |             |
| ☐ Stealth 10" Comfort Plus CP250   |  |                     |  |   | £140.00         |             |
| ☐ Stealth 14" Comfort Plus CP150   |  |                     |  |   | £140.00         |             |
| ☐ Stealth 14" Adjustable Comfort Plus ACPI   | 50   |                     |  |   | £250.00         |             |
| ☐ Stealth Small Contoured STL-OTSM250  |  |                     |  |   | £200.00         |             |
| ☐ Stealth Large Contoured STL-OTLG150  |  |                     |  |   | £200.00         |             |
|  | Lateral  | and Tru             | unk Supports                             |   |                 |             |
| Stealth Thoracic Lateral Supports  |  |                     | Pight Latoral Pag                        | akaaa                                   |                 |             |
| Left Lateral Package   | 0175.00  |                     | Right Lateral Pac                        | _                                       | 0175.00         |             |
| Thin Hardware, Short Link TWBTL-L  | £175.00  |                     | <u></u>                                  | e, Short Link TWBTL-R                   | £175.00         |             |
| ☐ Thin Hardware, Standard Link TWBSTL-L  Left Lateral Pads   | £175.00  |                     | lhin Hardware  Right Lateral I           | , Standard Link TWBSTL-R<br><b>Pads</b> | £175.00         |             |
| $\square$ 3" H x 5" L Curved Lateral Pad <i>TWBL-3X5</i>   | £35.00   |                     | <b>□</b> 3"Hx5"L0                        | Curved Lateral Pad TWBL-3X5             | £35.00          |             |
| 4" H x 6" L Curved Lateral Pad TWBL-4X6  | 4" H x 6" L Curved Lateral Pad TWBL-4X6 £35.00 |                     |  | £35.00                                  |                 |             |
| i-Fit Chest Harness Supplied uninstalled   |  |                     |  |   |                 |             |
| Classic Style Offers a large padded surface for the t  | horacic area                                   |                     |  |   | £100.00         |             |
| Contoured Style Narrowed sectioned over the stem<br>Size   | um that allows a be                            | etter fit for femal | les, G-tube users, or those rec          | quiring a smaller support surface       | £100.00         |             |
| ☐ Extra Small Construction   | □Mediun  | n                   | □ Large                                  | ☐ Extra Large                           |                 |             |
| Dynamic Allows for a degree of trunk moven   | nent and softer f                              | it 🗀                | Structured More res                      | istant to high tone, aiding mainte      | enance of corre | ect posture |
|  | Pe   | elvic Su            | upports                                  |   |                 |             |
| Stealth Pelvic Supports May conflict with armrest Left Pelvic Package                                    | option. Contact                                | Quantum for         | more information <b>Right Pelvic Pac</b> | kage                                    |                 |             |
| Quick Release Removable Hardware   |  | £100.00             | Quick Releas                             | e Removable Hardware                    |                 | £100.00     |
| ☐ Flip-Down Hardware TWBL-L  |  | £150.00             | ☐ Flip-Down Hard                         | dware TWBL-R                            |                 | £150.00     |
| ☐ Additional link for Flip-down Hardware LHW-12  | 9  | £35.00              | <u></u> '                                | nk for Flip-down Hardware பா            | V-129           | £35.00      |
| Full Surface Contact Feature for Flip-Down   |  | £50.00              |  | Contact Feature for Flip-Dow            |                 | £50.00      |

|  |                                 | Pelvi            | c Support                | s (continued)                  |   |                                |          |
|--|---------------------------------|------------------|--------------------------|--------------------------------|---|--------------------------------|----------|
| Left Pelvic Pads   |                                 |                  |                          | Right Pelvic Pads              |   |                                |          |
| 4" H x 4" L Pelvic Po  | ad TWBADD-4x4                   |                  | £35.00                   | ☐ 4" H x 4" L Pelvic           | Pad TWBADD-4x4  |                                | £35.00   |
| 4" H x 8" L Pelvic Po  | ad TWBADD-4x8                   |                  | £35.00                   | ☐ 4" H x 8" L Pelvic           | Pad twbADD-4x8  |                                | £35.00   |
| 4" H x 12" L Pelvic F  | Pad twbADD-4x12                 |                  | £35.00                   | ☐ 4" H x 12" L Pelvid          | C Pad TWBADD-4x12   |                                | £35.00   |
| Stealth Knee Adductor  | 's                              |                  |                          |                                |   |                                |          |
| Left Knee Support Pac  | kage                            |                  |                          | Right Knee Support F           | Package   |                                |          |
| Cane Mounted Hard  | ware Only available with        | n individual l   | egrests £145.00          | Cane Mounted Ho                | rdware Only available with                                    | individual legrests            | £145.00  |
| Swing-Away Track Mo  | May conflict with tie-dow       |                  | £160.00                  | KN1ADD-TRK                     | Mount Hardware Mounts May conflict with tie-do                |                                | £160.00  |
| Left Knee Pads With 1  | 1/2" medium sunmate             |                  |                          | Right Knee Pads W              | /ith 1/2" medium sunmate                                      |                                |          |
| ☐ 3" Round Knee Ad   | lductor Pad KN1ADD3             |                  | £17.00                   | ☐ 3" Round Knee A              | Adductor Pad KN1ADD3  |                                | £17.00   |
| 4" Round Knee Ad   | ductor Pad KN1ADD4              |                  | £17.00                   | 4" Round Knee A                | Adductor Pad KN1ADD4  |                                | £17.00   |
| i-Fit Pelvic Belts   |                                 |                  |                          |                                |   |                                |          |
| Padded Offers a large  |                                 |                  |                          |                                |   | £70.00                         |          |
| ☐ Non-Padded Narrow <b>Size</b>  | ved sectioned for smaller s     | support surfc    | ace                      |                                |   | £65.00                         |          |
| Extra Small  | <b>□</b> Smal                   | II               | □Medium                  | Large                          | ☐ Extra Large   |                                |          |
| Not available with no  Attachment Method   | '                               |                  | Release Mech             |                                | Not available with r  | non-padded or 4                | 1-point. |
| 2-Point  | 4-Point Single p                | oull only        | ☐ Push Button            | <u></u>                        | ÷   |                                |          |
| Adjustment   |                                 |                  |                          |                                |   |                                |          |
| ☐ Single Pull  | ☐ Dual Pull                     |                  |                          |                                |   |                                |          |
|  |                                 |                  | •                        | el) Supports                   |   |                                |          |
| Stealth Pommel Mount  Fixed Modular Rem  | -                               |                  |                          |                                | ntum for more information                                     | £225.00                        |          |
| ☐ Flip-Down Link Style   |                                 |                  |                          |                                |   | £170.00                        |          |
| ☐ Fixed Flip-Down Me   |                                 |                  |                          |                                |   | £135.00                        |          |
| Stealth Pommel Pac   |                                 |                  |                          |                                |   |                                |          |
| ☐ Small Wedge Po   | ad 3" W x 4" L x 3" H x 2" \    | W. MTMD-12       |                          |                                |   | £95.00                         |          |
| ☐ Medium Wedge   | e Pad 4.5" W x 5" L x 3" H      | 1 x 2" W. MTN    | MD-13                    |                                |   | £95.00                         |          |
| Large Wedge Po   | ad 5" W x 5" L x 4" H x 3"      | W. MTMD-14       | 4                        |                                |   | £95.00                         |          |
| ☐ Adjustable Pom   | mel with Dual 3" x 5            | " pads Inc       | ludes slip cover. MT     | MD-42                          |   | £185.00                        |          |
|  |                                 | Centro           | e Mount F                | oot Platforms                  |   |                                |          |
| ☐ Base Mounted Foo   | t Platform Mounted to           | chassis, will r  | not move with Powe       | er Tilt or Seat Lift           |   | FOC                            |          |
| Adjustable Centre  | Mount Foot Platform             | n Mounted t      | o Seat.                  |                                |   | Standard                       |          |
| Power Articulating Ce<br>A 16"D-20"D Seat Depth Packo<br>Module and the Centre Mount | age will be supplied if TB2 Pov | ver Tilt has bee | en selected in combir    | nation with a Centre Mount Foo | t Platform. This is to accommod<br>0-20"D Seat Depth Package. | £642.00<br>date the Power Tilt | ·        |
| <b>Legrest Options</b>   |                                 |                  |                          |                                |   |                                |          |
| Lower Extensions Se  |                                 | _                | 7                        |                                |   |                                |          |
| □ 10-16"L Seat pan t<br>Footplates   | o heel                          | or L             | <b>1</b> 3-19"L Seat po  | ın to heel                     |   | Standard                       |          |
| □ 10"W x 11"D Spli<br>Calf Pads  | it Footplates                   | or <b>C</b>      | <b>]</b> 10"W x 8"D Sp   | olit Footplates                |   | Standard                       |          |
| □Small 6"H x 6"W   |                                 | or <b></b>       | <b>]</b> Large 8''H x 8' | 'W tapered to 6"W              |   | Standard                       |          |
| Calf Pad Covers (P   | air) 1/2" Soft Visco Foam       |                  |                          |                                |   |                                |          |
| ☐ Air Mesh   |                                 | _                | Reversed Dar             | tex                            |   | £42.00                         |          |
| 4  |                                 | Q6 EDG           | E 2.0 SYNERGY            | SEATING - DEALER               |   |                                |          |

| Centre Mount Foot Platforms (continued)   |                    |
|---|--------------------|
| Calf Panel 8"H x 18"W. Not available with Calf Pads   | £42.00             |
| ☐ Calf Panel Extension (each)   | £30.00             |
| Calf Panel Cover 1/2" Soft Visco Foam   |                    |
| ☐ Air Mesh or ☐ Reversed Dartex   | £72.00             |
| Footplate Extension Kits  |                    |
| $\square$ 4" Width Extension Kit. Not available with 2" Bell Shaped, Length Extension Kit   | £16.00             |
| 2" Bell Shaped, Length Extension Kit. Not available with 4" Width Extension Kit   | £16.00             |
| Additional Footplate Accessories:   |                    |
| ☐ Footplate Outside Edge, pair  | £10.00             |
| ☐ Wheel Bumpers, pair   | £10.00             |
| ☐ Footplate Connector   | £10.00             |
| Individual Legrests   |                    |
| Choose instead of centre mount foot platform options  |                    |
| 60-90° Swing-Away Legrests Tool adjustable in 5° Increments. Factory set at 70°. Not available with a seat width less than 16"  | £110.00            |
| Footplate Selection Includes heel loops   |                    |
| ☐ Flip-up, Extruded Footplates, 8.5"W x 6"D   | Standard           |
| ☐ Angle Adjustable Footplates, 6"W x 8"D Other sizes available  | £115.00            |
| Please provide the seat pan to heel measurement required, minimum 11", maximum 19.5":   |                    |
| 70° Heavy duty, drop in, swing-away legrests with angle adjustable footplates. Not available with a seat width less than 16"  Footplate Selection Includes heel loops   | £130.00            |
| 6"W x 8"D 8"W x 11"D Other sizes available  |                    |
| Please provide the seat pan to heel measurement required, minimum 12", maximum 18":   |                    |
|   |                    |
| 90° Paediatric Swing-Away Legrests Seat Pan to Heel range of adjustment 7"-10"L. Includes 4" x 6"D angle adjustable footplates and heel loops. Other sizes available  | £110.00            |
| Elevating Legrests  |                    |
| Choose instead of centre mount foot platform options  Manual Elevating Swing-Away Legrests Not suitable for occupied transportation. Not available with a seat width less than 16"  | £130.00            |
| ☐ Supply base mounted foot platform to allow power chair to remain crash tested Manual elevating legrests must be removed during transport  | FOC                |
| Footplate Selection Includes heel loops   |                    |
| $\square$ Flip-up, Extruded Footplates, 8.5"W x 6"D & 14"-17" Lower leg extensions  | Standard           |
| $\square$ Angle Adjustable Footplates, 6" W x 8"D & 14.5"-18" Lower leg extensions  | £115.00            |
| 70° Power Articulating Bevating Swing-Away Legrests 4" articulation range. Not available with a seat width less than 16". Uses 2 power options  Footplate Selection Includes heel loops   | £1320.00           |
|   | Chaus al sural     |
| $\square$ Angle Adjustable Footplates, 6"W x 8"D Other sizes available  | Standard           |
| Please provide the seat pan to heel measurement required, minimum 11", maximum 18":   |                    |
| ☐ Small Calf Pads, Pair 5.35"Wx 6"H or ☐ Large Calf Pads, Pair 5.86"Wx 8"H  | 00.88£             |
| Gel Padded Adductor Buttons, Pair   | £30.00             |
| Operation Method: Independent |                    |
|   |                    |
| Additional Legrest Ontions  |                    |
| Additional Legrest Options  Stump Board support (each) Includes a 60-90° Swipg-Away Legrest hanger  Dieft Right   | £300.00            |
| ### Additional Legrest Options  ☐ Stump Board support (each) Includes a 60-90° Swing-Away Legrest hanger ☐ Residual Limb support (each) ☐ Left ☐ Right  | £300.00<br>£180.00 |

|                               | VR2 No                                  | on-Expandable Controls  |                          |                      |  |  |
|-------------------------------|---|---|--------------------------|----------------------|--|--|
| □ VR2 - No Power Optio        | Standard                                |   |                          |                      |  |  |
| □ VR2 - 2 Power Option        | £125.00                                 |   |                          |                      |  |  |
| ☐ Mount Joystick as Atte      | endant Control Only Please sele         | ect VR2 power option above  |                          | £100.00              |  |  |
| Dual Control Please selec     | ct VR2 power option above               |   |                          | £380.00              |  |  |
|                               | R-Ne                                    | t Expandable Controls   |                          |                      |  |  |
| R-Net - 1 Power Optio         | n Ready Required when 0 or 1 po         | ower option is selected   |                          | £350.00              |  |  |
| R-Net - 5 Power Optio         | n Ready Required when 2 or more         | e power options have been selected  |                          | £550.00              |  |  |
| ☐ User Joystick not requ      | ired An R-Net hand control will not     | be supplied. An Omni display must be selected   |                          | -£100.00             |  |  |
| ☐ Mount Joystick as Atte      | endant Control Only Please sele         | ect R-Net power option above  |                          | £100.00              |  |  |
| ☐ Dual Control Please selec   | ct R-Net power option above             |   |                          | £430.00              |  |  |
| R-Net OMNI2 Display I         | ncludes 2 egg switches and swing-away d | lisplay mount. Does not include R-Net Joystick. Select R-Net p                                      | ower option above        | £763.00              |  |  |
|                               |   | Joystick Handles  |                          |                      |  |  |
| Standard Carrot Hand          | dle                                     |   |                          | Standard             |  |  |
| ☐ Mushroom Handle             | ☐ Extended I-Handle                     | $\square$ Bodypoint 3 Inch Goal Post Hand   | le                       | £35.00 (each)        |  |  |
| □T-Bar                        | ☐ Soft Ball Handle                      | $\square$ Bodypoint 4 Inch Goal Post Hand   | le                       |                      |  |  |
| ☐ Chin Cup                    | ☐ Medium Ball Handle                    |   |                          |                      |  |  |
|                               | Joyst                                   | ick Mounting Brackets   |                          |                      |  |  |
| ☐ Fixed Inline                |   |   |                          | Standard             |  |  |
| ☐ Swing-Away                  | £75.00                                  |   |                          |                      |  |  |
| ☐ Multi-Axis                  | £125.00                                 |   |                          |                      |  |  |
| Retract 4 Swing-Away          | £150.00                                 |   |                          |                      |  |  |
| Mounting Position  Left       | or 🔲 Right                              |   |                          |                      |  |  |
| ☐ Inline                      |   | t available with Fixed Joystick Bracket   |                          |                      |  |  |
|                               | Speed Pro                               | ogram and Lights Package  |                          |                      |  |  |
| 4 Mph program Availal         | ble with VR2 or R-Net. Lights and indi  | icators not included  |                          | Standard             |  |  |
| $\square$ 4 Mph program, with | £450.00                                 |   |                          |                      |  |  |
| $\square$ 6 Mph program, with | £450.00                                 |   |                          |                      |  |  |
| $\square$ Lights and indicat  |   | ions have been selected, you must tick this box in a ackage to receive the correct lighting module. | ddition to the lights    | £260.00              |  |  |
|                               | Qu                                      | iantum Accessories  |                          |                      |  |  |
| Some accessories will be      | shipped with the unit, not installed.   | Multiple accessories can be mounted along the vo  | ırious tracks, some inte | erference may occur. |  |  |
| Glov                          | ve Box unit uninstalled                 |   |                          | £30.00               |  |  |
| Clot                          | hing Guard (pair) Only availab          | ole with Flip Up armrests   |                          | £100.00              |  |  |
|                               |   |   |                          |                      |  |  |
| Quo                           | antum Backpack                          |   |                          | £40.00               |  |  |
|                               |   |   |                          |                      |  |  |
|                               |   | Price   |                          |                      |  |  |
|                               |   |   | _                        | £4,595.00            |  |  |
|                               |   |   | Options:                 |                      |  |  |
|                               |   |   | Total:                   |                      |  |  |

# **ADI Backrest Configurator**

# ALBR10LAF

| Shell Type                                     | Back Rest   | Back Width   | Height  | Contour                                   | Mounting   |
|--|---|--|---|---|--|
| AL - AL Series AFT - AFT Series CF - CF Series | Shell Assembly Weight  AL Series - 1.5lb / 680gm  CF Series820lb / 370gm  above weights are of a 16" STD  - all weights approx. | 10" / 25cm<br>11" / 28cm<br>12" / 30.5cm<br>13" / 33cm   | L<br>low<br>(10"/25cm)<br>M<br>medium<br>(13"/33cm)               | A active (2.5"/63.5mm)  D deep (4"/100mm) | F fixed elite (.60lb/272gm)  2 2-point pro (1.25lb/566gm)  |
|  |   | 14" / 35.5cm<br>15" / 38cm<br>16" / 40.5cm<br>17" / 43cm<br>18" / 45.5cm<br>19" / 48cm<br>20" / 51cm | S standard (16"/40.5cm)  T tall (18"/45.7cm)  X x-tall (20"/51cm) | 6<br>extra<br>deep<br>(6"/150mm)          | 4-point pro (2.5lb/1132gm)  R quick release (1.30lb/589gm)  W width adjustable elite (.63lb/285gm)  B Basic release (1.50lb/680gm) |

# **Notes**

For additional seating options and alternative drive controls please refer to your Quantum Specialist.

### **Quantum Notes:**

- 1. This product is suitable for occupied transportation in accordance with ISO 7176-19. We strongly recommend that all heavy accessories such as manual ELRs are removed and secured during occupied transportation. We also advise that the use of third party accessories including life Support Systems, Chin Controls and Trays be risk assessed prior to the wheelchair being transported. Full details of suitable restraints for this wheelchair can be obtained from Quantum Technical on 01869 324600 or Email us on: technical@quantumrehab.co.uk
- 2. Due to manufacturing tolerances and continual product improvement, this specification can be subject to variance of + or 3 %. Overall measurements will vary based on seating and accessory selections.