SUBMIT FORM This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.

Ki Mobility

United Kingdom

ROGUE

Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com

Company: _____ Ship To: _____

Account Number: _____ Date: _____ Address: _____

❑ Quote ❑ PO Number: _____ City: _____ Postal Code: _____

RTS: _____ Phone: _____

Marked For: _____ Email/Fax: _____

Select if chair quote has: ❑ Additional Ki Products with Different Quote/Order Number **Quote/Order Number**: _____

Effective 17/01/2022

Rogue _____ **£2775**
Rogue Standard Frame. 275 lb weight capacity.

Frame

Seat Width / Seat Depth

Select box corresponding to desired Seat Width and Depth. See references A and B on page 7.

			Seat Width								
			12”	13”	14”	15”	16”	17”	18”	19”	20”
		Price	N/C	N/C	N/C	N/C	N/C	N/C	N/C	£263	£263
Seat Depth	14”	N/C	❑	❑	❑	❑	❑	❑	❑	❑	❑
	15”	N/C	❑	❑	❑	❑	❑	❑	❑	❑	❑
	16”	N/C	❑	❑	❑	❑	❑	❑	❑	❑	❑
	17”	N/C	❑	❑	❑	❑	❑	❑	❑	❑	❑
	18”	N/C	❑	❑	❑	❑	❑	❑	❑	❑	❑
	19”	N/C	❑	❑	❑	❑	❑	❑	❑	❑	❑
	20”	£263	❑	❑	❑	❑	❑	❑	❑	❑	❑

Transit Option

Cannot be retrofitted

❑ Transit System _____ N/C

Sling Position

In Performance Position (0”), sling is at front of frame. The 1” or 2” sling position extends the frame in front of the sling by that amount. See reference C on page 7.

❑ 0” (Performance) _____ N/C
❑ 1” _____ N/C
❑ 2” (Classic) _____ N/C

Adjustable Depth

Adds the capability to grow seat in depth

❑ No Rear Adjustment _____ N/C
❑ 1/2” _____ N/C
❑ 1” _____ N/C
❑ 2” _____ £142

Seat Pan

❑ Solid Seat Pan _____ £226

Front Frame Bend

Angle between front seat tube and ground. See reference D on page 7.

❑ 90º _____ £126
❑ 85º _____ £126
❑ 80º _____ N/C
❑ 75º _____ £126
❑ 70º _____ £126

Backrest

Back Post / Height Range / Back Height

Select Back Height in row corresponding to desired Back Post and Height Range.

Back Post	Price	Height Range	Back Height				
Height Adjustable	N/C	Short	❑ 11[2]	❑ 12	❑ 13	❑ 14	
		Medium	❑ 13	❑ 14	❑ 15	❑ 16	❑ 17
		Tall	❑ 17	❑ 18	❑ 19	❑ 20	
Fixed Height [1]	N/C		❑ 9[2]	❑ 10[2]	❑ 11[2]	❑ 12	❑ 13
			❑ 14	❑ 15	❑ 16	❑ 17	❑ 18

[1] *Not available with back upholstery*
[2] *Not available with Fold Down Push Handle*

Push Handle

❑ Omit Push Handle _____ N/C
❑ Standard Push Handle _____ N/C
❑ Low Profile Push Handle _____ £113
2” shorter than standard push handles
❑ Bolt-On Push Handle _____ £147
Handles will be 1” - 2” above back height
❑ Fold Down Push Handle _____ £137

Stroller Handle

Stroller Handles are removable and height adjustable

❑ Single Stroller Handle _____ £142
❑ Double Stroller Handle _____ £184
Not available with Push Handles

Backrest continued

Rigidizer Bar

❑ Adjustable Height Rigidizer Bar _____ N/C

Seat Back Angle

Standard is 90º (perpendicular to floor). Minus (-º) closes back angle. Plus (+º) opens back angle.

❑ Standard ❑ +3º ❑ +6º ❑ +9º
❑ -3º ❑ -6º ❑ -9º ❑ -12º

Back Upholstery

Available only with Height Adjustable Back Posts. If selecting both upholstery and Axiom Back, the upholstery will be installed.

Padded Velcro Adjustable
- ❑ Standard Cover _____ Std
- ❑ Air Mesh Breathable Cover _____ £63

Tension Adjustable
- ❑ Standard Cover _____ N/C
- ❑ Air Mesh Breathable Cover _____ £153

❑ Omit Back Upholstery _____ N/C

Front Seat Height and Casters

Caster Size / Footrest Taper / Front Seat Height

Select Front Seat Height in row corresponding to Footrest Taper and Caster Size. 6" casters not available with 85º and 90º Front Frame Bend.

Footrest Taper indicates bend of front frame creating footrest width. Taper is measured from outside of seat frame to outside of front tube. 2" Taper not available with 75º Front Frame Bend. Taper is not available with 70º Front Frame Bend. See reference E on page 7.

Front Seat Height is measured from floor to top of seat tube at front of seat sling. Adjustable up or down by 1/2". See reference F on page 7.

Footrest Taper	Caster Size	Front Seat Height														
Straight	3"	❑ 13.5	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5
	4"	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5	
	5"	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5		
	6"	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5			
1" Taper	3"	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5						
	4"	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5							
	5"	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5								
	6"	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5									
2" Taper	3"	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5						
	4"	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5							
	5"	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5								
	6"	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5									

Caster Type

❑ .75" Rollerblade _____ N/C
Available only with 3" and 4" Caster Sizes

❑ .75" Lighted Rollerblade _____ £70
Available only with 3" and 4" Caster Sizes

❑ 1" Poly _____ N/C
Not available with 3" Caster Size

❑ 1" Poly Aluminum _____ £83
Available only with 4" and 5" Caster Sizes

❑ 1" Pneumatic _____ £89
Available only with 6" Caster Size

❑ 1.5" Poly _____ N/C
Not available with 3" Caster Size

❑ 1.5" Soft Roll Aluminum _____ £83

Fork Options

❑ Standard Fork _____ Std
❑ Single Sided Fork _____ £179
❑ Frog Legs Suspension Fork _____ £299
Not included in Colored Anodizing Package

End User Weight Required: _____ lbs

❑ Frog Legs II Suspension System _____ £368
Lightweight shock absorbing fork. Not included in Colored Anodizing Package.

Footrest

Footplate

- ❑ Tubular "Open" Footplate _____ Std
- ❑ Tubular Footplate with ABS Cover _____ £79
  Not available w/footrest widths greater than 15.5". See Reference G on page 7.
- ❑ Aluminum Angle Adjustable _____ £158
- ❑ Aluminum Angle Adjustable with Riser _____ £158
- ❑ High Mount Aluminum Angle Adjustable _____ £158
- ❑ Angle Adjustable Flip Under _____ £194
  Only available with footrest widths 9.5"-15.5". See Reference G on page 7.
- ❑ High Mount Angle Adjustable Flip Under _____ £236
  Not available w/footrest widths greater than 15.5". See Reference G on page 7.

Seat to Footrest Length

Measured from front edge of seat sling to top, rear of footrest. Footrest length at least 2.5" shorter than Front Seat Height recommended. See reference H on page 7.

❑ 8"	❑ 8.5"	❑ 9"	❑ 9.5"	❑ 10"	❑ 10.5"
❑ 11"	❑ 11.5"	❑ 12"	❑ 12.5"	❑ 13"	❑ 13.5"
❑ 14"	❑ 14.5"	❑ 15"	❑ 15.5"	❑ 16"	❑ 16.5"
❑ 17"	❑ 17.5"	❑ 18"	❑ 18.5"	❑ 19"	❑ 19.5"

Footrest Protector

- ❑ Footrest Protector _____ N/C
  Not available with Angle Adjustable Flip Under, High Mount Angle Adjustable Flip Under or High Mount Aluminum Angle Adjustable Footplates

Rear Seat Height and Wheels

Wheel Size / Rear Seat Height

Select Rear Seat Height in row corresponding to desired Wheel Size. For proper setup, selection is required when omitting rear wheels. Measured from floor to top of seat tube at front of back post. Rear Seat Height is custom to needs. See reference I on page 7.

Wheel Size	Rear Seat Height															
20"	❑ 12.5[1]	❑ 13	❑ 13.5	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20
22"	❑ 13.5[1]	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20		
24"	❑ 14.5[1]	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20				
25"	❑ 15[1]	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20					
26"	❑ 15.5[1]	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20						

[1] *Available only with Low Profile tires*

One Arm Drive

One Arm Drive _____ £735

Available only with 20", 22" and 24" spoke wheels and quick release axles. Spoke wheel style provided is exclusive to OAD. Standard handrim will be Aluminum Anodized. Limitations exist based on rear wheel spacing, camber and armrest selections.

Drive Handrim Side: ❑ Left ❑ Right

Drive Handrim Type: ❑ Aluminum _____ N/C
❑ Poly Coated _____ £184

Rear Wheel Type

No selection needed with One Arm Drive

- ❑ MAXX Performance Spoke _____ N/C
- ❑ Mag _____ £105
  Not available in 25" or 26" wheel sizes
- ❑ Superlight Spoke _____ N/C
  Available only in 24" and 25" wheel sizes. 25" wheel size available only with Superlight and Plastic Coated Handrims.
- ❑ Spinergy Spox (24",25") _____ £462
- ❑ Spinergy Spox (26") _____ £667
  - ❑ Black Spokes _____ N/C
  - ❑ Colored Spokes _____ £79

  Color: ❑ Red ❑ White ❑ Blue ❑ Yellow

  Handrim: ❑ Short Tab ❑ Long Tab
  Available only with Aluminum Anodized and Plastic Coated Handrims
- ❑ Spinergy LX (24", 25") _____ £709
- ❑ Spinergy LX (26") _____ £866
  - ❑ Black Spokes _____ N/C
  - ❑ Colored Spokes _____ £79

  Color: ❑ Red ❑ White ❑ Blue ❑ Yellow
  ❑ Pink ❑ Green ❑ Orange ❑ Purple

  Handrim: ❑ Short Tab ❑ Long Tab
  Available only with Aluminum Anodized and Plastic Coated Handrims

Rear Tire Type

Full Profile

- ❑ Street Pneumatic 1 3/8" — Std
  Not available on 25" wheel size
- ❑ Full Poly 1 3/8" — N/C
  Not available on Superlight wheel or 25" or 26" wheel sizes
- ❑ Pneumatic with Airless Insert 1 3/8" — £95
  Not available on Superlight wheel or 25" wheel size
- ❑ Schwalbe HS-127 1 3/8" — £95
  Available only on 24" wheel size. Not available on Mag wheel.
- ❑ Euro Trek Knobby 1 3/8" — £90
  Available only on 24" wheel size
- ❑ Mountain 2" Black — £131
  Available only on 22", 24" and 25" MAXX Performance and Spinergy wheels

Rear Tire Type (continued)

Low Profile

- ❑ Low Poly 1" — £95
  Not available on Superlight wheel, 25" or 26" wheel sizes
- ❑ Sentinel Solid Tire 1" — £95
  Not available on Superlight wheel or 20" and 22" Mag wheels
- ❑ High Pressure 1" — N/C
  Not available on Mag wheel
- ❑ Schwalbe One 1" — £95
  Available only on 24" and 25" wheel sizes. Not available on Mag wheel.
- ❑ Schwalbe Marathon Plus Evolution 1" — £95
  Not available on Mag wheel, 20" or 22" wheel sizes

Rear Seat Height and Wheels continued

Handrim

No selection needed with One Arm Drive

Standard Handrims

- ❑ Aluminum Anodized — Std
- ❑ Superlight Aluminum Anodized — £105
  Available only on 24" and 25" wheel sizes. Available only on MAXX Performance, Superlight or Spinergy wheels.
- ❑ Plastic Coated — £105
- ❑ Projection (8 Vertical Projections) — £289
  Available only with full profile tires in combination with 22"-26" MAXX Performance, or 24" Mag wheel
- ❑ Omit Handrim — N/C

Natural Fit Handrims

Not available on 20" wheel size or 22" Mag wheel. Not recommended with Mag wheel.

- ❑ Natural Fit LT Regular Grip — £236
- ❑ Natural Fit Standard Regular Grip — £236
- ❑ Natural Fit LT Super Grip — £236
- ❑ Natural Fit Standard Super Grip — £236
- ❑ Natural Fit LT Omit Grip — £236
- ❑ Natural Fit Standard Omit Grip — £236

Handrim Option

- ❑ 3M Micro Grip — £79
  Not available on Plastic Coated or Projection Handrims

Axle

- ❑ Quick Release — Std
- ❑ Quad Quick Release — £158
  Not available with Mag or Spinergy wheels

Rear Wheel Camber

The following apply if One Arm Drive is selected: 6º and 8º not available. 4º not available with T-Arms.

❑ 0º ❑ 2º ❑ 4º ❑ 6º ❑ 8º

Rear Wheel Spacing

1" minimum with 0º camber. 1.5" minimum with T-Arms. The following apply if One Arm Drive is selected: 1.75" minimum with T-Arms. 1.25" minimum with select Rear Seat Heights. No selection needed with Wheelchair Drive Ready. See Reference K on page 7.

❑ .75" ❑ 1" ❑ 1.25" ❑ 1.5" ❑ 1.75"

Center of Gravity Preset

Measured from front of back post to center of rear axle. 0" indicates axle will be directly under back post. See reference J on page 7.

Amputee Positions

❑ -1.5"	❑ -1.25"	❑ -1"	❑ -.75"
❑ -.5"	❑ -.25"	❑ 0"	❑ .25"

Standard Positions

❑ .5"	❑ .75"	❑ 1"	❑ 1.25"
❑ 1.5"	❑ 1.75"	❑ 2"	❑ 2.25"
❑ 2.5"	❑ 2.75"	❑ 3"	❑ 3.25"
❑ 3.5"	❑ 3.75"	❑ 4"	❑ 4.25"

Wheel Locks

Wheel Lock

- ❑ Push to Lock — Std
- ❑ Push to Lock Flush Mount — £58
- ❑ Pull to Lock — N/C
- ❑ Under Seat Scissor Lock — £32
- ❑ Low Profile Scissor Lock — N/C
  Not available with Low Poly, Full Poly or Sentinel Solid tires
- ❑ Short Thro Scissor Lock — £152
- ❑ Omit Wheel Locks — N/C

Wheel Lock Options

- ❑ Extension Handles — £42
  Available only with Push to Lock or Pull to Lock Wheel Locks
- ❑ Grade Aids — £126
  Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires

Armrests

Armrest Please select Arm Pad option

- ❑ Height Adjustable T-Arm (8.5" - 13.5") £184
- ❑ Height Adjustable T-Arm Low (7.5" - 11.5") £184

Arm Pad

Not available with Swing Away Armrests

❑ Desk ❑ Full

Armrest continued

- ❑ Swing Away (8.5" - 12.5") £221
  Not available with Arm Pads
- ❑ Omit Armrests N/C

Side Guards

Not available with T-Arms or Swing Away with Side Guard Armrests

Direct Mount

- ❑ Composite Side Guards £173

Aluminum Straight
- ❑ Black Matte £184
- ❑ Match Frame Color £236
  Not available with Hydrographics

Aluminum Adjustable Fender with Foam Pad
Not available with Adjustable Depth greater than 1/2"
- ❑ Black Matte £257
- ❑ Match Frame Color £310
  Not available with Hydrographics

- ❑ Carbon Fiber Adjustable Fender £341
  Not available with Adjustable Depth greater than 1/2"

Clamp-On Mount

- ❑ Composite Side Guards £173

Aluminum Straight
- ❑ Black Matte £184
- ❑ Match Frame Color £236
  Not available with Hydrographics

Aluminum Adjustable Fender with Foam Pad
- ❑ Black Matte £257
- ❑ Match Frame Color £310
  Not available with Hydrographics

- ❑ Carbon Fiber Adjustable Fender £341

Fabric Side Guard

Not available when omitting Back Upholstery

- ❑ Fabric Side Guards £79

Accessories

Anti-Tip

- ❑ Rear Anti-Tips £79

Calf Strap

- ❑ Velcro Adjustable £32
- ❑ Padded Velcro Adjustable £58
- ❑ Bodypoint Padded AeroMesh £89

Pelvic Positioning Belt

- ❑ 1 1/2" Auto Buckle £47
- ❑ 1 1/2" Padded Auto Buckle £131
- ❑ 1" Auto Buckle £47
- ❑ 1" Padded Auto Buckle £131
- ❑ 2" Airline Buckle £95

Bodypoint Evoflex - Pelvic Stabilizer £163
Size: ❑ Small (16-24") ❑ Medium (19-29") ❑ Large (25-37")

Belt Mounting Kit

- ❑ Ki Mobility Belt Mounting Clamp £32
- ❑ Bodypoint Belt Mounting Bracket Kit £89

Other Accessories

- ❑ Tool Kit N/C
- ❑ Removable Underseat Pouch N/C
- ❑ Ki Mobility Backpack £63
- ❑ Luggage Carrier £63
- ❑ Black Neoprene Impact Guards £74
- ❑ Under Chair Carrier and Removable Bag £26
  Not available with Seat Widths less than 14" or scissor locks
- ❑ Clear Spoke Guards £131
  Not available with Mag wheel
- ❑ Black Spoke Guards £131
  Not available with 20" wheel size or Mag wheel
- ❑ Cane and Crutch Holder £79

Color

Gloss Frame Finish

- ❑ Black — N/C
- ❑ Blue Skies — N/C
- ❑ Bubblegum Pink — N/C
- ❑ Candy Blue — N/C
- ❑ Candy Purple — N/C
- ❑ Candy Red — N/C
- ❑ Copper — N/C
- ❑ Granny Smith — N/C
- ❑ Metallic Orange — N/C
- ❑ Silver — N/C
- ❑ Yellow — N/C

Matte Frame Finish

- ❑ Charcoal Gray — N/C
- ❑ Emerald Green — N/C
- ❑ Iridescent Burgundy — N/C
- ❑ Iridescent Navy — N/C
- ❑ Military Green — N/C
- ❑ Retro Red — N/C
- ❑ Royal Blue — N/C
- ❑ Shadow Black — N/C
- ❑ Smooth White — N/C

Hydrographics

Visit www.kimobility.com for current Hydrographic options. Note selection below

❑ _____ £630

Not available with Transit Option

Colored Anodizing Package

Select desired color. If no selection is made, black will be used.

	Option	Back Plates [2]	Camber Tube	Towers	CG Clamps [4]	Side Guard Receivers	RP Tuning Housing	Front Caster [3] Forks
	Retail	N/C	£26	£26	£26	£26	£26	N/C
Color	Black [1]	❑	❑	❑	❑	❑	❑	❑
	Blue	❑	❑	❑	❑	❑	❑	❑
	Bright Green	❑	❑	❑	❑	❑	❑	❑
	Gold	❑	❑	❑	❑	❑	❑	❑
	Orange	❑	❑	❑	❑	❑	❑	❑
	Pewter	❑	❑	❑	❑	❑	❑	❑
	Pink	❑	❑	❑	❑	❑	❑	❑
	Purple	❑	❑	❑	❑	❑	❑	❑
	Red	❑	❑	❑	❑	❑	❑	❑

[1] *Black is no charge*
[2] *Not available with Transit Option*
[3] *Available only with Standard or Single Sided*
[4] *Not available with negative Center of Gravity*

References

A. Seat Width *See Diagram 1*

Measured from outside of frame tube on one side to outside of frame tube on other side.

B. Seat Depth *See Diagram 3*

Measured from front of back posts to front edge of seat sling. Seat sling starts at beginning of bend at front of frame.

C. Sling Position *See Diagram 2*

In Performance Position (0"), sling is at front of frame to keep chair shorter and more maneuverable. The 1" or 2" seat sling position extends the frame in front of the sling by that amount. Adding more frame can improve stability and provide support to aid in transfers.

D. Front Frame Bend *See Diagram 3*

Angle between front seat tube and ground.

E. Footrest Taper *See Diagram 1*

Indicates bend of front frame creating footrest. Taper is measured from outside of seat frame to outside of front tube.

F. Front Seat Height *See Diagram 1*

Measured from floor to top of seat tube at front of seat sling.

G. Footrest Width *See Diagram 1*

Measured from inside of front tube to inside of front tube on other side. Footrest width is listed below for each seat width and taper.

Seat Width	Straight	1" Taper	2" Taper
Outside Measurement	2" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width
12"	9.5"	7.5"	
13"	10.5"	8.5"	
14"	11.5"	9.5"	
15"	12.5"	10.5"	
16"	13.5"	11.5"	9.5"
17"	14.5"	12.5"	10.5"
18"	15.5"	13.5"	11.5"
19"	16.5"	14.5"	12.5"
20"	17.5"	15.5"	13.5"

H. Seat to Footrest Length *See Diagram 3*

Measured from front edge of seat sling to top rear of footrest. Footrest length of at least 2.5" shorter than front seat height recommended.

I. Rear Seat Height *See Diagram 3*

Measured from floor to top of seat tube at front of back post. Rear seat height is custom to needs.

J. Center of Gravity Preset *See Diagram 3*

Measured from front of back post to center of rear axle. 0" indicates axle will be directly under back post.

K. Rear Wheel Spacing *See Diagram 1*

Measured from outside of seat back to inside of rear tire. Adjustable out .5" from setting.

Diagram 1




Diagram 2





Diagram 3



Ki Mobility
Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com

AXIOM CUSHIONS

Axiom G, S and P Cushions

Select size in chart at right. Weight capacity: 350 lbs.

Axiom G, S and P Cushions

- ❑ Axiom G _____ £79
- ❑ Axiom S _____ £110
- ❑ Axiom P _____ £155

Axiom G, S or P Cushion Quantity: ❑ 1 ❑ 2

If no selection is made, quantity 1 will be selected

Depth \ Width	14”	15”	16”	17”	18”	19”	20”	21”	22”
14”	❑								
15”	❑	❑	❑						
16”	❑	❑	❑	❑	❑	❑	❑		
17”	❑	❑	❑	❑	❑	❑	❑		
18”	❑	❑	❑	❑	❑	❑	❑		❑
19”		❑	❑	❑	❑	❑	❑		❑
20”		❑	❑	❑	❑	❑	❑		❑
21”			❑		❑	❑	❑		❑
22”			❑		❑	❑	❑		❑

Axiom SP Cushions

Select size in chart at right. Weight capacity: 350 lbs.

Axiom SP Cushions

- ❑ Axiom SP - Visco _____ £340
- ❑ Axiom SP - Fluid _____ £315

Axiom SP Cushion Quantity: ❑ 1 ❑ 2

If no selection is made, quantity 1 will be selected

Depth \ Width	14”	15”	16”	17”	18”	19”	20”	21”	22”
14”	❑	❑	❑						
15”	❑	❑	❑	❑	❑				
16”	❑	❑	❑	❑	❑	❑	❑		❑
17”	❑	❑	❑	❑	❑	❑	❑		❑
18”	❑	❑	❑	❑	❑	❑	❑	❑	❑
19”	❑	❑	❑	❑	❑	❑	❑	❑	❑
20”	❑	❑	❑	❑	❑	❑	❑	❑	❑
21”		❑	❑	❑	❑	❑	❑	❑	❑
22”		❑	❑	❑	❑	❑	❑	❑	❑

Axiom Cushion Accessories

Outer Covers

- ❑ Axiom G Extra Outer Cover _____ £59
- ❑ Axiom S Extra Outer Cover _____ £67
- ❑ Axiom P Extra Outer Cover _____ £76
- ❑ Axiom SP Extra Visco Outer Cover _____ £84
- ❑ Axiom SP Extra Fluid Outer Cover _____ £84

Outer Cover Quantity: ❑ 1 ❑ 2

If no selection is made, quantity 1 will be selected

Inner Covers

- ❑ Axiom SP Extra Visco Inner Cover _____ £84
- ❑ Axiom SP Extra Fluid Inner Cover _____ £84

Inner Cover Quantity: ❑ 1 ❑ 2

If no selection is made, quantity 1 will be selected

Solid Seat Insert

Select size in chart below. Weight capacity: 350 lbs.

Solid Seat Insert _____ £46

Depth \ Width	14”	15”	16”	17”	18”	19”	20”	21”	22”
14”	❑	❑	❑						
15”	❑	❑	❑	❑					
16”	❑	❑	❑	❑	❑	❑	❑		❑
17”	❑	❑	❑	❑	❑	❑	❑		❑
18”	❑	❑	❑	❑	❑	❑	❑	❑	❑
19”	❑	❑	❑	❑	❑	❑	❑	❑	❑
20”	❑	❑	❑	❑	❑	❑	❑	❑	❑
21”		❑	❑	❑	❑	❑	❑	❑	❑
22”		❑	❑	❑	❑	❑	❑	❑	❑

Solid Seat Insert Quantity: ❑ 1 ❑ 2

If no selection is made, quantity 1 will be selected

Ki Mobility
Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com


AXIOM BACKS

Axiom Back


Select back that is the same or up to 2" narrower than the width of the frame. Hardware is included with back. Low Back selections are not available with headrests, modifications, or posture supports. Weight capacity: 300 lbs.

Axiom Posterior Back (PB)

		Width					
		12"	14"	16"	18"	20"	22"
	Retail	£499	£499	£499	£499	£499	£499
Height Low	8"	❑ AXPB1208	❑ AXPB1408	❑ AXPB1608	❑ AXPB1808	❑ AXPB2008	
	10"		❑ AXPB1410	❑ AXPB1610	❑ AXPB1810	❑ AXPB2010	❑ AXPB2210
	12"	❑ AXPB1212	❑ AXPB1412	❑ AXPB1612	❑ AXPB1812	❑ AXPB2012	
Height Mid	14"		❑ AXPB1414	❑ AXPB1614	❑ AXPB1814	❑ AXPB2014	❑ AXPB2214
	16"	❑ AXPB1216	❑ AXPB1416	❑ AXPB1616	❑ AXPB1816	❑ AXPB2016	
	18"		❑ AXPB1418	❑ AXPB1618	❑ AXPB1818	❑ AXPB2018	❑ AXPB2218



Axiom Posterior Back - Low




Axiom Posterior Back - Mid


		Axiom Posterior Back Measurement Reference			
		Back Height	A	B	Shell Contour Depth
Height Low		8"	10"	6.5"	2.25"
		10"	12"	8.5"	
		12"	14"	10.5"	
Height Mid		14"	16"	8.5"	
		16"	18"	9.5"	
		18"	20"	10.5"	

Axiom Posterior Lateral Back (PL)


		Width					
		12"	14"	16"	18"	20"	22"
	Retail	£530	£530	£530	£530	£530	£530
Height Low	8"	❑ AXPL1208	❑ AXPL1408	❑ AXPL1608	❑ AXPL1808	❑ AXPL2008	
	10"		❑ AXPL1410	❑ AXPL1610	❑ AXPL1810	❑ AXPL2010	❑ AXPL2210
	12"	❑ AXPL1212	❑ AXPL1412	❑ AXPL1612	❑ AXPL1812	❑ AXPL2012	
Height Mid	14"		❑ AXPL1414	❑ AXPL1614	❑ AXPL1814	❑ AXPL2014	❑ AXPL2214
	16"	❑ AXPL1216	❑ AXPL1416	❑ AXPL1616	❑ AXPL1816	❑ AXPL2016	
	18"		❑ AXPL1418	❑ AXPL1618	❑ AXPL1818	❑ AXPL2018	❑ AXPL2218
Height Tall	20"	❑ AXPL1220	❑ AXPL1420	❑ AXPL1620	❑ AXPL1820	❑ AXPL2020	
	22"		❑ AXPL1422	❑ AXPL1622	❑ AXPL1822	❑ AXPL2022	❑ AXPL2222



Axiom Posterior Lateral Back - Low



Axiom Posterior Lateral Back - Mid



Axiom Posterior Lateral Back - Tall


		Axiom Posterior Lateral Back Measurement Reference			
		Back Height	A	B	Shell Contour Depth
Height Low		8"	10"	6.5"	3.65"
		10"	12"	8.5"	
		12"	14"	10.5"	
Height Mid		14"	16"	8.5"	
		16"	18"	9.5"	
		18"	20"	10.5"	
Height Tall		20"	22"	11.5"	
		22"	24"	12.5"	

Axiom Back continued


Select back that is the same or up to 2" narrower than the width of the frame. Hardware is included with back. Weight capacity: 300 lbs.

Axiom Deep Lateral Back (DL)

		Width					
		12"	14"	16"	18"	20"	22"
	Retail	£610	£610	£610	£610	£610	£610
Height Mid	14"	❑ AXDL1214	❑ AXDL1414	❑ AXDL1614	❑ AXDL1814	❑ AXDL2014	❑ AXDL2214
Height Mid	16"		❑ AXDL1416	❑ AXDL1616	❑ AXDL1816	❑ AXDL2016	
Height Mid	18"	❑ AXDL1218	❑ AXDL1418	❑ AXDL1618	❑ AXDL1818	❑ AXDL2018	❑ AXDL2218
Height Tall	20"	❑ AXDL1220	❑ AXDL1420	❑ AXDL1620	❑ AXDL1820	❑ AXDL2020	
Height Tall	22"		❑ AXDL1422	❑ AXDL1622	❑ AXDL1822	❑ AXDL2022	❑ AXDL2222



Axiom Deep Lateral Back - Mid



Axiom Deep Lateral Back - Tall

		Axiom Deep Lateral Back Measurement Reference								
		Back Height	A	B[1]						Shell Contour Depth
				12"	14"	16"	18"	20"	22"	
Height	Mid	14"	16"	8.25"	8.25"	8.25"	8.25"	8.25"	8.25"	6"
Height	Mid	16"	18"	9.25"	9.25"	9.25"	9.25"	9.25"	9.25"	
Height	Mid	18"	20"	10.25"	10.25"	10.25"	10.25"	10.25"	10.25"	
Height	Tall	20"	22"	9.5"	9.75"	10"	10.25"	10.25"	10.5"	
Height	Tall	22"	24"	10.75"	11"	11.25"	11.5"	11.5"	11.75"	

[1] *Measurement based on back width*


Axiom Back Accessories

Headrest and Hardware


Choose headrest and hardware combination in chart below. Not available with Low Backs.




HEDPAD408
HEDPAD410
HEDPAD414




HEDPAD201
HEDPAD202
HEDPAD203




HEDPAD502
HEDPAD503



HEDHDW101/HEDHDW117



HEDHDW201/HEDHDW217



HEDHDW401/HEDHDW417

			Hardware					
			Standard Straight Back Mount Hardware with Ball		Multi Axis Removable Hardware with Horizontal Bar		Headrest Hardware with Ball	
			HEDHDW101 / HEDHDW117		**HEDHDW201 / HEDHDW217**		**HEDHDW401 / HEDHDW417**	
	Description	Item Code	Kio Code	Retail	Kio Code	Retail	Kio Code	Retail
Headrest Pad	Comfort Plus Headrest 8”	**HEDPAD408**	❑ HDR001	£233	❑ HDR009	£263	❑ HDR017	£326
	Comfort Plus Headrest 10”	**HEDPAD410**	❑ HDR002	£233	❑ HDR010	£263	❑ HDR018	£326
	Comfort Plus Headrest 14”	**HEDPAD414**	❑ HDR003	£233	❑ HDR011	£263	❑ HDR019	£326
	Small All Positioning Headrest Pad and Ring Only	**HEDPAD201**	❑ HDR004	£233	❑ HDR012	£263	❑ HDR020	£326
	Medium All Positioning Headrest Pad and Ring Only	**HEDPAD202**	❑ HDR005	£233	❑ HDR013	£263	❑ HDR021	£326
	Large All Positioning Headrest Pad and Ring Only	**HEDPAD203**	❑ HDR006	£233	❑ HDR014	£263	❑ HDR022	£326
	Tri-Comfort Plus Headrest 14”	**HEDPAD502**	❑ HDR007	£242	❑ HDR015	£272	❑ HDR023	£335
	Tri-Comfort Plus Headrest 19”	**HEDPAD503**	❑ HDR008	£242	❑ HDR016	£272	❑ HDR024	£335

Headrest Hardware Options

	Description	Item Code	Retail
❑	Headrest Flip Down Mount *Available only with HEDHMD401/HEDHMD417*	HDR100	£147
❑	Universal Mounting Plate *For use with other manufacturer headrests*	UMP	£37

Axiom Back Accessories continued

Lateral Support

Pair	Left	Right	Description	Item Code	Pair	Each
Laterals for Posterior Back						
❑	❑	❑	3 x 4 Lateral Pads with Fixed Mounting Hardware for Axiom Posterior Back	LF3x4P	£256	£128
❑	❑	❑	4 x 5 Lateral Pads with Fixed Mounting Hardware for Axiom Posterior Back	LF4x5P	£256	£128
❑	❑	❑	3 x 4 Lateral Pads with Swing Away Mounting Hardware for Axiom Posterior Back	LS3x4P	£546	£273
❑	❑	❑	4 x 5 Lateral Pads with Swing Away Mounting Hardware for Axiom Posterior Back	LS4x5P	£546	£273
Laterals for Posterior Lateral Back						
❑	❑	❑	3 x 4 Lateral Pads with Fixed Mounting Hardware for Axiom Posterior Lateral Back	LF3x4L	£256	£128
❑	❑	❑	4 x 5 Lateral Pads with Fixed Mounting Hardware for Axiom Posterior Lateral Back	LF4x5L	£256	£128
❑	❑	❑	3 x 4 Lateral Pads with Swing Away Mounting Hardware for Axiom Posterior Lateral Back	LS3x4L	£546	£273
❑	❑	❑	4 x 5 Lateral Pads with Swing Away Mounting Hardware for Axiom Posterior Lateral Back	LS4x5L	£546	£273

Axiom Lateral Support Modifications

Extended lead times will apply. Modified Lateral Supports are not eligible for refund.

	Description	Item Code	Retail
❑	Modification for Chest Strap attached to Lateral Supports	AXMLATMT	N/C

Privacy Flap

	Description	Retail
❑	Privacy Flap	£38

Shoulder Guides

	Description	Item Code	Retail
❑	Shoulder Strap Guides and Mount *Selection of a modification from the Axiom Back Modifications required in order to mount Shoulder Guides. Not available with Low Backs.*	AXBSG	£37

Therafin Posture Support

Selection of a modification from the Axiom Back Modifications section required in order to mount posture supports. Not available with Low Backs.

	Description	Item Code	Retail
❑	Small Static Therafit 2-Piece Chest Strap with H & L Adj and 1” Safety Strap	60153T	£121
❑	Medium Static Therafit 2-Piece Chest Strap with H & L Adj and 1” Safety Strap	60154T	£121
❑	Large Static Therafit 2-Piece Chest Strap with H & L Adj and 1” Safety Strap	60155T	£121
❑	Small Dynamic Therafit Chest Strap with Dual D-Ring Adjustment	60110T	£95
❑	Medium Dynamic Therafit Chest Strap with Dual D-Ring Adjustment	60111T	£95
❑	Large Dynamic Therafit Chest Strap with Dual D-Ring Adjustment	60112T	£95
❑	Small Dynamic Therafit Comfortfit Full Vest	30589T	£140
❑	Medum Dynamic Therafit Comfortfit Full Vest	30590T	£140
❑	Large Dynamic Therafit Comfortfit Full Vest	30591T	£140
❑	XLarge Dynamic Therafit Comfortfit Full Vest	30592T	£140
❑	XXLarge Dynamic Therafit Comfortfit Full Vest	30593T	£140
❑	Small Dynamic Therafit Comfortfit Trim Vest	30618T	£142
❑	Medum Dynamic Therafit Comfortfit Trim Vest	30619T	£142
❑	Large Dynamic Therafit Comfortfit Trim Vest	30620T	£142
❑	XLarge Dynamic Therafit Comfortfit Trim Vest	30621T	£142
❑	XXLarge Dynamic Therafit Comfortfit Trim Vest	30622T	£142

Axiom Back Modifications

Extended lead times will apply for all modifications. Makes back non-refundable.

Axiom Back Modifications

Choose modification to add holes to the back shell in order to mount posture supports. Not available with Low Backs.

	Description	Item Code	Retail
❑	Modification for 4 Point Harness	AXM4PT	N/C
❑	Modification for 2 Point Chest Strap	AXM2PT	N/C
❑	Modification for Shoulder Guides	AXMSG	N/C

Painted Back Shell Modification

If no selection is made, standard Shadow Black will be used with no additional lead time

	Gloss Finish	Item Code	Retail
❑	Black	AXMBLK	N/C
❑	Blue Skies	AXMSKY	N/C
❑	Bubblegum Pink	AXMPNK	N/C
❑	Candy Blue	AXMCBL	N/C
❑	Candy Purple	AXMPUR	N/C
❑	Candy Red	AXMRED	N/C
❑	Copper	AXMCOP	N/C
❑	Granny Smith	AXMGSM	N/C
❑	Metallic Orange	AXMMOR	N/C
❑	Silver	AXMSIL	N/C
❑	Teal	AXMTEA	N/C
❑	Yellow	AXMYLW	N/C

	Matte Finish	Item Code	Retail
❑	Charcoal Gray	AXMCGM	N/C
❑	Emerald Green	AXMEGM	N/C
❑	Iridescent Burgundy	AXMIBM	N/C
❑	Iridescent Navy	AXMINM	N/C
❑	Military Green	AXMAGM	N/C
❑	Retro Red	AXMRRM	N/C
❑	Royal Blue	AXMRBM	N/C
❑	Smooth White	AXMSWM	N/C