

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

NOVEMBER 2023

Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Küschall The KSL 2.0

Standard Features

- Max User Weight 100kg (16 stone)
- Active, Fully Welded, Lightweight, Rigid Wheelchair with Height Adjustable Rigid Footrest
- Fully Hydroformed Aluminium Front Frame 75° or 90° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Pneumatic Tyres
- Choice of 6 Seat Widths 340mm to 440mm (13" 17")
- Choice of 5 Seat Depths 385mm to 485mm (15" 19")
- Range of Front Seat Heights from 450mm to 530mm (17" - 21")
- Range of Rear Seat Heights from 400mm to 480mm (15" - 19")
- Lockdown Folding, Angle & Height Adjustable Backrest
- Black Nylon Upholstery
- Without Push Handles, Carbon Clothesguards
- Carbon Fibre Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,005



Please make your selection with a cross in the box	O Free of charge • standard feature POA special request
--	---

Customer weight = KG

Code	Description	
BASE PRODU	JCT*	
DSA0085	KÜSCHALL THE KSL 2.0	£3,005
DSA0000	MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable	POA

FRAME*			
DSA1000	Aluminium Hydroformed V Style Frame Angle 75° to the ground		•
DSA1010	Aluminium Hydroformed Tapered Frame Angle 75° to the ground		0
DSA1020	Aluminium Hydroformed V Style Frame Angle 90° to the ground		0
DSA1030	Aluminium Hydroformed Tapered Frame Angle 90° to the ground	(NC 5300, 5350, 5400, 5450, 5500)	0
WELDED SEAT	BAR PLEASE NOTE: Price quoted is a net price		
SWO3333	Under seat rigidiser bar (Welded) Price shown is a Net price		£375
SEAT WIDTH*			
DSA1315	340 mm	(NC 1600, 2710, 2720, 2750, 2748)	•
DSA1320	360 mm	(NC 2748)	0
DSA1325	380 mm		0
DSA1330	400 mm		♦
DSA1335	420 mm		O
DSA1340	440 mm		O
SEAT DEPTH*			
DSA1430	385 mm	(NC 2720, 7810, 7820, 7830)	0
DSA1440	410 mm		•
DSA1455	435 mm		O
DSA1470	460 mm		O
DSA1485	485 mm	(NC 2710, 2748)	0
BACK HEIGHT*			
DSA1600	Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required.	(NC 2200, 2220, 2230)	O
DSA1605	270 mm	(NC 2240)	O
DSA1610	285 mm	(NC 2240)	0
DSA1615	300 mm	(NC 2240)	0
DSA1620	315 mm	(NC 2240)	0
DSA1625	330 mm	(NC 2240)	O
DSA1630	345 mm	(NC 2240)	0
DSA1635	360 mm	(NC 2240)	O
DSA1640	375 mm	(NC 2240)	0
DSA1645	390 mm	(NC 2240)	0
DSA1650	405 mm	(NC 2240)	O
DSA1655	420 mm	(NC 2240)	O
FRONT SEAT H	EIGHT. Lower leg must be front height -100mm To -30mm	n on 75° frames and -80mm To -40mm on 90° frames*	
DSA1740	450 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420)	O
DSA1745	460 mm	(NC 1845, 1850, 1855, 1860)	O
DSA1750	470 mm	(NC 1850, 1855, 1860)	O
DSA1755	480 mm	(NC 1855, 1860)	O
DSA1760	490 mm	(NC 1860)	0
DSA1765	500 mm		*
DSA1770	510 mm	(NC 1820)	O
DSA1775	520 mm	(NC 1820, 1825)	O
DSA1780	530 mm	(NC 1820, 1825, 1830, 6410)	O

REAR SEAT HI	EIGHT. Rear height = "Front height -100 MM" TO "Front height -20 MM"*	
DSA1820	400 mm (NC 6420)	0
DSA1825	410 mm	0
DSA1830	420 mm	O
DSA1835	430 mm	♦
DSA1840	440 mm	0
DSA1845	450 mm	O
DSA1850	460 mm	O
DSA1855	470 mm	O
DSA1860	480 mm	O
LOWER LEG L	ENGTH. Cushion height must be deducted*	
DSA1930	350 mm	0
DSA1932	360 mm	0
DSA1934	370 mm	0
DSA1936	380 mm	O
DSA1938	390 mm	O
DSA1940	400 mm	O
DSA1942	410 mm	0
DSA1944	420 mm	0
DSA1946	430 mm	♦
DSA1948	440 mm	0
DSA1950	450 mm	O
DSA1952	460 mm	0
DSA1954	470 mm	O
DSA1956	480 mm	O
DSA1958	490 mm	0
DSA1960	500 mm	O
BACKREST TY	/PE*	
DSA2110	Fixed Aluminium Hydroformed backrest in frame colour	•
DSA2140	Folding Aluminium angle adjustable backrest in frame colour	O
BACKREST UP	PHOLSTERY*	
DSA2200	Standard Light Black Nylon upholstery (No tension adjustment)	•
DSA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener	£137
DSA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener	£223
DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required	0
PUSH HANDLE	S*	
DSA2400	Without Push Handles	
DSA2410	Push Handles Fixed Short/Mini Hand Grip	£133
DSA2420	Push Handles Fixed Long Hand Grip	£133
DSA2440	Push Handles Height Adjustable, Integrated in backrest	£219
DSA2450	Push Handles Foldable	£198

BACKREST A	NGLE*		
DSA2500	74° angle from the seat		O
DSA2520	78° angle from the seat		0
DSA2540	82° angle from the seat		*
DSA2560	86° angle from the seat		0
DSA2580	90° angle from the seat		0
SEAT UPHOL	STERY*		
DSA2600	Standard Nylon Seat Upholstery with one 5cm central band (Loop)		♦
DSA2630	Light Seat Upholstery, mesh material to reduce weight		£69
SEAT CUSHIC	NC		
DSA2700	Standard Seat Cushion, 60mm high Double Foam with Visco Top Layer - Comfort/Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£66
DSA2710	Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk	(NC 2810, 2820, 2830, 2840, 2850)	£121
DSA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk		£410
DSA2748	Contour Visco NG Cushion 100mm High - High Risk	(NC 2810, 2820, 2830, 2840, 2850)	£169
DSA2750	Vicair Active O2 lightweight cushion 60mm High - High risk	(NC 2810, 2820, 2830, 2840, 2850, 2860)	£521
MATRX LIBR	A CUSHION ACCESSORIES		
DSA2810	Fluid supplement sac (Pair)		£44
DSA2820	Tapered Wedge Pair		£30
DSA2830	Abductor		£23
DSA2840	Lateral Side Wedge		£20
DSA2850	Anterior Front Wedge		£27
SEAT RIGIDIS	SER		
DSA2860	Seat Rigidiser		£39
FOOTREST*			
DSA3200	Footrest Tube, Rigid - Aluminium Hydroformed Profile		+
DSA3210	Footrest Tube, Rigid - Titanium (Rounded tube)		£185
DSA3220	Carbon Footplate, Angle Adjustable	(NC 3290)	£225
FOOTREST C	OVER		
DSA3290	Footrest Cover		£37
CALF STRAP	*		
DSA3300	Calf strap Mounted on the frame with hook and loop		•
DSA3305	Calf strap Mounted on the supporter with bracket		0
CLOTHESGU	ARDS/MUDGUARDS*		
DSA3410	Carbon Clothesguards, fixed between the back rest and seat rails		*
DSA3430	Carbon Mudguards, fixed between the backrest and seat rails	(NC 7230)	£255

FRAME COLOU	IR*		
DSA4000	Space Black (RAL 9005)		O
DSA4010	Anthracite Grey (RAL 7016)		O
DSA4020	Pure White (RAL 9016)	(NC 4220)	O
DSA4030	Carmine Red (RAL 3002)		O
DSA4040	Azure Blue (RAL 5017)		O
DSA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)		£31
DSA4070	Atomic Violet (Additional 15 day lead time)		£31
DSA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)		£31
DSA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)		£31
DSA4140	Royal Blue (Additional 15 day lead time)		£31
DSA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)		£31
DSA4170	Dynamite Orange (Additional 15 day lead time)		£31
DSA4180	Forest Green (RAL 6029) (Additional 15 day lead time)		£31
FRAME DECAL	TYPE*		
DSA4190	Bold Decal (Full coloured transfer on frame)	(NC 4300, 4310, 1111)	£31
DSA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	♦
DKA4197	Without Tag (Kuschall branding only)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	O
BOLD DECAL	COLOUR*		
DSA4200	Black		O
DSA4210	Dark Grey		O
DSA4220	Light Grey		0
DSA4230	Red		O
DSA4240	Blue		O
DSA4250	Gold		O
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag	(NC 4190)	O
TAG COLOUR*			
DSA4300	Black		O
DSA4310	Red		0
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag	(NC 4195)	0
FRONT CASTO	RS*		
DSA5000	75mm x 25mm (3" x 1") Supersport		O
DSA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre		0
DSA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre		O
DSA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre		£83
DSA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DSA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre		0
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre		0
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre		£83
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£93
DSA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£93

SEAT POSITION	WELDED (Measured from centre of backpost to centre of axle)*	
DSA6100	Position 1 = 140 mm MOST ACTIVE POSITION	O
DSA6110	Position 2 = 125 mm	O
DSA6120	Position 3 = 110 mm	O
DSA6130	Position 4 = 95 mm	♦
DSA6140	Position 5 = 80 mm LEAST ACTIVE POSITION	0
CAMBER OF CA	RBON AXLE*	
DSA6200	0° Camber	O
DSA6210	3° Camber	*
DSA6220	6° Camber	O
QUAD QUICK RE	ELEASE AXLE	
DSA6300	Quad Quick Release/Tetra Clip	£86
REAR WHEEL S	IZE*	
DSA6410	24"	•
DSA6420	25" (NC 6510, 6600, 6630, 6700, 6710, 6720, 6760, 6770, 6900, 6910)	O
REAR WHEEL T	YPE*	
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.	♦
DSA6520	24", 25" High Performance Wheel Black hub and rim	£182
DSA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in (NC 6910) Black	£611
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in (NC 6910) Black. Coloured spokes are available via Unique	£486
SWO0909	24", 25" Spinergy LX, Chrome hub and 12 spokes in (NC 6910) Black. Coloured spokes are available via Unique	£735
REAR WHEEL T	YRE*	
DSA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection	♦
DSA6625	24", 25" x 1" Maxxis Alpha Protect. Pneumatic and puncture resistant.	£100
DSA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)	£97
HANDRIM*		
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance	£223
DSA6710	24" Steel, mounted at 3 cm distance	£62
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance	£192
DSA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip	£320
DSA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands	£320
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion	£284
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim	£356
DSA6780	24", 25" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance	♦
DSA6790	25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting	£42

SPOKEGUARD		
DSA6900	24" Transparent Spokeguard	£126
DSA6910	24" Black Spokeguard	£126
BRAKES*		
DSA7210	Standard Push to Lock Brakes, Lever Bent	•
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	£78
DSA7240	Active/Scissor Brakes	£78
DSA7250	Light/Compact Active, Aluminium Brakes	£136
SAFETY OPTIO	DNS	
DSA7500	Anti-Tipper Right	£122
DSA7510	Anti-Tipper Left	£122
DSA7520	Anti-Tipper Both sides	£244
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat- Mount with Push Button. User Weight: 25-50KG	£81
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat- Mount with Rehab Latch. User Weight: 50-75KG	£81
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat- Mount with Rehab Latch. User Weight: 75-100KG	£81
OTHER OPTION	NS	
DSA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop	£37
DSA8500	Air Pump	£13
DSA8550	Tool Kit	♦
DSA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
BODYPOINT A	CCESSORIES	
DSA8800	Bodypoint Calf Strap	£57
DSA8850	Bodypoint Mobility Bag	£55

TOTAL PRICE

Non Conformir	ng Options:
DSA1600	Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required.
DSA1820	400 mm
DSA1825	410 mm
DSA1830	420 mm
DSA1840	440 mm
DSA1845	450 mm
DSA1850	460 mm
DSA1855	470 mm
DSA1860	480 mm
DSA2200	Standard Light Black Nylon upholstery (No tension adjustment)
DSA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener
DSA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener
DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required
DSA2710	Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk
DSA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk
DSA2748	Contour Visco NG Cushion 100mm High - High Risk
DSA2750	Vicair Active O2 lightweight cushion 60mm High - High risk
DSA2810	Fluid supplement sac (Pair)
DSA2820	Tapered Wedge Pair
DSA2830	Abductor
DSA2840	Lateral Side Wedge
DSA2850	Anterior Front Wedge
DSA2860	Seat Rigidiser
DSA3290	Footrest Cover
DSA4190	Bold Decal (Full coloured transfer on frame)
DSA4195	Tag (Small Küschall brand transfer on front of frame)
DSA4200	Black
DSA4210	Dark Grey
DSA4220	Light Grey
DSA4230	Red
DSA4240	Blue
DSA4250	Gold
DSA1111	No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag
DSA4300	Black
DSA4310	Red
DSA2222	No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)
DSA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
DSA6410	24"

DSA6420	25"
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.
DSA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DSA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DSA6700	24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DSA6710	24" Steel, mounted at 3 cm distance
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DSA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DSA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DSA6900	24" Transparent Spokeguard
DSA6910	24" Black Spokeguard
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DSA7810	Bodypoint Posture Belt Evoflex 2 points, Small, Flat-Mount with Push Button. User Weight: 25-50KG
DSA7820	Bodypoint Posture Belt Evoflex 2 points, Medium, Flat-Mount with Rehab Latch. User Weight: 50-75KG
DSA7830	Bodypoint Posture Belt Evoflex, 2 points, Large, Flat-Mount with Rehab Latch. User Weight: 75-100KG

Küschall The KSL 2.0 Page 9 of 10



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part	number)