

## Manual Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

MARCH 2021 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## **Kuschall The KSL 2.0**

## **Standard Features**

- Max User Weight 100kg (16 stone)
- Active, Fully Welded, Lightweight, Rigid Wheelchair with Height Adjustable Rigid Footrest
- Fully Hydroformed Aluminium Front Frame 75° or 90°Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Schwalbe Black & Grey Pneumatic Tyres
- Choice of 6 Seat Widths 340mm to 440mm (13" 17")
- Choice of 5 Seat Depths 385mm to 485mm (15" 19")
- Range of Front Seat Heights from 450mm to 530mm (17" 21")
- Range of Rear Seat Heights from 400mm to 480mm (15" 19")
- · Lockdown Folding, Angle & Height Adjustable Backrest
- Black Nylon Upholstery
- Without Push Handles, Carbon Clothesguards
- Carbon Fibre Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit



Standard Base price: £2,599

Code	Description		
BASE PRODUC	PT*		
DSA0085	KÜSCHALL THE KSL 2.0		£2,599
DSA0000	MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable		POA
FRAME*			
DSA1000	Aluminium Hydroformed V Style Frame Angle 75° to the ground		<b>*</b>
DSA1010	Aluminium Hydroformed Tapered Frame Angle 75° to the ground		•
DSA1020	Aluminium Hydroformed V Style Frame Angle 90° to the ground	(NC 5300, 5350, 5400, 5450, 5500)	0
DSA1030	Aluminium Hydroformed Tapered Frame Angle $90^\circ$ to the ground	(NC 5300, 5350, 5400, 5450, 5500)	0
SEAT WIDTH*			
DSA1315	340 mm	(NC 1600, 2720, 2730)	0
DSA1320	360 mm		O
DSA1325	380 mm		O
DSA1330	400 mm		<b>♦</b>
DSA1335	420 mm		O
DSA1340	440 mm		O
SEAT DEPTH*			
DSA1430	385 mm	(NC 2720, 2730)	O
DSA1440	410 mm		<b>♦</b>
DSA1455	435 mm		O
DSA1470	460 mm		0
DSA1485	485 mm		0
BACK HEIGHT	*		
DSA1600	Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required.	(NC 2200, 2220, 2230)	0
DSA1605	270 mm	(NC 2240)	O
DSA1610	285 mm	(NC 2240)	O
DSA1615	300 mm	(NC 2240)	0
DSA1620	315 mm	(NC 2240)	0
DSA1625	330 mm	(NC 2240)	O
DSA1630	345 mm	(NC 2240)	O
DSA1635	360 mm	(NC 2240)	O
DSA1640	375 mm	(NC 2240)	O
DSA1645	390 mm	(NC 2240)	O
DSA1650	405 mm	(NC 2240)	O
DSA1655	420 mm	(NC 2240)	O

FRONT SEAT H	IEIGHT. Lower leg must be front heigh	nt -100mm To -30mm on 75° frames and -80mm To -40mm on 90° fram	nes*
DSA1740	450 mm	(NC 1840, 1845, 1850, 1855, 1860, 6420)	O
DSA1745	460 mm	(NC 1845, 1850, 1855, 1860)	0
DSA1750	470 mm	(NC 1850, 1855, 1860)	0
DSA1755	480 mm	(NC 1855, 1860)	0
DSA1760	490 mm	(NC 1860)	0
DSA1765	500 mm		•
DSA1770	510 mm	(NC 1820)	0
DSA1775	520 mm	(NC 1820, 1825)	0
DSA1780	530 mm	(NC 1820, 1825, 1830, 6410)	0
REAR SEAT HE	EIGHT. Rear height = "Front height -10	0 MM" TO "Front height -20 MM"*	
DSA1820	400 mm	(NC 6420)	0
DSA1825	410 mm		0
DSA1830	420 mm		O
DSA1835	430 mm		<b>*</b>
DSA1840	440 mm		0
DSA1845	450 mm		O
DSA1850	460 mm		O
DSA1855	470 mm		O
DSA1860	480 mm		O
LOWER LEG LI	ENGTH. Cushion height must be dedu	cted*	
DSA1930	350 mm		0
DSA1932	360 mm		O
DSA1934	370 mm		O
DSA1936	380 mm		0
DSA1938	390 mm		0
DSA1940	400 mm		0
DSA1942	410 mm		0
DSA1944	420 mm		O
DSA1946	430 mm		<b>*</b>
DSA1948	440 mm		0
DSA1950	450 mm		O
DSA1952	460 mm		O
DSA1954	470 mm		0
DSA1956	480 mm		0
DSA1958	490 mm		0
DSA1960	500 mm		O
BACKREST TY	PE*		
DSA2110	Fixed Aluminium Hydroformed ba	ckrest in frame colour	<b>*</b>
DSA2140	Folding Aluminium angle adjustab colour	le backrest in frame	0

ndard Light Black Nylon upholstery (No tension street)	<b>•</b>
sion Adjustable Backrest, with Premium Black on and Reflective Trim Upholstery Cover, Back ket/hook and loop fastener	£118
athable Spacer Upholstery Cover, Back	£193
	0
out Push Handles	•
n Handles Fixed Short/Mini Hand Grip	£115
n Handles Fixed Long Hand Grip	£115
n Handles Height Adjustable, Integrated in backrest	£189
n Handles Foldable	£171
angle from the seat	O
angle from the seat	O
angle from the seat	<b>♦</b>
angle from the seat	O
angle from the seat	O
	<b>*</b>
t Seat Upholstery, mesh material to reduce weight	£60
	£57
· · ·	£338
x Vi Cushion, Black Smooth Cover - High Risk	£312
trest Tube, Rigid - Aluminium Hydroformed Profile	<b>•</b>
rest Tube, Rigid - Titanium (Rounded tube)	£160
oon Footplate, Angle Adjustable (NC 3290)	£195
rest Cover	£32
strap Mounted on the frame with hook and loop	<b>♦</b>
	O
strap Mounted on the supporter with bracket	9
strap Mounted on the supporter with bracket  GUARDS*	<u> </u>
	*
the salar of the table of the salar of the s	ket/hook and loop fastener sion Adjustable Backrest, with Black Aero, athable Spacer Upholstery Cover, Back ket/hook and loop fastener nout Backrest Upholstery Select if fitting a rx/Fixed backrest, no upholstery required  nout Push Handles h Handles Fixed Short/Mini Hand Grip h Handles Fixed Long Hand Grip h Handles Fleight Adjustable, Integrated in backrest h Handles Foldable angle from the seat angle

FRAME COLO	UR*	
DSA4000	Space Black	O
DSA4010	Anthracite Grey	0
DSA4020	Pure White (NC 4220)	O
DSA4030	Carmine Red	0
DSA4040	Azure Blue	•
DSA4060	Flashy Yellow (Additional 10 day lead time)	£26
DSA4070	Atomic Violet (Additional 10 day lead time)	£26
DSA4100	Black Glossy (Additional 10 day lead time)	£26
DSA4130	Silver Grey (Additional 10 day lead time)	£26
DSA4140	Royal Blue (Additional 10 day lead time)	£26
DSA4150	Ruby Red (Additional 10 day lead time)	£26
DSA4170	Dynamite Orange (Additional 10 day lead time)	£26
DSA4180	Forest Green (Additional 10 day lead time)	£26
DSA4050	Personal frame colour. Provide standard RAL colour code of your choice	£268
FRAME DECA		
DSA4190	Bold Decal (Full coloured transfer on frame) (NC 4300, 4310)	£26
DSA4195	Tag (Small Küschall brand transfer on front of frame) (NC 4200, 4210, 4220, 4230, 4240, 4250)	<b>♦</b>
BOLD DECAL	COLOUR*	
DSA4200	Black	O
DSA4210	Dark Grey	O
DSA4220	Light Grey	O
DSA4230	Red	O
DSA4240	Blue	O
DSA4250	Gold	O
DSA1111	No bold colour, select only with Option DSA4195 Tag (NC 4190)	0
TAG COLOUR	*	
DSA4300	Black	O
DSA4310	Red	O
DSA2222	No tag colour, select only with Option DSA4190 Bold (NC 4195)  Decal	O
FRONT CAST		
DSA5000	75mm x 25mm (3" x 1") Supersport	O
DSA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	0
DSA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	O
DSA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre	£72
DSA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre	£80
DSA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre	£80
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	O
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	0
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre	£72
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre	£80
DSA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre	£80

SEAT POSITION	N WELDED*		
DSA6100	Position 1 = 140 mm MOST ACTIVE POSITION		O
DSA6110	Position 2 = 125 mm		O
DSA6120	Position 3 = 110 mm		•
DSA6130	Position 4 = 95 mm		0
DSA6140	Position 5 = 80 mm LEAST ACTIVE POSITION		0
CAMBER OF CA	ARBON AXLE*		
DSA6200	0° Camber		O
DSA6210	3° Camber		<b>*</b>
DSA6220	6° Camber		0
QUAD QUICK R	ELEASE AXLE		
DSA6300	Quad Quick Release/Tetra Clip		£74
REAR WHEEL	SIZE*		
DSA6410	24"		<b>*</b>
DSA6420	25"	(NC 6510, 6610, 6700, 6710, 6720, 6760, 6770, 6900, 6910)	0
REAR WHEEL	TYPE*		
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.		<b>*</b>
DSA6520	24", 25" High Performance Wheel Black hub and rim		£157
DSA6550	24", 25" Spinergy LXK, Black hub, rim and spokes in Black		£528
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall		£420
SWO0909	24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKüschall		£635
REAR WHEEL	TYRE*		
DSA6600	24", 25" Schwalbe Rightrun Black/Grey Pneumatic tyre		<b>•</b>
DSA6610	24", 25" Schwalbe Rightrun Blue with K Guard Pneumatic tyre		£42
DSA6620	24", 25" Schwalbe Marathon Plus Smart Guard (Puncture Protected tyre with 5mm layer of flexible rubber)		£86
DSA6630	24", 25" Schwalbe One V-Guard Puncture Resistant tyre (Cut-Resistant High-Tech Fibre)		£84
HANDRIM*			
DSA6700	24" Supergripp, mounted at 3 cm distance		£193
DSA6710	24" Steel, mounted at 3 cm distance		£54
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance		£166
DSA6740	24" & 25" Carbolife Gekko mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip		£277
DSA6750	24" & 25" Carbolife Gekko S, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands		£277
DSA6760	24" Carbolife Curve L, mounted at 3 cm distance. Unique shape for low-effort propulsion		£246
DSA6770	24" Carbolife Quadro, mounted at 3 cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim		£308
DSA6780	24", 25" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance		<b>*</b>
DSA6790	24", 25" Light Aluminium Black, mounted at 3 cm distance		£36

SPOKEGUARD		
DSA6900	24" Transparent Spokeguard	£109
DSA6910	24" Black Spokeguard	£109
BRAKES*		
DSA7210	Standard Push to Lock Brakes, Lever Bent	•
DSA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	£67
DSA7240	Active/Scissor Brakes	£67
DSA7250	Light/Compact Active, Aluminium Brakes	£180
SAFETY OPTIC	DNS	
DSA7500	Anti-Tipper Right	£106
DSA7510	Anti-Tipper Left	£106
DSA7520	Anti-Tipper Both sides	£211
DSA7800	Standard Pelvic belt	£64
OTHER OPTIO	NS	
DSA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop	£32
DSA8500	Air Pump	£11
DSA8550	Tool Kit	<b>♦</b>
DSA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£277

**TOTAL PRICE** 

Non Conforming	g Options:
DSA1600	Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required.
DSA1820	400 mm
DSA1825	410 mm
DSA1830	420 mm
DSA1840	440 mm
DSA1845	450 mm
DSA1850	460 mm
DSA1855	470 mm
DSA1860	480 mm
DSA2200	Standard Light Black Nylon upholstery (No tension adjustment)
DSA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener
DSA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener
DSA2240	Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required
DSA2720	Matrx Libra Cushion, Black Smooth Cover - Very High Risk
DSA2730	Matrx Vi Cushion, Black Smooth Cover - High Risk
DSA3290	Footrest Cover
DSA4190	Bold Decal (Full coloured transfer on frame)
DSA4195	Tag (Small Küschall brand transfer on front of frame)
DSA4200	Black
DSA4210	Dark Grey
DSA4220	Light Grey
DSA4230	Red
DSA4240	Blue
DSA4250	Gold
DSA4300	Black
DSA4310	Red
DSA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre
DSA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre
DSA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DSA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre
DSA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre
DSA6410	24"
DSA6420	25"
DSA6510	24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub.
DSA6610	24", 25" Schwalbe Rightrun Blue with K Guard Pneumatic tyre
DSA6700	24" Supergripp, mounted at 3 cm distance
DSA6710	24" Steel, mounted at 3 cm distance
DSA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DSA6760	24" Carbolife Curve L, mounted at 3 cm distance. Unique shape for low-effort propulsion
DSA6770	24" Carbolife Quadro, mounted at 3 cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DSA6900	24" Transparent Spokeguard
DSA6910	24" Black Spokeguard



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relavent option code or part r	number):