

W5 Suspension Order Form

User information	
User name	
Adress	
Zip-code & city	
Tel. / Telefon	
E-Mail	
Weight	Kg.
Height	cm.
Offer Only	☐
Order	☐
Payment Details	
EAN number	
Your PO number	
Invoice recipient	
Phone/Telefon	
E-Mail	
Contact Person	
Name and address	
Phone	
E-Mail	
Delivery Information	
Consultant	
User	
Dealer	
Other address	
Consultant / Date	

Project No.

Frame No.

Filled out by

Wolturnus

--



Custom-built wheelchair for active use Default Equipment

- Tailor-made rigid-frame wheelchair
- Fully welded
- Made of 7020 T6 aluminium
- Adjustable back upholstery
- Impact-resistant anodized frame
- Rear wheels with quick-release axles

Comments:

--



Orderform is only compatible with
Adobe Acrobat Reader which is available at:

PC & Macbook
<https://get.adobe.com/uk/reader/>

Tablet & iPad
<https://www.adobe.com/acrobat/mobile.html>



Tailor-made Wheelchair

☐ This combination/option is available

- This combination/option is **not available**

! This information is mandatory and must always be filled out

For options or solutions not mentioned in this order form, please, contact Wolturnus directly.

See contact information at the bottom of this page.

! Model (mandatory)

111000006000	£6,495	☒	1. W5 Suspension	Suspension with one gasspring (Recommended Userweight 50-150kg.)
--------------	--------	----------------------------------	------------------	---

! Color (Mandatory) Note: Suspension axle is anodized black


619000001009	☐	Black anodized no. 10
619000001109	☐	Silver anodized no. 11
619000001209	☐	Blue anodized no. 12
619000001309	☐	Red anodized no. 13
619000001409	☐	Green anodized no. 14
619000001509	☐	Bronze anodized no. 15
619000002009	☐	Steel blue powder coat no. 20
619000002109	☐	White powder coat no. 21
619000002509	☐	Shiny black powder coat no. 25
619000002809	☐	Matt black powder coat no. 28
619000003209	☐	Purple Violet powder coat no. 32
619000003309	☐	Dark Grey powder coat no. 33
619000003409	☐	Ruby Red powder coat no. 34
619000003509	☐	Brilliant Blue powder coat no. 35
619000003709	☐	Pigion blue powder coat no. 37
619000003809	☐	Antique green powder coat no. 38
619000003909	☐	Pearl Blackberry powder coat no. 39
619000003009 £625	☐	Custom colour (Powder coating) ! Colour code

	☐	DECAL(S): The user's name or other message(s) printed on the frame
--	--------------------------	---


000000001102 £0	☐	1st. drawing of frame
--------------------	--------------------------	-----------------------

Note: Only the frame will be colored with the selected paint or treatment. Other loose components, such as folding backrest, sideguards, armrests etc. will be anodized black

Comments:



! Frame Data (mandatory)					
616000??009	!		SW: Seat width - outer measurement	SW: _____ cm	
			FD: Frame depth (std. 44 cm)	FD: _____ cm std. 44cm	
			SD: Requested seat depth (std. 41 cm)	SD: _____ cm std. 41cm	
			SH-r: Seat height from floor to rear seat edge (Std. 43cm) Minimum SH-r with Ergo seat = 24" SH-r: 42cm / 25" SH-r: 43cm Minimum SH-r with Dibond Seat + Ergo = 24" SH-r: 41cm / 25" SH-r: 42cm Minimum SH-r with Straight seat = 24" SH-r: 41cm / 25" SH-r: 42cm Minimum SH-r with Dibond Seat + Straight = 24" SH-r: 40cm / 25" SH-r: 41cm OBS! SH-r >42cm maximum userweight 100kg (without reinforcement) Ø30 seat OBS! SH-r ≥42cm/≥43cm (24"/25") required for folding backrests & XXL		
615000??009	!		SH-f: Seat height from front of delivered seat depth to the floor (std. 48 cm)	SH-f: _____ cm std. 48cm	
6115000?0001			C: Camber angle rear axle 1°-3°-5° (std. 2°)	C: _____ ° std. 2°	
8131000????			!	BH: Fixed back height (std. 35cm)	BH: _____ cm std. 35cm
81310005????				BH: Adjustable back height (std. 35-41 cm)	Delivered Height: BH-d: _____ cm std. 38cm Maximum Height: BH-max: _____ cm std. 41cm Minimum Height: BH-min: _____ cm std. 35cm
611000??009	!		RA: Fixed rear axle position (std. 8 cm)	RA: _____ cm std. 8cm	
610000001009	£0	○	Straight seat tubes	ES: _____ cm std. 12cm	
610000??0001	£0	○	ES: Ergonomic seat (std. 12 cm)		
	!		BF: From the front of backrest to the front of footrest tube (std. 60 cm)	BF: _____ cm std. 60cm	
			BC: From backrest to the center of the castorhouse (std. BF-10 cm)	BC: _____ cm std. BF-10cm	
			CW: Distance between the castorshouses (std. FF + 15cm= 4")	CW: _____ cm FF+15cm / 4"	
612000270009	!		FF: U-V front frame (std. 25,5cm - 27,5cm - 29,5cm - 32,5cm - 35,5cm)	FF: _____ cm	
FB: Length to the front bend of the front frame (std. 15 cm)			FB: _____ cm		
613000??0009			FF: U front frame (std. 25,5cm - 27,5cm - 29,5cm - 32,5cm - 35,5cm)	FF: _____ cm	
			DF: Length of seat tube before bend for U front frame (std. 30 cm)	DF: _____ cm	
Comments:					



1. Angle Adjustable



2. Open with two tubes



#5 Anti-tip



3. Welded on



4. Screwed on



#6 Anti-tip E300

! Footrest (mandatory)

! Pick One	☐	VSL: Front of seat upholstery to rear edge of footrest (std. 39-45 cm) VSL/USL: _____ cm
	☐	FRA: Footrest angle (std. 1 cm) FRA: _____ cm
	☐	FRH: Height of the footrest (Alternative to VSL/LLL) FRH-1: _____ cm
		FRH-2: _____ cm

! Pick One	☐	Height adjustable footrest	
	☐	Footrest height, Fixed by welding	+/- 1,5cm


8200FF001200	£0	☐	1. Footrest, angle adjustable footplate FRD 12cm std.	FRP std. 1cm
8200FF001600	£120	☐	1. Footrest, angle adjustable footplate FRD 16cm std.	
82??99000000	£260	☐	1. Custom footrest measurement max. FRD 20 cm	FRD std. 12cm _____ cm
829999020004	£295	☐	1. Custom footrest measurement (max. FRD 20 cm) with bend HE: Height of bent edge on the custom adjustable footplate	HE: std. +1cm up _____ ±cm

829999000079	£0	☐	2. Footrest, open with two tubes	
829999010071	£230	☐	3. Footplate welded on footrest	FRD: std. 12cm _____ cm
+829999012001	£260	☐	3. Footplate with bend welded on footrest (fillout HE , +up/-down)	FRP: std. 0cm _____ cm
829999010075	£190	☐	4. Footplate screwed on footrest w/tabs	HE: std. +1cm up _____ ±cm
+829999012001	£220	☐	4. Footplate with bend screwed on footrest w/tabs (fill out HE +up/-down)	
829999020090	£380	☐	4. Carbon Footplate screwed on footrest w/tabs	

835099210001	£60	☐	Rubber plated footplate	
691000010001	£60	☐	RH: Welded rings for leg strap, incl. strap. Height from floor.	RH: std. 23cm _____ cm
825000000003	£105	☐	Reinforced footrest for FreeWheel (only footplate 2, 3, 4) (Note: FRD: 8-15 cm & max FRH 12cm & FRA 2cm)	Frame: Ø30 Footrest: Ø22
840710001010	£705	☐	Freewheel	FreeWheel (tm) Wheelchair Attachment

£0		☐	Anti-tip (Recommended choice)	
88611010????	£275	☐	Centermounted anti-tip with Quick Release (Maximum 120kg)	AF: std. 6-8cm _____ cm
886110101370	£355	☐	Centermounted Reinforced anti-tip with Quick Release	AW: std. 32-36cm _____ cm

Comments:	
------------------	--



! Back System (mandatory)					
813100050???	£0	☐	Fixed back, welded	BA: _____ ±cm	
813100051???	£305	☐	Folding back ± 4° (std.) (#1)		
813100053???	£415	☐	Folding back +4° to +12° (#1)		
			Light style folding back (SW only in whole cm, max SW 40) (Max user weight 80 kg) (#2)		
			SW-s: Seat Width between sideguards for light style folding back with screwed on sideguards (SW+14mm)	SW-s: _____ cm	
81220020000?	£205	☐	Narrow back	NB: The wide back is not available in combination with the folding back	UBW: _____ cm
		☐	Wide back		LBH: _____ cm
812200200020	£125	☐	a: Bend on backrest Backwards (+) a: _____ cm a: Bend on backrest Forwards (-) b: _____ cm b: Length of the upper, bent part of the back tubes c: _____ cm c: Distance from the seat tube to bend		
Pick One		☐	Shape of back brace (Default)	BD: Depth of back brace (std. 12 cm)	BD: _____ cm
		☐	Shape of back brace (Rounded)	TH: Distance between back brace & top of backrest (std. 12 cm)	TH: _____ cm
-	£0	☒	Standard backrest (No ILSA)	Z: Depth 0 cm Z: Depth 3 cm Z: Depth 5 cm Z: Depth 7 cm Z: Depth 10cm ZH: _____ cm	
8122002001??	£465	☐	Wing Back ILSA: Integrated multi-adjustable back support (#4)		
8122002001??	£600	☐	Wing Back ILSA: Ball Clamped (fill out ZH, std. BH) (#5)		
82501000????	£465	☐	Wing Back ILSA: HAWK (only std. size) (#6)		
8122002001??	£770	☐	Custom ILSA Wing Back ILSA: Integrated		Z: _____ cm
8122002001??	£770	☐	Custom Wing Back ILSA: Ball Clamp (fill out ZH, std. BH)		




#1 Folding Backrest



#2 Light Style
Backrest



#3 Wing back ILSA




#4 Clamp on ILSA



#5 Hawk ILSA

Comments:	
------------------	--



No		☐	Push handles	
81310005??09	£195	☐	1.	Push handles, quick-release (push handle height fixed)
81310005?106	£260	☐	2.	Push handles fixed by screws (fixed backrest height)
81310005?206	£310	☐		Push handles fixed by screws (Adjustable backrest height)
81310005?108	£260	☐	3.	Push handles welded on (fixed backrest height)
81310005?208	£310	☐		Push handles (Adjustable backrest height)
81310005?107	£155	☐	4.	Foldable push handles, mounted in top of back tubes (hence the upholstery lacks padding on its top) (fixed backrest height)
81310005?207	£195	☐		Foldable push handles, mounted in top of back tubes (hence the upholstery lacks padding on its top) (Adjustable backrest height)
81310005??02	£460	☐	5.	Adjustable push handles (fill out PH) Dia. Ø22 mm (only for pushing the wheelchair / kun til skub)
81310005??03	£460	☐	6.	Adjustable push handles (fill out PH) Dia. Ø25 mm (for lifting)
81310005??04	£310	☐	7.	Push handles welded on (extra tubes welded on back) (fill out PH)
81310005??05	£480	☐	8.	Foldable push handles, fixed by screws (extra tubes welded on back) (fill out PH)
			Height from floor to anticipated position, std. adjusted to fit backrest (Not optional for pushhandles with fixed height) PH: _____ cm	

No		☐	Wheel-locks (recommended choice)	
885110101001	£0	☐	Push activated wheel-locks (aluminium)	
885110101003	£0	☐	Push-action wheel-locks (aluminium), bent handles (horizontal)	
885110111001	£165	☐	Pull-activated wheel-locks (aluminium)	
885110101101	£165	☐	Push-action wheel-locks (plasticfibre)	
885110111101	£165	☐	Pull-activated wheel-locks (plasticfibre)	
885110201209	£190	☐	Sport Scissor wheel-locks (plasticfibre)	
885110201300	£210	☐	Wing Scissor Brake (aluminium)	

Comments:	
------------------	--

			
	Screwed on OBS! not available for regular folding backrest. Note: With Lightstyle backrest add +14mm to seat width	Foldable This option will add 8mm to SW Warning sideguards with mudguards may not fully fold	Welded Sideguards Available for welded backrest only
881000?0000 £285	☐ Custom ABS	☐ Custom ABS	
88100010000? £0	☐ Custom Dibond	☐ Custom Dibond	
88100040000? £250	☐ Aluminium (without mudguard)	☐ Aluminium (without mudguard)	
8810005000?? £620	☐ Nature ☐ Black ☐ Red ☐ Blue ☐ Green ☐ Bronze ☐ Bright (for Lightstyle Back)	Aluminium (Mudguard) Pick screw color	☐ Aluminium (Mudguard)
88100020000? £600	☐ Carbon (without mudguard)	☐ Carbon (without mudguard)	
8810003000?? £655	☐ Nature ☐ Black ☐ Red ☐ Blue ☐ Green ☐ Bronze ☐ Bright (for Lightstyle Back)	Carbon (Mudguard) Pick screw ATTN! fixed curve, variable GH	
681000010052 £65	☐ Extra welded tab for sideguard reinforcement		
These measurement are not optional on std. sideguards	GH: Height from tire to underside of sideguards (std. 3,5cm clearance)(at tirepressure 8 bar)		GH: _____ cm
	GL: Length from backrest to front of sideguards (std. follow tire)		GL: _____ cm
	MC: Mudguard cover (std. center of tire)(max 4cm with carbon sideguards)		MC: _____ cm
Accessories			
7600000100??	£60 £55	☐ Frame protectors front frame ☐ Frame protector crosstube on backrest	
76100000000?	£135 £190	☐ Bag for catheter etc. (can be fixed under the seat) Small ☐ Bag for catheter etc. (can be fixed under the seat) Large	
7711000007??	£95 £95 £95	☐ BodyPoint calf strap Small 32" (81cm) ☐ BodyPoint calf strap Medium 36" (91cm) ☐ BodyPoint calf strap Large 40" (101cm)	 
771100000747	£95	☐ BodyPoint Mobility Bag (medium)	
953001040120	£90	☐ Quick-release axle with Tetra grip <i>Quick-release akse med Tetra greb</i>	

Comments:	
------------------	--

! Upholstery (mandatory)					
761000000010	NA €	☐	Standard back upholstery		
			Extra wide back upholstery (backrest cover)		☐ +0 ☐ 1+ ☐ 2+ ☐ 3+
			Extra wide backrest straps (for a deeper shape of back)		☐ +0 ☐ 1+ ☐ 2+ ☐ 3+
			Pocket on lower back upholstery (w/zipper)		
710000000001	£0	☐	Black 3D fabric back upholstery (detachable part) with logo (Std.)		
710099990010	£365	☐	Black Leather back upholstery, without logo		
710099990012	£390	☐	Red Leather back upholstery, without logo		
710099990013	£390	☐	Blue Leather back upholstery, without logo		
710099990011	£390	☐	White Leather back upholstery, without logo		
710099990001	£0	☐	Black Leather on the upper corners of wing (std black)		
710099990003	£155	☐	Red Leather on the upper corners of wing		
710099990004	£155	☐	Blue Leather on the upper corners of wing		
710099990002	£155	☐	White Leather on the upper corners of wing		
710099990000	£0	☐	No Leather on the upper corners of wing		
750000009000	£220	☐	W-fit seat cushion Taylor made seat cushion for a perfect fit		!
-	£0	☐	3D Knitted cover (Black, Std.)	Width / Depth	_____ cm / _____ cm
750000000005	£60	☐	Incontinens cover	Thickness	☐ 5cm Std. ☐ 7cm
				Firmness	☐ Medium Std. ☐ Hard
		☐	No back upholstery		
		☐	No cushion		
		☐	No seat cover		
725029351009	£130	☐	Dibond Seat		

Custom-solution for upholstery	
Description	Drawing



	4"	5"	Castors	Color
£0	☐	☐	No Castors or Custom	
8600101020?? £0	☐	☐	1. Fiber plastic 34 mm	Black (std.)
860010201??? £275	☐	☐	Alu 36mm Froglegs	Black (std.)

	24"	25"	Drivewheels (*Extended delivery-time)	Color
-£50	☐	☐	No Drivewheels or Custom	
85102??01009 £0	☐	☐	1. Spoke wheels (standard)	Black - Black Hub
85102??10100? £0	☐	☐	2. Spoke wheel radial	
8510??101002 £215	☐	☐	3. Infinity Super Light 24 spokes (user weight limit 80 kg)	
85352??101?08 £745	☐	☐	4. Spinergy 12 Spoke LX	
85352??101?09 £580	☐	☐	5. Spinergy 18 Spoke SPOX	Black - Black Hub
85352??181107 £795	☐	☐	6. Spinergy 18 Spoke BLXL Black*	Blue - Silver Hub
85362??181008 £795	☐	☐	7. Spinergy 18 Spoke SLX*	

	24"	25"	Tires incl. tube
£0	☐	☐	No Tires or Custom
96622??010001 £0	☐	☐	Schwalbe Right Run grå, 1" (std.)
96622??01000? £95	☐	☐	Schwalbe Marathon Plus EVO, black 1"

	24"	25"	Pushrims	Model
£0	☐	☐	No Pushrims or Custom	
85512??10200? £0	☐	☐	Aluminium Nature (std.)	Standard Light
85502??103009 £150	☐	☐	Stainless steel pushrims	
85552??000009 £420	☐	☐	Titanium drivringe	
8554202?0601 £265	☐	☐	Friction pushrims	
85542??2?0601 £470	☐	☐	Curve L Carbolife	
9669282?060? £570	☐	☐	Gekko Carbolife Black	
8554302?0601 £570	☐	☐	Quadro Carbolife	
8554502?060? £580	☐	☐	Oval Wood S BIG	
		☐	Pushrim Mounted Short (std.)	
		☐	Pushrim Mounted Long	

Comments:	
------------------	--

Comments	
P.2	
P.3	
P.4	
P.5	
P.6	
P.7	

Subject to price changes, due to special combinations and checkbox errors	
Estimated Price (tax not included)	



How to use Adobe Acrobat on Mobile Devices (Phones and Tablets):

How to send an orderform from your mobile device:

1. Launch the "Adobe Acrobat" app on your device
2. Find your document on your list and press the "three dots" icon :
3. Press the share icon   (several options is available)

How to rename a orderform on your mobile device:

1. Launch the "Adobe Acrobat" app on your device
2. Go to the "files"  tab at the bottom menu
3. Find your document and press the "three dots" icon :
4. Press Rename, A

How to make a copi of an orderform:

1. Launch the "Adobe Acrobat" app on your device
2. Find your document on your list and press the "three dots" icon :
3. Press "save copi" 

Note: Please avoid using the "print to pdf" feature available on PC



WOLTURNUS

Kundeservice/Customer Service

Wolturnus A/S
Skalhuse 31
9240 Nibe

Phone/Telefon: +45 96 71 71 70
www.wolturnus.dk
Mail: ordre@wolturnus.dk

Produktion/Production

Wolturnus A/S
Halkjærvej 24B
9240 Nibe