

Q300® M Mini Kids



ORDER FORM


Billing Address Or Customer-ID		Shipping Address ☐ Identical To Billing Address	
C.-ID:		C.-ID:	
Name:		Name:	
Street:		Street:	
Town/PC:		Town/PC:	
E-Mail:		E-Mail:	
Phone:		Phone:	
Order Information		User Weight	
☐ Order ☐ Calculation ☐ Built-4-Me®		User Weight Capacity: 75 kg	
Purchase Order No.:		User Weight: kg	
Art. No.: 2200030M-000 Reimbursement Code:			
Order Date: Day Month Year			

Base Price

£6,750

Client Measurements

a) Top Of Head To Seat		mm
b) Top Of Shoulder To Seat		mm
c) Underarm To Seat		mm
d) Elbow To Seat		mm
e) Top Of Pelvis To Seat		mm
f) Shoulder Width		mm
g) Trunk Width		mm
i) Hip Width		mm
j) Actual Sitting Depth		mm
m) Foot Length		mm
n) Lower Leg Length		mm
o) Actual Seat Width		mm



Seating Specifications

All Bases Prepared For DAHL Docking Station		Seat Type	Kids Seat
Typical WC Weight	Without Batteries 80 kg	Seat Size Range	Width 280 mm - 400 mm, Depth 260 mm - 400 mm
	With Batteries from 103 kg	Seat To Floor Height Range	410-490 mm

MWD Base Specifications

User Weight Capacity	75 kg	Drive Wheels	12", 13" or 14" Drive Wheels (Black)
Base Size	Width Min. 520 mm	Tyres / Castors	7" Front / 7" Rear (Black)
Drive Control	VR2, Option R-Net	Charger	8 A Dual Mode Charger
Driving Range	Up To 31 km	Battery Size	41, 50 & 56 Ah Batteries
Drive Motors	2-Pole 6 /10 kph, 4-Pole 6/8 kph	Colour Accents	7 Colour Accents
Ground Clearance	70 mm	Frame Colour	Black

Q300 M Mini Kids Drive Base			£
☐	QZK000074	Q300 M Mini (MWD Base Chair)	6750

Standard Seat Size			£
--------------------	--	--	---

Seat Cushion Width			Seat Depth		
☐	SW28	11" (280 mm) (1)	☐	SD26	10" (260 mm) (2)
☐	SW30	12" (300 mm)	☐	SD28	11" (280 mm) (2)
☐	SW32	13" (320 mm)	☐	SD30	12" (300 mm)
☐	SW34	13.5" (340 mm)	☐	SD32	13" (320 mm)
☐	SW36	14" (360 mm)	☐	SD34	13.5" (340 mm)
☐	SW38	15" (380 mm)	☐	SD36	14" (360 mm)
☐	SW40	16" (400 mm)	☐	SD38	15" (380 mm) (3)
			☐	SD40	16" (400 mm) (3)

Seat & Cushion Type			£
☐	QZK020109	Firm Seat Board	0
☐	QZK020120	2" Standard Foam Seat Cushion	0
☐	QZK020110	Omit Seat Cushion	0

Seat Heights (4)			£
☐	SH41	410 mm (5)	0
☐	SH43	430 mm (6)	0
☐	SH45	450 mm (7)	0
☐	SH47	470 mm	0
☐	SH49	490 mm	0

Powered Seating Options			£
☐	QZK130002	Manual Tilt (3° preset tilt)	0
☐	QZK130004	Posterior Tilt, Powered, 0° - 30° (9)	1150
☐	QZK130007	Posterior Tilt, Powered, 0° - 50° (9) (10)	1350
☐	QZK130012	Posterior Tilt, Powered, -5° - 25° (9)	1290
☐	QZK130009	Seat Elevator (300 mm) / Tilt Module (Tilt 0° - 30°), Powered (8)	2050

Backrest Frame Type			£
☐	QZK030018	Mechanical Fixed Recline Back (-4 to 16° in 3 steps)	0
☐	QZK030026	Powered Recline Back (0 to 30°)	560

Back Cushion Type			£
☐	QZK030301	Sling Back, With Tension Adjustable Straps (See Section A)	0
☐	QZK030152	JAY Shape, Back Cushion (See Section B)	0
☐	QZK030151	SEDEO LITE, Back Cushion (See Section C)	0
☐	QZK030054	JAY J3, Back Cushion (See Section D)	0

A - Sling Back Height			£
☐	BH38	380 mm	0
☐	BH41	410 mm	0
☐	BH435	435 mm	0
☐	BH46	460 mm	0
☐	BH485	485 mm	0

(1) Only With QZK040064, Side Guard Short In Rig

(2) Only With QZK030214 SEDEO LITE Deep Contour Active

(3) Not With QZK030214 SEDEO LITE Deep Contour Active

(4) Measured From Front Of Seat Pan To Floor. Obtain Quote To Verify Seat To Floor Height. Seat Heights May Vary +/- 10 mm To Cover Tolerances And Drive wheel Size.

(5) Only With QZK130002 Manual Tilt

(6) Only With QZK130002 Manual Tilt Or QZK130004 Powered C.O.G tilt: 0 to 30°

(7) Not Available With QZK130012 Powered Negative C.O.G tilt: -5 to 25°

(8) Not With QZK110036 Remote Joystick, VR2. In Case Of R-Net: QZK110032 Actuator Control & Lights Module, R-Net, ISM-6L Required

(9) Not With QZK110036 Remote Joystick, VR2. In Case Of QZK110004 Power Module, R-Net: QZK110032 Actuator Control & Lights Module, R-Net, ISM-6L Required

(10) Not in combination with power recline set at 400 mm seat depth

B - JAY Shape Back			£
☐	JAY080001	JAY Shape Back (1)	270
☐	JAY080006	JAY Shape Back, Oversized (2) (3)	270
B - JAY Shape Backrest Height			£
☐	BH41	410 mm	0
☐	BH435	435 mm	0
☐	BH46	460 mm	0
☐	BH485	485 mm	0
B - JAY Shape Back			£
☐	JAY080011	JAY Shape Lateral Thoracic Pad, (LxH) 100 x 120 mm, Pair	270
C - SEDEO Lite Backrest			£
☐	QZK030214	SEDEO Lite Deep Contour Active (4) (5)	350
C - SEDEO Lite Backrest Cushion Cover			£
☐	QZK030059	Back Cushion Cover, Incontinence Protection	0
☐	QZK030108	Back Cushion Cover, Comfort	0
D - JAY J3 Back Size			£
☐	JAY030111	JAY J3 Back Size, 410 mm	0
☐	JAY030112	JAY J3 Back Size, 460 mm	0
☐	JAY030113	JAY J3 Back Size, 510 mm	0
D - JAY J3 Back Size, Shallow Contour			£
☐	JAY030034	JAY J3 Back, Shallow Contour, Mid Thoracic, Short, 300 mm	705
D - JAY J3 Back Size, Mid Contour			£
☐	JAY030035	JAY J3 Back, Mid Contour, Mid Thoracic, Short, 300 mm	705
D - JAY J3 Back Size, Mid Deep Contour			£
☐	JAY030040	JAY J3 Back, Mid Deep Contour, Mid Thoracic, Short, 300 mm	870
☐	JAY030044	JAY J3 Back, Mid Deep Contour, Mid Thoracic, Medium, 340 mm	870
☐	JAY030042	JAY J3 Back, Mid Deep Contour, Upper Thoracic, Medium, 460 mm	870
Push Handles			£
☐	QZK030212	Standard Push Handle	0
☐	QZK030213	Straight Push Handle (6)	0
Headrest Receiver			£
☐	QZK030120	Headrest Receiver, Backrest Frame Mount	0
☐	QZK030119	Headrest Receiver, Back Cushion Mount (7)	0
Headrest Pad			£
☐	QZK030430	SEDEO, Headrest Pad, Small, (LxH) 240 x 150 mm (8)	95
☐	QZK030431	SEDEO, Headrest Pad, Small, With Cover, (LxH) 240 x 150 mm (8)	110
☐	WHT030402	Whitmyer, Headrest Pad, Plush, (LxH) 254 x 127 mm (9)	170
☐	WHT030404	Whitmyer, Headrest Pad, Adjust-A-Plush, Small, (LxH) 355 x 76 mm (9)	280

(1) Not Available With SW 28, 30, 32 or 34

(2) Not Available With SW 28, 30 or 32

(3) Supplied 25 mm Wider Than Seat Width

(4) Required To Achieve Seat Depth SD 26 (260 mm) / SD 28 (280 mm)

(5) Not Available With SD 38 (380 mm) / SD 40 (400 mm)

(6) Not Available With QZK030120 Headrest Receiver, Backrest Frame Mount, QZK110021 Dual Control Or QZK110020 Joystick Mounted As Dual Control

(7) Only With QZK030214 SEDEO LITE Deep Contour Active

(8) Only With QZK030433 SEDEO HEADREST MOUNT Or QZK030434 SEDEO, Quick Release Headrest Mount

(9) Only With WHT030409 Whitmyer Headrest Mount LINX2, WHT030408 AXYS, Offset Or WHT030411 COBRA XTRA Flip Back Headrest Mounts

Headrest Stem			£
☐	QZK030433	SEDEO, Headrest Mount	140
☐	QZK030434	SEDEO, Quick Release Headrest Mount	155
☐	WHT030408	Whitmyer, Headrest Mount, LINX ²	190
☐	WHT030409	Whitmyer, Headrest Mount, AXYS	155
☐	WHT030411	Whitmyer, Headrest Mount, COBRA XTRA Flip Back	220

Armrest Types			£
☐	QZK040122	Flip-up, height and angle adjustable	0

Side Guards			£
☐	QZK040064	Side Guard Short In Rig (1)	0
☐	QZK040033	Side Guard (2)	0

Arm Pads			£
☐	QZK040023	Arm Pad, Integral Foam, 300 mm, Right	0
☐	QZK040024	Arm Pad, Integral Foam, 300 mm, Left	0
☐	QZK040062	Arm Pad, Integral Foam, 280x65 mm, Right (3)	0
☐	QZK040063	Arm Pad, Integral Foam, 280x65 mm, Left (4)	0

Centre Mount Legrest			£
☐	QZK050112	Centre Mount Legrest (includes calf pads and flip up footplate)	0

Swing Away Legrest & Footplates			£
☐	QZK050002	Hanger Angle 70°	0
☐	QZK050001	Hanger Angle 80° (5)	0
☐	QZK050115	Legrest Uni 80° Swing Away	0
☐	QZK050041	Hanger Angle 90°	
☐	QZK050016	Legrest Manual Elevating Swing Away (Includes Flip Up Footplates)	375

Footplates for Swing Away Legrests

☐	QZK050135	Footplate, Fixed, Pair (6)	0
☐	QZK050137	Footplate, Angle Adjustable, Pair (6)	80
☐	QZK050050	Footplate, Divided, Aluminium, Angle-Adjustable, Flip-Up (Sideways), Heel Loop, Black (5) (7)	0
☐	QZK050167	Footplate, High Mount - Recommended for short LLL (5) (7)	130
☐	QZK050168	Short Clamp (90mm)	0
☐	QZK050169	Long Clamp (121mm)	0

VR2 Controls			£
☐	QZK110036	Remote Joystick, VR2	0
☐	QZK110037	Remote Joystick, VR2, 2 Actuators	0
☐	QZK110040	Remote Joystick, VR2, 2 Actuators And Lights	0

VR2 Power Module & Lighting Module

☐	QZK110001	Power Module, VR2, 70 A (8)	0
☐	QZK110002	Power Module, VR2, 90 A (9)	135
☐	QZK110030	Lighting Module, VR2 (10)	0

(1) Reduces SW By 20 mm

(2) Not With SW 28 (280 mm)

(3) Not with combination of QZK110056 Joystick Mounting, Parallel, Swing Way, Capsulated and QZK110052 Joystick Mounting Location, Right

(4) Not with combination of QZK110056 Joystick Mounting, Parallel, Swing Way, Capsulated and QZK110053 Joystick Mounting Location, Left

(5) Not With QZK130012 Powered Negative C.O.G Tilt -5 to 25°

(6) Only With QZK050115 Legrest Uni 80° Swingaway

(6) Only With QZK050002/1 Hanger Angle 70°/80°

(8) Only With 6 kph

(9) Highly Recommended With QZK180009 4-Pole Motor, 6 kph / 4 mph

(10) If LED Light And Indicator Is Chosen, Then This Is Required

R-Net Controls			£
☐	QZK110015	Remote Joystick, R-Net, LED, Actuators	485
☐	QZK110016	Remote Joystick, R-Net, LED, Actuators And Lights	485
☐	QZK110017	Remote Joystick, R-Net, Colour LCD	630
☐	QZK110018	Remote Joystick, R-Net, Colour LCD, Heavy Duty (1)	1200
☐	QZK110013	Remote Joystick, R-Net, High Resolution Colour LCD, Advanced, Infrared Control Included	750
☐	QZK110023	Remote Joystick, R-Net, High Resolution Colour LCD, Advanced, Infrared And Bluetooth Control Included	925
R-Net Power Module & ISM			
☐	QZK110003	Power Module, R-Net, 90 A	0
☐	QZK110004	Power Module, R-Net, 120 A	135
☐	QZK110032	Actuator Control & Lights Module, R-Net, ISM-6L	0
R-Net Gyro			
☐	QZK110009	Traction Control System For R-Net (GYRO Technology)	400
Joystick Mount			£
☐	QZK110082	Joystick Mounting, Parallel, Swing Away	0
☐	QZK110056	Joystick Mounting, Parallel, Swing Away, Capsulated (2) (3)	80
Joystick Mounting Location			£
☐	QZK110052	Joystick Mounting Location, Right	0
☐	QZK110053	Joystick Mounting Location, Left	0
Attendant Controls			£
☐	QZK110021	Dual Control	425
☐	QZK110020	Joystick Mounted As Attendant Control (4) (5)	270
Joystick Knobs			£
☐	QZK090505	Joystick Knob, Golf Ball, Ø 42 mm	40
☐	QZK090506	Joystick Knob, T-Bar, 82 mm Wide	40
☐	QZK090507	Joystick Knob, Soft Ball, Ø 70 mm	40
☐	QZK090508	Joystick Knob, Ball, Ø 35 mm	40
☐	QZK090045	Joystick Knob, Allround, Ball, Ø 48 mm	40
☐	QZK090509	Joystick Knob, Chin Cup, Ø 37 mm	40
☐	QZK090512	Joystick Knob, Stick, 80 x 15 mm	40
☐	QZK090511	Joystick Knob, Mushroom, Ø 45 mm	40
LED Lights & Indicators			£
☐	QZK110201	LED Light And Indicator StVZO Approved (6)	400

(1) Not With Any Joystick Knob QZK090505-QZK090511

(2) Not With QZK040062/3 Armpad, Integral Foam 280x65mm Right/Left

(3) Only With QZK110015 Remote Joystick, R-Net, LED, Actuators and QZK110016 Remote Joystick, R-Net, LED, Actuators And Lights

(4) Choose Also A Remote Joystick

(5) Right Hand Attendant Control Only

(6) QZK110030 Lighting Module VR2, QZK110032 Actuator Control & Lights Module Or QZK110157 Lighting Module, R-Net, ISM-6L Required

Remote Joystick – LinX

£

☐	QZK110810	REM110, Drive Only	0
☐	QZK110811	REM211, Drive & Actuators (1)	105
☐	QZK110812	REM211, 6 Actuators	105
☐	QZK110813	REM215, 2 Actuators	475
☐	QZK110814	REM216 6 Actuators	475
☐	QZK110815	REM400, Drive 6 Act,	630
☐	QZK110823	REM500 Omni	1225
☐	QZK110818	Omit Joystick	0
☐	QZK110824	Omit Omni	0

Power Modules & ISM's – LinX

£

☐	QZK110802	Power Module, LinX, 75 A, Drive Only	0
☐	QZK110803	Power Module, LinX, 75 A , Actuators and Lights	105
☐	QZK110804	Power Module, LinX, 120 Ah, Drive Only	135
☐	QZK110805	Power Module, LinX, 120 Ah , Actuators and Lights	135

Joystick Mounting - LiNX

£

☐	QZK110836	Joystick Mounting, Parallel, Swing Away	0
☐	QZK110837	Parallel Joystick	80

Joystick Mount Location - LiNX

£

☐	QZK110838	Joystick Mounting Location, Right	0
☐	QZK110839	Joystick Mounting Location, Left	0

Attendant Controls - LiNX

£

☐	QZK110840	Dual Attendant Control, LiNX	425
☐	QZK110842	Joystick Mounted As Attendant Control	270
☐	QZK110843	Omit Attendant Control	0

Attendant Mounting Location

☐	QZK110844	Attendant Mounting Location, Right	0
☐	QZK110845	Attendant Mounting Location, Left	0
☐	QZK110850	Omni SA Right	0
☐	QZK110851	Omni SA Left	0

Additional Modules- LiNX

£

☐	QZK110830	Traction Control System, for LiNX Gyro Technology	400
☐	QZK110831	Omit Gyro	0
☐	QZK110820	2 Actuator Module LiNX, ACT-200	0
☐	QZK110822	Omit Actuator Box	0

Motor Packages

£

☐	QZK180012	2-Pole Motor, 6 kph/ 4 mph, Performance	0
☐	QZK180015	2-Pole Motor, 10 kph/ 6.5 mph, Performance Package - Inc. LED Lights & Indicators, Rear View Mirror & Gyro (2)	500
☐	QZK180009	4-Pole Motor, 6 kph / 4 mph	310
☐	QZK180010	4-Pole Motor, 8 kph / 5 mph (2)	390

(1) Not with QZK110820 - 2 Actuator Module LiNX, ACT-200
(2) Must Also Select R-Net Controls

Drive Wheels & Castor Wheels		£
☐	QZK070084 Drive Wheel, 12", Solid, Knobbly, Black	0
☐	QZK070034 Drive Wheel, 14", Pneumatic, Knobbly, Black	0
☐	QZK070033 Drive Wheel, 14", Solid, Knobbly, Black	0
☐	QZT080213 Castor Wheel, 7", Solid, Black	0

Shroud Colours		£
☐	QZK100576 Red	0
☐	QZK100578 Blue	0
☐	QZK100579 White	0
☐	QZK100577 Black	0

Accent Colours		£
☐	QZK140005 Apple Green (RAL 110 70 77)	0
☐	QZK140004 Black (RAL 9005)	0
☐	QZK140006 Orange (RAL 060 60 80)	0
☐	QZK140007 Silver (RAL 9006)	0
☐	QZK140002 Red (RAL 040 40 67)	0
☐	QZK140003 Blue (RAL 260 40 45)	0
☐	QZK140001 White (RAL 9010)	0

Personalised Shrouds		£
☐	QZK140008 Grey Burst	250
☐	QZK140009 Red Burst	250
☐	QZK140010 Blue Burst	250
☐	QZK140011 Pure White Burst	250
☐	QZK140012 Flame Asteroid Grey	250
☐	QZK140013 Flame Hot Red	250
☐	QZK140014 Flame Sharp Blue	250
☐	QZK140015 Flame Pure White	250
☐	QZK140016 Floral White	250
☐	QZK140017 Carbon Black	250

Batteries		£
☐	QZK160006 Battery, 41 Ah, Gel, Maintenance-Free	0
☐	QZK160013 Battery, 56 Ah, Gel, Maintenance-Free	130

Chargers		£
☐	QZK160100 Charger, Automatic, 220 V / 8 A, UK	0
☐	QZK160103 Charger, Automatic, 220 V / 10 A, UK	240

Accessories		£
☐	QZK090100 Transportation Tie Down Points (Included as Standard)	0
☐	QZK090171 Adjustable Lap Strap	0
☐	QZK090040 Swing-Away Tray Table	335
☐	QZK160014 24V Auxiliary Battery Supply (1)	55
☐	QZK090110 Rear View Mirror, Right (2)	60
☐	QZK090118 Rear View Mirror, Left (2)	60

(1) Only With QZK160006 Battery, 41 Ah, Maintenance-Free

(2) Not In Combination With Same Entry Side QZK090040 Tray Table

Special Controls & Switches

Omni2 Input Control Module			£
☐	QZK110740	OMNI2 INCL. 2x Single Switch (Ø 64mm) and Flexi Mount	1170
Omni2 Module Mount			£
☐	QZK110122	OMNI2 Module, Flexi Mount, Right	0
☐	QZK110121	OMNI2 Module, Flexi Mount, Left	0
Safety Devices			£
☐	QZK090147	Remote Stop Switch (30 m Activation Range, Fit Via OBC Port) (1)	980

(1) Not With VR2

B4M Wrapped Shrouds

◀ BACK



// QZK140008
// QZK140009
// QZK140010
// QZK140011



// QZK140012
// QZK140013
// QZK140014
// QZK140015



// QZK140016
// QZK140017



// QZK140018
// QZK140019

Drive Wheels & Castor Wheels & Mudguards

◀ BACK



// QZK070069



// QZK080213

LED Lights & Chargers

◀ BACK



// QZK110201



// QZK160100 & QZK160101



// QZK160102



// QZK160103 & QZK160104

Back Cushion Type

◀ BACK



// QZK030214

Headrest Pads & Headrest Mounts

◀ BACK



// QZK030430 & QZK030431



// WHT030404



// QZK030433



// WHT030408



// WHT030409

Seat Cushion Type

◀ BACK



// QZK020120

JAY J3 Back

◀ BACK



// JAY030041

Armrest Type

◀ BACK



// QZK040122

Swing Away Legrest & Support Options

◀ BACK



// QZK050001

// QZK050050

// QZK050167

Remote Joystick – R-Net & Joystick Mounting

◀ BACK



// QZK110017



// QZK110013



// QZK110018



// QZK110056

Remote Joystick – VR2

◀ BACK



// QZK110036



// QZK110037

Joystick Knobs

◀ BACK



// QZK090505



// QZK090045



// QZK090507



// QZK090508



// QZK090509



// QZK090512



// QZK090511



// QZK090506

Electronic Programmers – VR2

◀ BACK



// QZK090063

Electronic Programmers – R-Net

◀ BACK



// QZK090066



// QZK090064

Power Modules – R-Net / Attendant Controls

◀ BACK



// QZK110004



// QZK110021

4-Actuator Control Box

◀ BACK



// QZK110055

R-Net OMNI2 Input Control Modules

◀ BACK



// QZK110172

Comments For Adaptation



Q300 M Mini Kids

£

Base Price	6,250.00
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total Price	

Date			Signature
Day	Month	Year	

Send E-Mail

**Sunrise Medical**

Thorns Road, Brierley Hill, West Midland
DY5 2LD

Phone: +44 (0) 845 605 66 88

Fax: +44 (0) 845 605 66 89

E-Mail: enquiries@sunmed.co.uk

www.SunriseMedical.co.uk